Custom Knowledge Base Setup Guide

1. Install and Open Xftp and Connect to the Robot




Figure 1 Xftp connection settings

2. Enter the Target Directory

Open FTP, connect to the IP, and enter the directory: /root/asset/data




Figure 2 Files in the /root/asset/data directory

3. File Description

- Knowledge_zh-Hans.json: Chinese knowledge base
- Knowledge_en.json: English knowledge base
- Knowledge_de.json: German knowledge base
- embedding_zh-Hans.json: Chinese vector library
- embedding_en.json: English vector library
- embedding_de.json: German vector library

Among these files, the knowledge base files (Knowledge*.json) need to be filled with content, while the vector libraries are generated by the program through transformation and processing of the knowledge bases. The above files are located at /root/asset/data/ on the machine.

4. Knowledge Base Format

The knowledge base is a JSON file:

```
{
  "quetion": [("answer1", 1), ("answer2", 1), ("answer3", 1)],
  "quetion": [("answer1", 1)]
}
```

For example:

```
{
  "I'm so tired from work today.": [("You've had a long day, take a
good rest.", 1), ("A full day of work really wears you out.", 1), ("How
about taking it easy for a bit?", 1)],
  "I'm so bored.": [("Let's just chat about whatever.", 1)]
}
```

You can populate the knowledge base according to your needs. The file may be empty, but its format must not be altered.

5. Generating the Vector Library

We provide a program that generates the vector library from the knowledge base; it can be executed directly.

The command is as follows:

```
python3 /root/tm_mini/src/brain/brain/generate_robot_intents.py
```




Figure 3 Running the vector library generation command

Once execution completes, the old vector library under /root/asset/data/ will be automatically overwritten.

6. Restarting the Robot