Design System Drift Audit: umami-software/umami (DRAFT)

DRAFT for review. Not for the client until it has been reviewed and edited. Every class below is proposed by rule and confirmed by hand before the report leaves.

Run: umami-software/umami at ca661c7, against @umami/react-zen@0.249.0. 934 files checked in 4.3 seconds by @zenginui/cli@0.9.0, 2026-10-15.

Summary

- This run reported 155 findings in 92 groups. A group is one rule and one found value with one proposed class: one decision.
- Hand review covers 150 findings in 87 groups, up to the cap of 150, taken in rank order (severity times the number of files). 5 findings are summarised, not classified by hand. 150 + 5 = 155.
- False positives proposed in the hand-review set: 0 of 150. The rate is stated once each one has been confirmed by hand.
- Every number here comes from this run and is reconciled above. No figure from another run is quoted.

```
Proposed class | Findings | Groups
True drift | 86 | 53
Needs a decision | 64 | 34
Intentional exception | 0 | 0
False positive | 0 | 0
Hand-review set | 150 | 87
```

Top issues

G01: spacing-literal 8px (True drift)

- What: Spacing literal where a token reference is required. 8px matches space.padding-y-default but will not follow scale changes.
- Spread: 9 findings in 4 files, at error. Involves space.padding-y-default.
- Why this class: spacing-literal at error, with an exact fix.
- Fix: var(--padding-y-default) (exact)
- Examples: F001 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:27, F002 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:28, F003 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:39.
- Findings: F001 to F009 (9).

G02: spacing-literal padding: '32px' (Needs a decision)

- What: Arbitrary spacing value in inline style (padding). 32px is not on the spacing scale.
- Spread: 5 findings in 4 files, at error. Involves padding: '32px'.
- Why this class: No token is near this value: either the system is missing a token or this is a deliberate one-off.
- Fix: space.gap-default = 12px
- Examples: F010 src/app/(main)/boards/[boardId]/BoardEditColumn.tsx:133, F011 src/app/(main)/websites/[websiteId]/settings/SharesTable.tsx:54, F012 src/app/(main)/websites/[websiteId]/settings/SharesTable.tsx:112.
- Findings: F010 to F014 (5).

G03: spacing-literal 2px (Needs a decision)

- What: Arbitrary spacing value. 2px is not on the spacing scale.
- Spread: 4 findings in 3 files, at error. Involves 2px.
- Why this class: No token is near this value: either the system is missing a token or this is a deliberate one-off.
- Fix: space.padding-y-default = 8px
- Examples: F015 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:66, F016 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:147, F017 src/components/common/Badge.module.css:7.
- Findings: F015, F016, F017, F018.

G04: color-literal "rgba(0,0,0,0.8)" (True drift)

- What: Color literal in inline style (background-color) where a token reference is required. rgba(0,0,0,0.8) has no exact token match.
- Spread: 3 findings in 3 files, at error. Involves color.gray-950.
- Why this class: color-literal at error, with a nearest fix.
- Fix: "var(--gray-950)" (nearest). Nearest by value: color.gray-950 = #0a0a0a. Verify the semantic role before applying.
- Examples: F019 src/components/charts/ChartTooltip.tsx:19, F020 src/components/metrics/WeeklyTraffic.tsx:110, F021 src/components/metrics/WorldMap.tsx:105.
- Findings: F019, F020, F021.

G05: color-literal "white" (True drift)

- What: Color literal in inline style (color) where a token reference is required. The value matches 4 tokens (color.primary-foreground, color.surface-base, color.surface-overlay, color.focus-ring-offset) in the default theme but will not follow theme changes.
- Spread: 3 findings in 3 files, at error. Involves color.primary-foreground.
- Why this class: color-literal at error, with a nearest fix.
- Fix: "var(--primary-foreground)" (nearest). Several tokens share this value. Pick by role: color.primary-foreground, color.surface-base, color.surface-overlay, color.focus-ring-offset.
- Examples: F022 src/components/charts/ChartTooltip.tsx:19, F023 src/components/metrics/WeeklyTraffic.tsx:110, F024 src/components/metrics/WorldMap.tsx:105.
- Findings: F022, F023, F024.

G06: classname-policy padding: '32px' (Needs a decision)

- What: style on Dialog may not set padding. className on Dialog is limited to: margin, width, height, flex-item, grid-item, position, display, overflow.
- Spread: 5 findings in 4 files, at warn. Involves Dialog.
- Why this class: True by the component's contract, reported at warn: whether className.allow should widen for this component is a policy call.
- Fix: No fix the engine can write; decided by hand.
- Examples: F025 src/app/(main)/boards/[boardId]/BoardEditColumn.tsx:133, F026 src/app/(main)/websites/[websiteId]/settings/SharesTable.tsx:54, F027 src/app/(main)/websites/[websiteId]/settings/SharesTable.tsx:112.

- Findings: F025 to F029 (5).

G07: classname-policy whiteSpace: 'nowrap' (Needs a decision)

- What: style on Row may not set white-space. className on Row is limited to: margin, width, height, flex-item, grid-item, position, display, overflow.
- Spread: 4 findings in 4 files, at warn. Involves Row.
- Why this class: True by the component's contract, reported at warn: whether className.allow should widen for this component is a policy call.
- Fix: No fix the engine can write; decided by hand.
- Examples: F030 src/components/common/Pager.tsx:43, F031 src/components/input/FilterBar.tsx:240, F032 src/components/property-data/PropertyFilterBar.tsx:119.
- Findings: F030, F031, F032, F033.

G08: spacing-literal 10px (True drift)

- What: Arbitrary spacing value. 10px is not on the spacing scale.
- Spread: 6 findings in 2 files, at error. Involves space.padding-y-default.
- Why this class: spacing-literal at error, with a nearest fix.
- Fix: var(--padding-y-default) (nearest). space.padding-y-default = 8px, space.padding-x-default = 12px
- Examples: F034 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:39, F035 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:80, F036 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:109.
- Findings: F034 to F039 (6).

G09: spacing-literal 20px (True drift)

- What: Arbitrary spacing value. 20px is not on the spacing scale.
- Spread: 5 findings in 2 files, at error. Involves space.gap-default.
- Why this class: spacing-literal at error, with a nearest fix.
- Fix: var(--gap-default) (nearest). space.gap-default = 12px
- Examples: F040 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:22, F041 src/app/(main)/websites/[websiteId]/(reports)/journeys/Journey.module.css:22, F042 src/app/(main)/websites/[websiteId]/(reports)/journeys/Journey.module.css:26.
- Findings: F040 to F044 (5).

G10: spacing-literal 6px (True drift)

- What: Arbitrary spacing value. 6px is not on the spacing scale.
- Spread: 4 findings in 2 files, at error. Involves space.padding-y-default.
- Why this class: spacing-literal at error, with a nearest fix.
- Fix: var(--padding-y-default) (nearest). space.padding-y-default = 8px
- Examples: F045 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:9, F046 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:39, F047 src/app/(main)/websites/[websiteId]/(reports)/heatmaps/Heatmap.module.css:157.
- Findings: F045, F046, F047, F048.

Fix path by class

True drift

Fix in code, in group order. Apply exact fixes first; check each nearest fix by eye, since a neighbouring step can be a different design.

Group | Rule | Found | Findings | Files
G01 | spacing-literal | 8px | F001 to F009 (9) | 4
G04 | color-literal | "rgba(0,0,0,0.8)" | F019, F020, F021 | 3
G05 | color-literal | "white" | F022, F023, F024 | 3
G08 | spacing-literal | 10px | F034 to F039 (6) | 2
G09 | spacing-literal | 20px | F040 to F044 (5) | 2
G10 | spacing-literal | 6px | F045, F046, F047, F048 | 2
G17 | spacing-literal | 4px | F067, F068, F069 | 2
G18 | spacing-literal | 12px | F070, F071 | 2
G20 | spacing-literal | paddingTop: '24px' | F074, F075 | 2
G24 | token-reference | --border-base | F082, F083, F084 | 1
G25 | spacing-literal | 16px | F085, F086 | 1
G26 | spacing-literal | gap: '16px' | F087, F088 | 1
G27 | spacing-literal | padding: '12px 0' | F089, F090 | 1
G28 | color-literal | "var(--color-danger, red)" | F091 | 1
G29 | color-literal | #15803d | F092 | 1
G30 | color-literal | #16a34a | F093 | 1
G31 | color-literal | #4ade80 | F094 | 1
G32 | color-literal | #86efac | F095 | 1
G33 | color-literal | #a16207 | F096 | 1
G34 | color-literal | #b91c1c | F097 | 1
G35 | color-literal | #ca8a04 | F098 | 1
G36 | color-literal | #d1d5db | F099 | 1
G37 | color-literal | #dc2626 | F100 | 1
G38 | color-literal | #dcfce7 | F101 | 1
G39 | color-literal | #f87171 | F102 | 1
G40 | color-literal | #facc15 | F103 | 1
G41 | color-literal | #fca5a5 | F104 | 1
G42 | color-literal | #fde047 | F105 | 1
G43 | color-literal | #fee2e2 | F106 | 1
G44 | color-literal | #fef9c3 | F107 | 1
G45 | color-literal | rgba(0, 0, 0, 0.7) | F108 | 1
G46 | color-literal | rgba(202, 138, 4, 0.15) | F109 | 1
G47 | color-literal | rgba(22, 163, 74, 0.15) | F110 | 1
G48 | color-literal | rgba(220, 38, 38, 0.15) | F111 | 1
G49 | color-literal | rgba(255, 200, 0, 0.6) | F112 | 1
G50 | color-literal | rgba(255, 255, 255, 0.85) | F113 | 1
G51 | color-literal | rgba(255, 60, 0, 0.9) | F114 | 1
G52 | component-substitution | <button type="button" onClick={handleSort} className="inline-flex appearance-non | F115 | 1
G55 | spacing-literal | gap: 24 | F118 | 1
G56 | spacing-literal | margin: '0 6px' | F119 | 1
G57 | spacing-literal | marginLeft: 12 | F120 | 1
G59 | spacing-literal | marginTop: '12px' | F122 | 1
G61 | spacing-literal | marginTop: '8px' | F124 | 1
G62 | spacing-literal | padding: '0 0 12px' | F125 | 1

G63 | spacing-literal | padding: '24px' | F126 | 1
G64 | spacing-literal | paddingBottom: '16px' | F127 | 1
G66 | token-reference | --base-color-text-secondary | F129 | 1
G67 | token-reference | "1px solid var(--base300)" | F130 | 1
G68 | token-reference | "var(--anchor-width)" | F131 | 1
G69 | token-reference | "var(--available-width)" | F132 | 1
G70 | token-reference | "var(--base75)" | F133 | 1
G71 | token-reference | "var(--color-danger, red)" | F134 | 1
G72 | unknown-prop | flex-direction="column" | F135 | 1

Needs a decision

A decision for the team before any code changes: add the missing token, name the file as a foundation, or widen the component's className.allow. Each decision closes a whole group.

Group | Rule | Found | Findings | Files
G02 | spacing-literal | padding: '32px' | F010 to F014 (5) | 4
G03 | spacing-literal | 2px | F015, F016, F017, F018 | 3
G06 | classname-policy | padding: '32px' | F025 to F029 (5) | 4
G07 | classname-policy | whiteSpace: 'nowrap' | F030, F031, F032, F033 | 4
G11 | classname-policy | backgroundColor: 'rgba(0,0,0,0.8)' | F049, F050, F051 | 3
G12 | classname-policy | color: 'white' | F052, F053, F054 | 3
G13 | classname-policy | cursor: 'pointer' | F055, F056, F057 | 3
G14 | classname-policy | padding: 0 | F058, F059, F060 | 3
G15 | classname-policy | rounded-lg | F061, F062, F063 | 3
G16 | classname-policy | textOverflow: 'ellipsis' | F064, F065, F066 | 3
G19 | spacing-literal | gap-1 | F072, F073 | 2
G21 | classname-policy | contain: 'layout' | F076, F077 | 2
G22 | classname-policy | justifyContent: 'flex-start' | F078, F079 | 2
G23 | classname-policy | paddingTop: '24px' | F080, F081 | 2
G53 | spacing-literal | 100px | F116 | 1
G54 | spacing-literal | 1px | F117 | 1
G58 | spacing-literal | marginTop: '-6px' | F121 | 1
G60 | spacing-literal | marginTop: '3px' | F123 | 1
G65 | spacing-literal | paddingLeft: 28 | F128 | 1
G73 | classname-policy | alignContent: 'start' | F136 | 1
G74 | classname-policy | color: 'var(--color-danger, red)' | F137 | 1
G75 | classname-policy | cursor: 'col-resize' | F138 | 1
G76 | classname-policy | cursor: 'row-resize' | F139 | 1
G77 | classname-policy | flex-col | F140 | 1
G78 | classname-policy | gap-2 | F141 | 1
G79 | classname-policy | gridTemplateRows: 'auto 1fr' | F142 | 1
G80 | classname-policy | justify-between | F143 | 1
G81 | classname-policy | opacity: 0.7 | F144 | 1
G82 | classname-policy | padding: '24px' | F145 | 1
G83 | classname-policy | paddingBottom: '16px' | F146 | 1
G84 | classname-policy | paddingLeft: 28 | F147 | 1
G85 | classname-policy | paddingTop: '15vh' | F148 | 1
G86 | classname-policy | tableLayout: 'fixed' | F149 | 1
G87 | classname-policy | textWrap: 'nowrap' | F150 | 1

Intentional exception

Keep it and write the reason after the zengin-allow comment's colon, so the engine honours it and

the next reader knows why; or remove the exception.

No group in the hand-review set.

False positive

Not a code change. Tune the definitions (a passthrough type, a foundation file) so the engine stops reporting it, and count it in the report's false-positive rate.

No group in the hand-review set.

Beyond the hand-review cap

5 findings past the cap ship as engine output with a proposed class and no hand review. A second pass is a separate piece of work.

```
Group | Rule | Found | Proposed class | Findings past the cap
G88 | classname-policy | transform: 'translate(-50%, -50%)' | Needs a decision | F151
G89 | classname-policy | transform: 'translateY(-50%)' | Needs a decision | F152
G90 | classname-policy | transition: 'width 0.2s ease-in-out' | Needs a decision | F153
G91 | classname-policy | whiteSpace: 'pre-wrap' | Needs a decision | F154
G92 | classname-policy | wordBreak: 'break-word' | Needs a decision | F155
```

What the scan cannot see

- Drift outside the engine's seven rule kinds (color-literal, spacing-literal, token-reference, unknown-prop, unknown-prop-value, classname-policy, component-substitution): behavioural, architectural and most accessibility drift.
- What renders at runtime: class names built from runtime values, styles set from JavaScript, and the visual result of an override.
- Files outside the configured scope, and any system the definitions do not describe.
- Whether a finding matters to a user. That judgement is the hand review.

Evidence

Every finding id above resolves in findings.json, with its file:line, rule, found value, the token or component involved, its proposed class and the reason for it. run.json records the run.