


## On the Subject of Bamboozled Again

"Wait, was that the letter Echo or the word E?", you say,  
as you are baffled, befuddled, and bemused.  
This module will beguile, and buffalo, and bewilder,  
to make sure it is **never** defused.

This module consists of six coloured buttons, each with a line of text written on them, and a screen that displays a message that is broken into eight parts.

Each part of the message is encrypted using three key values: A, B and, C in the following way:

1. Each character, including spaces, is shifted A characters to the left.  
( $0 \leq A < \text{No. of characters in text}$ )
2. A pair of symbols is appended to the ends of the text.
3. Each character, including symbols, is Caesar shifted B letters/symbols forwards. ( $0 < B \leq 26$ )
4. The text is transcribed using one of six different sets of glyphs; the set used gives the C value.



Each unencrypted text, excluding texts 2 and 4, have values that are modified by an operation corresponding to that text's colour.

Using these values, together with A, B, and C, gives the final value of each text.

Each button has an initial value, given by its colour and the text written on it.

Using these values, together with the final values of the display texts, gives the final value of each button.

The correct buttons to push are given by their final values.

Use the text on the buttons, their colours, and the symbols added to each of the display texts at step 2 of the encryption, to find the correct times to push the buttons.

Pushing a button will cause an LED to turn on. Once all four LEDs are on, the inputs will be submitted.

- The LEDs will change colour according to the submitted inputs:
- Green – The correct button was pressed at the right time.
- Yellow – The correct button was pressed at the wrong time.
- Red – The wrong button was pressed.

If all four LEDs turn green, the module is solved.

Otherwise, if none of the LEDs turn red, the module will reset but a strike will not be issued.

Otherwise, the module will reset and a strike will be issued.

### Additional Module Info:

The LEDs can be pressed at any time to affect the display cycle:

- Left – Cycles to the previous text while paused.
- Mid-left – Resumes automatic text cycling.
- Mid-Right – Pauses text cycling
- Right – Cycles to the next text while paused.

## Section 1: What to press

### Subsection 1.1: Glyph tables

The tables below show the glyphs for both the letters and symbols:

- Symbols are represented by the same glyphs regardless of which set they belong to.
- All glyphs are the same size on the display.
- '#' is used to represent spaces.
- Letters and symbols are independently shifted down their respective tables by step 3 of the encryption.

	Set A	Set B	Set C	Set D	Set E	Set F
A	X	◻	X	◻	Y	Y
B	◻	◻	◻	◻	◻	◻
C	ג	ג	ג	ג	ג	ג
D	◻	▼	◻	▼	◻	▼
E	◻	◻	◻	♥	◻	♥
F	ג	ג	ג	ג	ג	ג
G	ג	◊	ג	◊	ג	ג
H	+■	■■	+	■■	■■	■■
I	↖	↖	↶	↖	↶	↖
J	◻	↖	◻	↖	↖	↖
K	◻	↖	◻	↖	✚	✚
L	ג	↖	ג	↖	ג	ג
M	◻	◻	◊	◻	◻	◊
N	◊	◻	◊	◊	◻	◊
O	◻	◻	◻	◻	◻	◻
P	◻	◻	◻	◻	◻	◻
Q	◻	◻	◻	◻	◻	◻
R	◻	◻	◻	◻	◻	◻
S	◻	◻	◻	◻	◻	◻
T	X	X	↑	☒	↑	☒
U	◻	◻	◻	◻	◻	◻
V	◻	◻	◻	◻	◻	◻
W	◻	◻	◻	◻	◻	◻
X	X	X	◻	◻	X	◻
Y	↖	↖	Y	↖	Y	↖
Z	◻	◻	◻	◻	◻	◻
Value C	11	12	13	14	15	16

Symbol Table	
#	◆
'	◆
"	▼
?	●
-	✚
*	X
~	◆
!	▼

### Subsection 1.2: Raw data

The unencrypted display texts and button texts can be found in the tables below. Each text has a corresponding raw value, R:

- Display texts 2 and 4 do not have raw values and will always be either THEN or NEXT.
- Display texts 1, 3, and 5 can all be found in the first table.
- Display texts 6, 7, and 8 cannot be found in the first two tables.

In addition to raw value, the tables also include sets of numbers corresponding to alphabetical position difference of two adjacent letters (Denoted as  $AP(n) - AP(n-1)$ ). Each text has a unique set of numbers unless marked with double asterisks (\*\*). In which case, there are multiple texts of same length that have the same set of numbers. These tables are tools for decrypting the encrypted words. For each encrypted word, do the following:

- Subtract  $AP$  of the letter in the  $(n - 1)$ th position in the word FROM  $AP$  of the letter in the nth position ( $AP$  means Alphabetical Position).
- For last number, Subtract  $AP$  of the letter in last position in the word FROM  $AP$  of the letter in the first position.
- For texts on display 1, 3, and 5, subtract  $AP$  of the letter in 3 positions to the left of the symbol FROM  $AP$  of the letter in 1 position to the right of the symbol.
- Numbers may be rotated or have an offset of 26 due to rotations and Caesar shifts.
- For texts with double asterisks (\*\*), use the location of the symbol in the word as a reference point.
- (i.e.)  $ZCAW = (C - Z)(A - C)(W - A)(Z - W) = (1 - 3)(23 - 1)(26 - 23) = (-23)(-2)(22)(3) = (3)(-2)(-4)(3) = (-4)(3)(3)(-2)$  which matches with text MILO in the table.

Texts on display 1, 3, and 5											
Text	$AP(n) - AP(n-1)$ or $AP(1) - AP(9)$									$AP(4) - AP(1)$	R
THE LETTER	-12	-3	7	-7	15	0	-15	13	2	-8	40
ONE LETTER	-1	-9	7	-7	15	0	-15	13	-3	-3	24
THE COLOUR	-12	-3	-2	12	-3	3	6	-3	2	-17	32
ONE COLOUR	-1	-9	-2	12	-3	3	6	-3	-3	-12	39
THE PHRASE	-12	-3	11	-8	10	-17	18	-14	15	-4	20
ONE PHRASE	-1	-9	11	-8	10	-17	18	-14	10	1	15

Texts on display 2 and 4				
Text	$AP(n) - AP(n-1)$ or $AP(1) - AP(4)$			
THEN	-12	-3	9	6
NEXT	-9	19	-4	-6

4 Letters + 0 Symbol						4 Letters + 1 Symbol							
Text	AP(n) - AP(n-1) or AP(1) - AP(4)					R	Text	AP(n) - AP(n-1) or AP(1) - AP(4)					R
ECHO	-2	5	7	-10	66	KI LO	-2	3	3	-4	46		
GOLF	8	-3	-6	1	46	HI-LO	1	3	3	-7	86		
KILO	-2	3	3	-4	68	WHAT?	-15	-7	19	3	49		
MILO	-4	3	3	-2	45	THIS?	-12	1	10	1	78		
LIME	-3	3	-8	7	58	THAT?	-12	-7	19	0	68		
JADE	-9	3	1	5	47	BLUE!	10	9	-16	-3	75		
ROSE	-3	4	-14	13	67	ECHO!	-2	5	7	-10	45		

5 Letters + 0 Symbol						5 Letters + 1 Symbol							
Text	AP(n) - AP(n-1) or AP(1) - AP(5)					R	Text	AP(n) - AP(n-1) or AP(1) - AP(5)					R
ALPHA	11	4	-8	-7	0	70	T GOLF	-13	8	-3	-6	14	50
BRAVO	16	-17	21	-7	-13	84	IN RED	5	4	-13	-1	5	48
DELTA	1	7	8	-19	3	61	5 Letters + 2 Symbols						
TANGO	-19	13	-7	8	5	80	Text	AP(n) - AP(n-1) or AP(1) - AP(5)					R
YANGO	-24	13	-7	8	10	51	BLANK!?	10	-11	13	-3	-9	56
BLANK	10	-11	13	-3	-9	44	5 Letters + 3 Symbols						
AZURE	25	-5	-3	-13	-4	55	5 Letters + 4 Symbols						

6 Letters + 0 Symbol						6 Letters + 1 Symbol									
Text	AP(n) - AP(n-1) or AP(1) - AP(6)					R	Text	AP(n) - AP(n-1) or AP(1) - AP(6)					R		
QUEBEC	4	-16	-3	3	-2	14	56	QUOTE V	4	-6	5	-15	17	-5	73
VICTOR	-13	-6	17	-5	3	4	65	IN CYAN	5	-11	22	-24	13	-5	45
YANKEE	-24	13	-3	-6	0	20	41	IN BLUE	5	-12	10	9	-16	4	83
WHISKY	-15	1	10	-8	14	-2	64	6 Letters + 2 Symbols							
CUEBEQ	18	-16	-3	3	12	-14	57	Text	AP(n) - AP(n-1) or AP(1) - AP(6)					R	
COLOUR	12	-3	3	6	-3	-15	77	E THEN E	15	-12	-3	9	-9	0	60
CIPHER	6	7	-8	-3	13	-15	55	6 Letters + 3 Symbols							
BUTTON	19	-1	0	-5	-1	-12	67	Text	AP(n) - AP(n-1) or AP(1) - AP(6)					R	
ORANGE	3	-17	13	-7	-2	10	69	"QUOTE K"	4	-6	5	-15	6	6	52
VIOLET	-13	6	-3	-7	15	2	74	6 Letters + 4 Symbols							

7 Letters + 0 Symbol						7 Letters + 1 Symbol											
Text	AP(n) - AP(n-1) or AP(1) - AP(7)					R	Text	AP(n) - AP(n-1) or AP(1) - AP(7)					R				
CHARLIE	5	-7	17	-6	-3	-4	-2	83	IN GREEN	5	-7	11	-13	0	9	-5	84
WHISKEY	-15	1	10	-8	-6	20	-2	54	7 Letters + 2 Symbols								
WHISKEE	-15	1	10	-8	-6	0	18	78	Text	AP(n) - AP(n-1) or AP(1) - AP(7)					R		
TANGOLF	-19	13	-7	8	-3	-6	14	62	G IN JADE	2	5	-4	-9	3	1	2	59
VVICTOR	0	-13	-6	17	-5	3	4	84	G IN ROSE	2	5	4	-3	4	-14	2	63
VICTORR	-13	-6	17	-5	3	0	4	82	I GIVE UP	-2	2	13	-17	16	-5	-7	58
MESSAGE	-8	14	0	-18	6	-2	8	70	7 Letters + 3 Symbols								
NOTHING	1	5	-12	1	5	-7	7	72	7 Letters + 4 Symbols								

8 Letters + 1 Symbol										8 Letters + 2 Symbols										
Text	AP(n) - AP(n-1) or AP(1) - AP(8)									R	Text	AP(n) - AP(n-1) or AP(1) - AP(8)								
ECHO ECHO	-2	5	7	-10	-2	5	7	-10	84	YES BUT NO	-20	14	-17	19	-1	-6	1	10	89	
CHARLIE C **	5	-7	17	-6	-3	-4	-2	0	43											
C CHARLIE **	0	5	-7	17	-6	-3	-4	-2	41											
IN YELLOW	5	11	-20	7	0	3	8	-14	41											
END QUOTE	9	-10	13	4	-6	5	-15	0	66											

9 Letters + 1 Symbol										9 Letters + 2 Symbols												
Text	AP(n) - AP(n-1) or AP(1) - AP(9)									R	Text	AP(n) - AP(n-1) or AP(1) - AP(9)										
ALPHA PAPA **	11	4	-8	-7	15	-15	15	-15	0	56	BLUE IN RED	10	9	-16	4	5	4	-13	-1	-2	42	
PAPA ALPHA **	-15	15	-15	0	11	4	-8	-7	15	86		-1	-9	10	-1	-9	10	-1	-9	10	58	
PAPHA ALPA	-15	15	-8	-7	0	11	4	-15	15	69		BLACK TEXT?	10	-11	2	8	9	-15	19	-4	-18	46
DELTA NEXT	1	7	8	-19	13	-9	19	-4	-16	47												
LIME BRAVO	-3	4	-8	-3	16	-17	21	-7	-3	78												
BLUE BRAVO	10	9	-16	-3	16	-17	21	-7	-13	47												
THREE ONES	-12	10	-13	0	10	-1	-9	14	1	88												
ONE ELEVEN	-1	-9	0	7	-7	17	-17	9	1	86												
IN MAGENTA	5	-1	-12	6	-2	9	6	-19	8	51												

10 Letters + 1 Symbol										R	
Text	AP(n) - AP(n-1) or AP(1) - AP(10)									R	
TWO BUTTONS	3	-8	-13	19	-1	0	-5	-1	5	1	79
SIX BUTTONS	-10	15	-22	19	-1	0	-5	-1	5	0	71
YELLOW TEXT	-20	7	0	3	8	-3	-15	19	-4	5	70

### Subsection 1.3: Data modification

Modify the raw text values using the rule that corresponds to that text's colour to obtain its modified value, S:

Text Colour	Modification
White	Do nothing
Red	Subtract the first digit
Orange	Replace the second digit with the first
Yellow	Add the second digit
Lime	Subtract the higher digit
Green	Subtract the sum of the digits
Jade	Subtract twice the first digit

Text Colour	Modification
Grey	Swap the digits
Cyan	Subtract the second digit
Azure	Replace the first digit with the second
Blue	Add the first digit
Violet	Subtract the lower digit
Magenta	Subtract the difference between the digits
Rose	Subtract twice the second digit

**Subsection 1.4: Final text values**

The final value, T, for each of the six texts that can be evaluated, is given by:

$$T = S + 5A + 2(B + C)$$

**Subsection 1.5: Initial button values**

Follow the instructions below to compute the initial value, I, of each of the six buttons:

1.
  - If the button is black, begin with  $I = 30$ .
  - Otherwise, if the button is white or grey, begin with  $I = 20$ .
  - Otherwise, begin with  $I = 0$ .
2.
  - If the colour of the button is written on itself, add 70.
  - Otherwise, if the complementary colour of the button is written on it, add 35.
  - Otherwise, if any colour or the word COLOUR is written on the button, add 5.
3. Add 60 for each unencrypted display text that is the same as the text written on the button.
4. Add 15 for each display text that is the same colour as the button.
5. If the button is not grey, add 10 for each display text whose colour is complementary to the colour of the button.

**Subsection 1.6: Final button values**

Use the table below to find which display text's final values are  $T_1$ ,  $T_2$ , and  $T_3$  for each button.

Position of button	$T_1$	$T_2$	$T_3$
TL	Display text 6	Display text 1	Display text 1
TM	Display text 7	Display text 3	Display text 1
TR	Display text 8	Display text 3	Display text 3
BL	Display text 6	Display text 5	Display text 3
BM	Display text 7	Display text 5	Display text 5
BR	Display text 8	Display text 1	Display text 5

The final value of each button, F, is then given by the equation:

$$F = 3I + 2(T_1 + T_2 + T_3)$$

To solve the module, press the buttons with the four highest final value in ascending order.

**Note:** If more than one button has the desired final value, the correct one to push occurs first in reading order.

Buttons change their colour and text when pressed and their initial values change accordingly.

This may change which button needs to be pressed next.

## Section 2: When to press

### Subsection 2.1: The first three buttons

#### Subsection 2.1.1: Button text modification

Once the correct button to press has been identified, modify the raw value of the text written on that button using the rule corresponding to that button's colour:

Button Colour	Value X
White	The highest digit
Red	The first digit subtract the second
Orange	The digital root
Yellow	The first digit
Lime	The first digit subtract the digital root
Green	The sum of the digits
Jade	Twice the first digit
Grey	The sum of the digits subtract the digital root
Cyan	The second digit subtract the first
Azure	The negative digital root
Blue	The second digit
Violet	The second digit subtract the digital root
Magenta	Ten minus the sum of the digits
Rose	Twice the second digit
Black	The lowest digit

**Subsection 2.1.2: Y value computation**

- If there are no lit LEDs, the Y value is the current X value.
- If there is one lit LED and, once deciphered,
  - display text 2 is **THEN**, Y is the current X value plus the previous X value.
  - display text 2 is **NEXT**, Y is the current X value minus the previous X value.
- If there are two lit LEDs and, once deciphered,
  - display text 4 is **THEN**, Y is the current X value plus the previous Y value.
  - display text 4 is **NEXT**, Y is the current X value minus the previous Y value.

**Subsection 2.1.3: Final computation**

The time to push the button is given by the Y value and the symbols appended to the text at step 2 of the the encryption.

- If there are no lit LEDs, use the symbols appended to display text 8.
- If there is one lit LED, use the symbols appended to display text 7.
- If there are two lit LEDs, use the symbols appended to display text 6.

Symbol	Press the button when..
#	the last digit of the timer is $Y \bmod 10$
'	the sum of the last two digits of the timer is $(Y \bmod 9) + 3$
"	the sum of the last two digits of the timer is $(2Y \bmod 9) + 3$
?	the difference between the last two digits of the timer is $Y \bmod 5$
-	the last digit of the timer is $9 - (Y \bmod 10)$
*	the sum of the last two digits of the timer is $11 - (Y \bmod 9)$
~	the sum of the last two digits of the timer is $11 - (2Y \bmod 9)$
!	the difference between the last two digits of the timer is $2Y \bmod 5$

**Subsection 2.2: The final button**

1.
  - Modify the raw value of the text on the button using the rule corresponding to the colour of display text 2 to obtain  $S_1$ .
  - Modify the raw value of the text on the button using the rule corresponding to the colour of display text 4 to obtain  $S_2$ .
2.
  - Modify  $S_1$  using the rule corresponding to the colour of the button to obtain  $X_1$ .
  - Modify  $S_2$  using the rule corresponding to the colour of the button to obtain  $X_2$ .
3.
  - If display texts 2 and 4 are the same when deciphered,  $Y$  is the sum of  $X_1$  and  $X_2$ .
  - Otherwise,  $Y$  is the difference between  $X_1$  and  $X_2$ .
4. Locate the symbol in the table below given by the symbols appended to display texts 2 and 4 at step 2 of the encryption, and press the button when the condition corresponding to that symbol is satisfied.

	#	'	"	?	-	*	~	!
#	#	'	"	?	-	*	~	!
'	'	'	?	-	*	~	!	#
"	"	?	"	*	~	!	#	'
?	?	-	*	?	!	#	'	"
-	-	*	~	!	-	'	"	?
*	*	~	!	#	'	*	?	-
~	~	!	#	'	"	?	~	*
!	!	#	'	"	?	-	*	!

## Appendix: Button and Display Text Colours

