

SAMPLE DATA INSERTION

ASSIGNMENT 7

DATABASE MANAGEMENT SYSTEM

ALLIANCE UNIVERSITY

Department of Computer Applications

SUMMITED BY: TINAKAR C

REGISTER NO: 2511021240003

COURSE: BCA

YEAR: 2ND YEAR

INTRODUCTION

Sample data insertion is an important step in testing a database management system. The INSERT INTO command adds records to database tables. In this assignment, realistic sample data is inserted into the eight tables of the Online Shopping Management System using MySQL. The records follow the defined relationships and constraints.

1. SELECTING THE DATABASE

```
USE Online_Shopping_DB;
```

This command selects the database for inserting sample records.

2. INSERTING DATA INTO CUSTOMER

The CUSTOMER table stores customer details.

```
INSERT INTO CUSTOMER
(customer_id, customer_name, email, phone, address)
VALUES
(1, 'Aarav Kumar', 'aarav@gmail.com', '9876500001', 'Bengaluru'),
(2, 'Diya Sharma', 'diya@gmail.com', '9876500002', 'Hosur'),
(3, 'Rohan Verma', 'rohan@gmail.com', '9876500003', 'Chennai'),
(4, 'Meera Reddy', 'meera@gmail.com', '9876500004', 'Mysuru'),
(5, 'Kiran Raj', 'kiran@gmail.com', '9876500005', 'Coimbatore');
```

Five customer records are inserted with unique IDs and email addresses.

3. INSERTING DATA INTO CATEGORY

The CATEGORY table stores product category information.

```
INSERT INTO CATEGORY
(category_id, category_name, description)
VALUES
(10, 'Electronics', 'Electronic devices and accessories'),
(20, 'Fashion', 'Clothing and accessories'),
(30, 'Home & Kitchen', 'Home utility products'),
(40, 'Books', 'Printed books and study material');
```

Four product categories are added.

4. INSERTING DATA INTO SUPPLIER

The SUPPLIER table stores supplier contact details.

```
INSERT INTO SUPPLIER
(supplier_id, supplier_name, email, phone)
VALUES
(201, 'TechWorld Supplies', 'sales@techworld.com', '9000011101'),
(202, 'StyleHub Traders', 'contact@stylehub.com', '9000011102'),
```

```
(203, 'HomeEase Distributors', 'orders@homeease.com', '9000011103'),
(204, 'PageTurner Books', 'sales@pageturner.com', '9000011104');
```

Four suppliers are inserted with their contact details.

5. INSERTING DATA INTO PRODUCT

The PRODUCT table stores products available for sale.

```
INSERT INTO PRODUCT
(product_id, product_name, price, stock_quantity, category_id, supplier_id)
VALUES
(301, 'Wireless Mouse', 799.00, 40, 10, 201),
(302, 'Bluetooth Headphones', 1499.00, 25, 10, 201),
(303, 'Cotton T-Shirt', 499.00, 60, 20, 202),
(304, 'Kitchen Mixer', 2499.00, 15, 30, 203),
(305, 'DBMS Fundamentals', 650.00, 35, 40, 204),
(306, 'Laptop Backpack', 1199.00, 20, 20, 202),
(307, 'LED Desk Lamp', 899.00, 18, 30, 203),
(308, 'USB-C Cable', 299.00, 100, 10, 201);
```

Eight products are inserted. Each category_id and supplier_id refers to an existing record.

6. INSERTING DATA INTO ORDERS

The ORDERS table stores customer order details.

```
INSERT INTO ORDERS
(order_id, customer_id, order_date, total_amount, order_status)
VALUES
(401, 1, '2026-10-15', 2298.00, 'Delivered'),
(402, 2, '2026-10-16', 1497.00, 'Delivered'),
(403, 3, '2026-10-17', 1300.00, 'Delivered'),
(404, 4, '2026-10-18', 2499.00, 'Processing'),
(405, 5, '2026-10-19', 1199.00, 'Confirmed');
```

Five orders are inserted, each linked to an existing customer.

7. INSERTING DATA INTO ORDER_ITEM

The ORDER_ITEM table stores products included in each order.

```
INSERT INTO ORDER_ITEM
(order_item_id, order_id, product_id, quantity, unit_price)
VALUES
(501, 401, 301, 1, 799.00),
(502, 401, 302, 1, 1499.00),
(503, 402, 303, 3, 499.00),
(504, 403, 305, 2, 650.00),
(505, 404, 304, 1, 2499.00),
(506, 405, 306, 1, 1199.00);
```

Six order-item records connect orders to products. Quantities are positive.

8. INSERTING DATA INTO PAYMENT

The PAYMENT table stores payment information.

```
INSERT INTO PAYMENT
(payment_id, order_id, payment_date, payment_method, amount, payment_status)
VALUES
(601, 401, '2026-10-15', 'UPI', 2298.00, 'Successful'),
(602, 402, '2026-10-16', 'Card', 1497.00, 'Successful'),
(603, 403, '2026-10-17', 'UPI', 1300.00, 'Successful'),
(604, 404, '2026-10-18', 'Net Banking', 2499.00, 'Pending'),
(605, 405, '2026-10-19', 'Card', 1199.00, 'Pending');
```

Five payment records are inserted, one for each order.

9. INSERTING DATA INTO DELIVERY

The DELIVERY table stores shipping and delivery information.

```
INSERT INTO DELIVERY
(delivery_id, order_id, delivery_date, delivery_address, delivery_status)
VALUES
(701, 401, '2026-10-17', 'Bengaluru', 'Delivered'),
(702, 402, '2026-10-18', 'Hosur', 'Delivered'),
(703, 403, '2026-10-19', 'Chennai', 'Delivered'),
(704, 404, '2026-10-21', 'Mysuru', 'In Transit'),
(705, 405, '2026-10-22', 'Coimbatore', 'Preparing');
```

Five delivery records are inserted, each linked to an existing order.

10. VERIFYING THE INSERTED RECORDS

```
SELECT * FROM CUSTOMER;
SELECT * FROM CATEGORY;
SELECT * FROM SUPPLIER;
SELECT * FROM PRODUCT;
SELECT * FROM ORDERS;
SELECT * FROM ORDER_ITEM;
SELECT * FROM PAYMENT;
SELECT * FROM DELIVERY;
```

To check the number of records in each table, execute:

```
SELECT COUNT(*) AS Total_Customers FROM CUSTOMER;
SELECT COUNT(*) AS Total_Categories FROM CATEGORY;
SELECT COUNT(*) AS Total_Suppliers FROM SUPPLIER;
SELECT COUNT(*) AS Total_Products FROM PRODUCT;
SELECT COUNT(*) AS Total_Orders FROM ORDERS;
SELECT COUNT(*) AS Total_Order_Items FROM ORDER_ITEM;
SELECT COUNT(*) AS Total_Payments FROM PAYMENT;
SELECT COUNT(*) AS Total_Deliveries FROM DELIVERY;
```

Table	Expected record count
CUSTOMER	5
CATEGORY	4
SUPPLIER	4
PRODUCT	8
ORDERS	5

ORDER_ITEM	6
PAYMENT	5
DELIVERY	5

CONCLUSION

Sample data has been inserted into all eight tables. The records demonstrate customer details, categories, suppliers, products, orders, order items, payments, and deliveries. SELECT and COUNT queries can be used to verify the inserted records.