

Contents

Introduction	2
SLIS MOB mobile apps and software registration	2
SLIS MOB Security & Authentication.....	3
SLIS MOB API Back end methods.	3
Patient User Registration method.....	3
Log in method	4
Getting Patient Visits.....	6
Getting Patients Visits	7
Getting Patient Visit Results	9
Download Results in PDF form	11
Getting a Covid Certificate	11
Update/change password	12
Forgot password.....	13
Clinic/Doctor send sample collection notification.....	13
SLISMOB REPORTS.....	14
Summary of methods in the SLISMOB API	18

Introduction

SLIS MOB API allows communication with third party software as well as mobile apps to communicate with PathLabs online SLIS server. These integrations provide a platform for other software or mobile apps to register users (patients and clinics/doctors), get tokens and access patient visits/episodes and results. This framework gives the programmers a guideline as to how they can create their own functions that can send/ or receive data from SLIS server. This also helps SLIS systems administrators, how they can resolve issues that are associated with third party software and mobile apps communication. SLIS MOB has set of back end restful methods (get, post, put) that are used to get and send data to SLIS server.

Base URL: <https://www.interpathresults.com/SLISMOB/>

SLIS MOB mobile apps and software registration

All devices and or software that want to use the API should be registered with the API.

Device registration

URL <https://www.interpathresults.com/SLISMOB/api/devices>

Type : **Post Method**

Data : JSON

Field No	Field Name	Description	Data type / format
1	<i>RegNumber</i>	SLIS Assigned Registration Number of device (Autogenerated) Put blank on JSON when registering. RegNumber:""	String
2	<i>DeviceID</i>	Android ID or IOS Id	String
3	<i>Type</i>	Android/IOS desktop etc	String
4	<i>PhoneNumber</i>	Owner Phone Number	String type
5	<i>CountryCode</i>	Phone country code eg +263	String type
6	<i>DeviceStatus</i>	Active/Inactive Put blank on JSON when registering.	String
7	<i>DefaultUserType</i>	Patient/Clinic_Doctor/Employee	String

{

```
"RegNumber":"","DeviceID*":"","Type":"","Name":"","CountryCode":"","PhoneNumber":"","DevicesStatus":"","DefaultUserType":"","RegDate":""}
```

Getting Device details from Device ID

URL <https://www.interpathresults.com/SLISMOB/api/devices/DeviceID>

Header Parameters

DeviceID:

Value = your device ID

Eg DeviceID:"APF0988676"

Type : **Get Method**

SLIS MOB Security & Authentication.

Whenever a software wants to send/get data to/from SLIS MOB API it should first get a token that is used to access the methods except for user registration.

SLIS MOB API Back end methods.

Patient User Registration method

For a patient to access his or her results , he/she should be registered with the mobile app. The App should sent data to the following URL <https://www.interpathresults.com/SLISMOB/api/Main>

This is also the Base URL

Type : **Post Method.**

In the form of JSON format with the following key values:

Field No	Field Name	Description	Data type / format
1	<i>IDNumber</i>	National ID Number of patient (case sensitive)	String
2	<i>PatientName</i>	Patient First Name and Surname separated by space eg Sailas Mwakurudza (Case sensitive)	String
3	<i>DateOfBirth</i>	This the date of birth of a patient Eg 09/11/1981	String format dd/MM/yyyy
4	<i>PhoneNumber</i>	Patient Phone Number	String type
5	<i>Email</i>	Email address of the patient. This is used as the username of the patient when logging in.	String type

SLIS MOB API Documentation	Ver 1.1
-----------------------------------	---------

		(case sensitive)	
6	<i>Gender</i>	Male / Female (not case sensitive)	String
7	<i>Password</i>	This is the password the patient wants to use when logging in.	String

Example of patient registration JSON

```
{ "IDNumber": "6578889909", "PatientName": "SAILAS MWAKURUDZA", "DateOfBirth": "09/11/1981", "PhoneNumber": "07756446", "Password": "Vincema1", "Email": "smwakurudza@yahoo.co.uk", "Gender": "Male" }
```

Note that only a patient is able to do registration. Doctors credentials and employee users are registered from the Base System.

Response Message

Response type : JSON with status and message

Eg

```
{ "status": "Success", "response": "Successfully Registered your Credentials" }
```

Status can also be fail with a corresponding message.

Expected messages:

- Failed", "ID Number value is Null
- Failed", "Patient Name value is Null
- Failed", "Date Of Birth value is Null
- Failed", "Phone Number value is Null
- Failed", "Email already exist
- Failed", "Email value is Null
- Success", "Successfully Registered your Credentials
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Log in method

The login method is used to authenticate the user and give a token that is used to access results etc.

URL - <https://www.interpathresults.com/SLISMOB/api/Main/Usertype>

Method type : Post method

So this is base URL + Usertype

Usertype is the type of the login ie Patient or Clinic_Doctor or Employee.

The username and password are send as JSON data with the following key values.

Field No	Field Name	Description	Data type / format
1	<i>Username</i>	Email in case of patients (case sensitive) - Doctors and employees its the username supplied from the Base system.	String
2	Password	Password to log to the system (Case sensitive)	String

Example of login JSON

URL patient login: <https://www.interpathresults.com/SLISMOB/api/Main/Patient> (this for patient user)

URL patient login: https://www.interpathresults.com/SLISMOB/api/Main/Clinic_Doctor (this for doctors user)

URL patient login: <https://www.interpathresults.com/SLISMOB/api/Main/Employee> (this for employee user)

JSON : {"Username":"grace","Password":"gong"}

Response:

JSON : {"status":"Failed","token":"Invalid Username or Password","id":"","usertype":"","username":"","name":""}

Status – is the login status ie success or fail

Token: - this the token retrieved for success login and message for failed login

Id: this the national iD for patient user , clinic No for Clinic_doctor user, and in initials for employee user.

Username: email for patient, username for doctor or employee.

Name: name for patient and employee user and clinic name for doctor user.

Note : token expires after 24 hrs so token can be reused within 24 hrs of being generated.

Expected messages:

- Failed", "Username Value is null",
- Failed", "Password Value is null"
- Failed", "Invalid Username or Password
- Failed", "Email value is Null
- Success", "token"
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Getting Patient Visits

When a patient visits a Lab to have tests done, this is referred to as patient visit ie episode.

If it is the first time to visit the lab he/she is given a **Patient number** as well as the **Lab Number** which changes when on each lab visit. The patient number remains constant.

This method is used to get all Patient lab numbers listed in the system so ideally when patient logs in he/she should get a list of all his/her visits according to the dates.

URL: <https://www.interpathresults.com/SLISMOB/api/Main/token/na/na/na>

Method type : Get

Token – is the token retrieved at Login

3 na are just place holders to differentiate our get methods length.

Example get visits with token cccvxxxxmmbbvfgmmmn

<https://www.interpathresults.com/SLISMOB/api/Patient/cccvxxxxmmbbvfgmmmn/na/na/na>

Response: is a JSON list of patient visits with the following fields

Field No	Field Name	Description	Data type / format
1	<i>LabNumber</i>	Visit / Episode/sample number assigned at each visit	
2	Patient name	Patient name	
3	IDNumber	National ID Number	
4	Sex	Gender	
5	Address	Address of patient	
6	PhoneNumber	Patient Phone Number	
7	DateOfBirth	Date of birth	

SLIS MOB API Documentation	Ver 1.1
-----------------------------------	----------------

8	VisitDate	Visit Date ie date when patient visited the lab	
9	PaymentMode	Type of payment ie CASH/MEDICAL AID or ACCOUNT	
10	Clinic	Referring Clinic	
11	Doctor	Referring Doctor	
12	ClinicalData	Diagnosis	
13	Tests	Requested tests	
14	Status	Status of the results – completed for complete results – partially completed for semi complete results. And Pending for no results.	

The first line or record gives you the request status in the LabNumber feild and Message in the patient name feild.

If it is a success and with records the subsequent records will give you the actual patient visits records.

Example : login success but with zero records

```
[{"LabNumber":"Status-Success","PatientName":"No records found for this Patient","IDNumber":"","Sex":"","Address":"","PhoneNumber":"","DateOfBirth":"","VisitDate":"","PaymentMode":"","Clinic":"","Doctor":"","ClinicalData":"","Tests":"","Status":""}]
```

The JSON can now be serialized into a class or data table depending on the programming language.

Expected messages:

- "Status-Failed", "Message - Token not found"
- Status-Failed", "Message - Token Expired"
- Status-Success", "No records found for this Patient"
- Status-Failed", "Message - Token not associated with registerd user.
- Status-Failed", "Message - This can only be accessed by logged in patient.
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Getting Patients Visits

This method is used, by Clinic_Doctor or Employee to get a list of all patients visits in a given date range. For now the recommended date range is one month for clinic_Doctor user and 5 days for employee user. Although the API would return data for time period beyond this depending with the volumes however if records become greater than 100 records returned the

mobile app may slow down. Note that Clinic_Doctor user would only get visits from that particular clinic/doctor and employee would get visits of all patients from all the clinics.

URL: <https://www.interpathresults.com/SLISMOB/api/Main/date-from/date-to/token/na/na/na>

Method type : Get

- Token – is the token retrieved at Login
- 3 na are just place holders to differentiate our get methods length.
- Date- from - start date format – ddmmyyy eg "22082022" for 22 aug 2022
- Date – to - End date format – ddmmyyy eg "31122023" for 31 Dec 2023
-

Example get visits with token cccvxxxxxmbbvfgmmmn

<https://www.interpathresults.com/SLISMOB/api/Main/22082022/31122023/cccvxxxxxmbbvfgmmmn/na/na/na>

Response: is a JSON list of patients visits with the following fields

The feilds are same as the Patient Visits feilds

The first line or record gives you the request status in the LabNumber feild and Message in the patient name feild.

If it is a success and with records the subsequent records will give you the actual patient visits records.

Example : login success but with zero records

```
[{"LabNumber":"Status-Success","PatientName":"No records found for this Patient", "IDNumber":"","Sex":"","Address":"","PhoneNumber":"","DateOfBirth":"","VisitDate":"","PaymentMode":"","Clinic":"","Doctor":"","ClinicalData":"","Tests":"","Status":""}]
```

Example : login success but with 1 or more records

```
[{"LabNumber":"PLB230612021","PatientName":"TAMUDA JAM", "IDNumber":"0000000000", "Sex":"MALE", "Address":"0000000000", "PhoneNumber":"0000000000", "DateOfBirth":"05/05/2016", "VisitDate":"12/06/2023", "PaymentMode":"MEDICAL AID", "Clinic":"BAINES INTERCARE MEDICAL CENTRE", "Doctor":"BAINES INTERCARE MEDICAL", "ClinicalData":"Anaemia", "Tests":"FBC,TFT,LFT", "Status":"COMPLETED"}]
```

Expected messages:

- "Status-Failed", "Message - Token not found"
- Status-Failed", "Message - Token Expired"
- Status-Success", "No records found"
- Status-Failed", "Message - Patient User cannot access list of other patients visits"
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Getting Patient Visit Results

This method is used to get all patient test results for that particular visit using the Lab Number marker. Set of results is retrieved using the Lab Number. Each lab number comes with requested tests and hence the results come in corresponding to each requested test that is if the result is completed.

URL : <https://www.interpathresults.com/SLISMOB/api/Main/labnumber/token/na/na/na>

Method type : Get

- Token – is the token retrieved at Login
- 3 na are just place holders to differentiate our get methods length.
- Lab Number - it is the marker that identifies a patient visit

Example get visits with token cccvxxxxxmbbvfgmmmn

<https://www.interpathresults.com/SLISMOB/api/Patient/PLB230612021/cccvxxxxxmbbvfgmmmn/na/na/na>

Response: is a JSON list of patient results with the following fields

Field No	Field Name	Description	Data type / format
1	<i>Department</i>	The department to which test result belongs to eg haematology, chemistry etc	
2	Profile	Test profile eg FBC, LFT, REFT etc	
3	LabNumber	The Visit number, sample no,	
4	Test	Test parameter eg WBC under FBC profile	
5	Result	Value or verdict	
6	Units	Test unit	
7	Flag	H-High, L- Low	
8	Range	Reference ranges if any	
9	Comment	Any coments	
10	FComment	Additional comments	

The first record or row returns the status on Labnumber feild hence results records would start on record 2 to end.

The app should display results grouped according to department first then profile followed by test parameters.

```
[
{"Department": "-", "Profile": "-", "LabNumber": "Status-OK", "Test": "-", "Result": "-", "Units": "-",
"Flag": "-", "Range": "-", "Comment": "-", "Fcomment": ""}, - first record
----start ----of ---results record
{"Department": "HAEMATOLOGY", "Profile": "FULL BLOOD
COUNT", "LabNumber": "PLB230612021", "Test": "WBC", "Result": "4.19", "Units": "x10^9/L", "Flag": "
L", "Range": "4.5 - 12.7", "Comment": "-", "Fcomment": "-"},
{"Department": "HAEMATOLOGY", "Profile": "FULL BLOOD
COUNT", "LabNumber": "PLB230612021", "Test": "RBC", "Result": "3.9", "Units": "x10^12/L", "Flag": "
", "Range": "3.8 - 5.5", "Comment": "-", "Fcomment": "-"},
{"Department": "HAEMATOLOGY", "Profile": "FULL BLOOD
COUNT", "LabNumber": "PLB230612021", "Test": "HAEMOGLOBIN", "Result": "11.2", "Units": "g/dl",
"Flag": "L", "Range": "12.0 - 16.0", "Comment": "-", "Fcomment": "-"},
{"Department": "HAEMATOLOGY", "Profile": "FULL BLOOD
COUNT", "LabNumber": "PLB230612021", "Test": "HCT", "Result": "32.5", "Units": "%", "Flag": "L", "Ra
nge": "38 - 50", "Comment": "-", "Fcomment": "-"},

{"Department": "CHEMISTRY", "Profile": "RENAL FUNCTION
TESTS", "LabNumber": "PLB230612021", "Test": "Sodium -
NA", "Result": "143", "Units": "mmol/L", "Flag": "-", "Range": "135 - 146", "Comment": "-
", "Fcomment": "-"}, {"Department": "CHEMISTRY", "Profile": "RENAL FUNCTION
TESTS", "LabNumber": "PLB230612021", "Test": "Potasium -
K", "Result": "3.8", "Units": "mmol/L", "Flag": "-", "Range": "3.0 - 5.0", "Comment": "-", "Fcomment": "-
"}, {"Department": "CHEMISTRY", "Profile": "RENAL FUNCTION
TESTS", "LabNumber": "PLB230612021", "Test": "Chloride -
CL", "Result": "105", "Units": "mmol/L", "Flag": "-", "Range": "96 - 106", "Comment": "-
", "Fcomment": "-"}, {"Department": "CHEMISTRY", "Profile": "RENAL FUNCTION
TESTS", "LabNumber": "PLB230612021", "Test": "UREA", "Result": "4.71", "Units": "mmol/L", "Flag": "-
", "Range": "3.0 - 6.5", "Comment": "-", "Fcomment": "-"},

{"Department": "SEROLOGY", "Profile": "WIDAL", "LabNumber": "PLB230612021", "Test": "Salmonell
a Type H", "Result": "POSITIVE", "Units": "Titre", "Flag": "1:20", "Range": "", "Comment": "-
", "Fcomment": ""},
--record that marks end of results----
{"Department": "-", "Profile": "-", "LabNumber": "-", "Test": "-", "Result": "-", "Units": "-", "Flag": "-
", "Range": "-", "Comment": "-", "Fcomment": "-"},

--record that shows results to follow ie pending----

{"Department": "RESULTS TO FOLLOW:", "Profile": "", "LabNumber": "-", "Test": "-", "Result": "-
", "Units": "", "Flag": "", "Range": "", "Comment": "", "Fcomment": ""}, {"Department": "-", "Profile": "-
", "LabNumber": "-", "Test": "-", "Result": "-", "Units": "-", "Flag": "-", "Range": "-", "Comment": "-
", "Fcomment": "-"},
```

--record that shows who captured or authorized results----

```
{ "Department": "Reported By :", "Profile": "Tanatswa Blessing Masaiti", "LabNumber": "-", "Test": "-",
  "Result": "Authorized By :", "Units": "Elvis Makaza", "Flag": "-",
  "Range": "", "Comment": "", "Fcomment": "" },
```

--record that shows end of report----

```
{ "Department": "End of Report", "Profile": "-", "LabNumber": "-", "Test": "End of Report", "Result": "-",
  "Units": "End of Report", "Flag": "-", "Range": "", "Comment": "", "Fcomment": "" },
```

--record that shows weather PDF was created or not----

```
{ "Department": "", "Profile": "", "LabNumber": "PDF Status -
  Generated", "Test": "", "Result": "", "Units": "", "Flag": "", "Range": "", "Comment": "", "Fcomment": "" } ]
```

Expected messages:

- "Status-Failed", "Message - Token not found"
- Status-Failed", "Message - Token Expired"
- Status-Failed", "Message - Lab Number not found"
- "Status-Failed", "Message - Lab Number found but Phone number/ID Number for this Lab # does not match with the registered Patient User Phone number / ID Number."
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Download Results in PDF form

To download PDF you first call the Get Results method (you can display the results in your own format according to what your app wants or capability) then get the PDF depending on whether the PDF was generated or not. Its important to display the messages returned by the API in your app message translation.

The URL for downloading PDF is :

<https://www.interpathresults.com/SLISMOB/Results/labnumber Test Results.pdf>

Where labnumber is the sample no eg

<https://www.interpathresults.com/SLISMOB/Results/PLB230612021 Test Results.pdf>

Getting a Covid Certificate

A covid certificate is downloaded differently by calling API get method which is as follows

<https://www.interpathresults.com/SLISMOB/Patient/labnumber/token/na/na/na/na/na/na>

- labnumber is visit/sample number
- token – is the token retrieved at log in
- na are just placeholders write them as they are

response is status and URL of the PDF covid certificate.

```
{"status":"Success","url":"http://188.227.58.112/SLISMOB/ etc - etc"}
```

Expected messages:

- "Status-Failed", "Message - Token not found"
- Status-Failed", "Message - Token Expired"
- Status-Failed", "Message - Lab Number not found"
- Failed", "No covid tests were requested for this Lab Number"
- Failed", "No covid results was found for this Lab Number"
- "Failed", "Covid Results not yet entered.
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages
-

Update/change password

Updating or editing is used to change user password and its used for patients and doctors not employees.

Method Type : put

URL : <https://www.interpathresults.com/SLISMOB/api/Patient/usertype/na>

Usertype – Patient/Clinic_Doctor

Data is sent as JSON with the following Key values

Field No	Field Name	Description	Data type / format
1	<i>Username</i>	Email for patients and username for Clinic or Doctor	
2	Old password	Current password before changing	
3	New password	New password	

Example

URL : <https://www.interpathresults.com/SLISMOB/api/Main/Patient/na> (user type patient)

JSON

```
{"Username":"dam@gmail.com","Password":"vladum","NewPassword":"vladym23"}
```

Reponse :

```
{"status":"Failed","response":"Invalid Username or old Passoword"}
```

If its a success it will give a success message

Expected messages:

- "Failed", "Username value is Null"
- "Failed", "Old Password value is Null"
- "Failed", "New Password value is Null"
- "Failed", "Invalid Username or old Password"
- "Failed", "No covid results was found for this Lab Number"
- "Failed", "Usertype not specified or not recognised as valid SLIS usertype.")
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Forgot password

Forgot password is used when user forgets password. If its patient he/she uses his or her phone number and username used when registering to retrieve password. For doctors they use afhoz number to retrieve password.

Method Type : put

URL :

<https://www.interpathresults.com/SLISMOB/api/Main/usertype/username/phoneOrAfhoz>

Usertype: - Patient/Clinic_Doctor

PhoneOrAfhoz- Phone number for patient afhoz no for doctors

Response is a status and response as message.

When it is successful the password is sent the user email.

Response example

```
{"status":"Failed","response":"Username and Phone/Afhoz Number supplied does not match any records."}
```

Expected messages:

- "Failed", "Username value is Null"
- "Failed", "Phone/Afhoz Number value is Null"
- "Failed", "Username and Phone/Afhoz Number supplied does not match any records.")
- "Success", "Password Send to your email"
- "Success", "Retrieved password But email found is not in correct format")
- "Failed", "Usertype not specified or not recognised as valid SLIS usertype. Note Usertype employee only retrieve password through ICT admin"
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly messages

Clinic/Doctor send sample collection notification.

Clinics or doctors can send a message via app to notify laboratory of samples collected and ready to be transported to the lab.

Method type : put

url:

<https://www.interpathresults.com/SLISMOB/api/main/token/tests/phoneno/address/na/na/na>

- token is the token retrieved at login
- tests are the tests to be done on samples – can shorten the tests if many
- phone no- is the phone of the clinic or doctor sending message
- address is the address where samples should be collected from.
- 3 na are just placeholders to complete the URL

Response is a success or fail status with a message returned as JSON

Note that when this message is sent it will be forwarded by the API to an SMS gateway where it is forwarded to the selected Econet numbers. (In future this would be notified to the apps with selected employees.)

Expected messages:

- "Failed", "Token not found or Invalid token.
- "Failed", "Token - Expired.
- "Failed", "Only Clinic_Doctor User or Patient User can send messages.")
- "Success", "Successfully Submitted"
- " "Success", "Successfully Submitted, but SMS failure sending
- "Failed", "Patient Details cannot be retrieved from Token."
- Any other message given as Exception error message – these ones should be noted down so that the API catches these exceptions using user friendly message

SLISMOB REPORTS

SLISMOB API has 4 kinds of reports that can be downloaded. These are only available to employees hence one has to log in as Employee User Type.

Main Report

This is a consolidated report that gives a list of Lab Numbers in order of their visit dates with the amounts that were charged and payment methods. It also includes the clinic/doctor hence the receiving software can filter this data using different fields. The request is a post method with the following JSON key values;

- **Token** : token retrieved from Login
- **Branch** : Interpath Labs branch i.e. MUTARE, HARARE,BULAWAYO or ALL if you want data for all branches.
- **DateFrom** : start date in the format yyyy/MM/dd e.g. 2023/07/01
- **DateTo** : end date in the format yyyy/MM/dd e.g. 2023/07/17
- **Page** : page number interger e.g 1

Note: the data returned with this method is paginated hence the need to specify the page number. An initial request should place page 1 so that it returns page 1 of the data and additional information like number of pages for the whole set of data in the date range.

Subsequently you can call the same URL changing the page up until last page. Maximum records per page is 1000.

Example

```
{"Token":"0uADRjana8gmMVSWseLbe19XINx9ZbcHZaBK9SAFXDGtHdHOTvsw==","Branch":"ALL","DateFrom":"2023/07/01","DateTo":"2023/07/17","Page":1}
```

Method Type: Post

URL: "http://188.227.58.112/SLISMOB/api/Reports"

Response Key/Values

Status : Status of your request , Success or Fail

Message : Corresponding message to the receiver.

Page : Page Number

Page size : Number of records in that page.

TotalPages : Number of pages expected for the whole set of request.

MainData: This the List of the actual records in the form of key value format.

Key values

Branch : branch

LabNumber : sample number

PatientName : patient name

VisitDate :date and time the patient was registered

RegisteredBy : registered by

ClaimAmount : if medical aid this the amount charged for that claim

CoporateAmount : amount charged if under account or coporate

CashCharge : amount charged if its cash patient

Copayment : cash paid by patient if under medical aid

TotalAmount : for medical aid its Claim amt + copayment

AmountPaid : amount paid for cash patient

PayType : Payment mode

Society : Medical aid name for medical aid patients

Doctor : clinic/doctor

MaidNumber : medical aid number or receipt number

Tests : requested tests

Comment : manual receipt number for cash patients

PaymentDate : date payment was made for cash

Currency : Amount Currency

Example of response

```
{"Status":"Success","Page":1,"PageSize":525,"TotalPages":1,"MainData":[{"Branch":"ATHLONE","LabNumber":"PLA230716001","PatientName":"xxxxxxx","VisitDate":"2023/07/16 12:28:35","RegisteredBy":"Sailas Mwakurudza","ClaimAmount":"0","CoporateAmount":"0","CashCharge":"45","Copayment":"0","TotalAmount":"45","AmountPaid":"45","PayType":"CASH_USD","Society":"CASH","Doctor":"ATHLONE FAMILY CLINIC","MaidNumber":"PLAR33352","Tests":"FBC,LFT","Comment":"REC # - mnnb","PaymentDate":"2023/07/16","Currency":"USD"}, {"Branch":"BAINES HARARE","LabNumber":"PLB230701001","PatientName":"IGNATIOUS KUNAKA","VisitDate":"2023/07/01 01:18:54","RegisteredBy":"Tafadzwa Samanyika","ClaimAmount":"65","CoporateAmount":"0","CashCharge":"0","Copayment":"0","T
```

```
otalAmount":"65","AmountPaid":"0","PayType":"MEDICAL
AID","Society":"ALLIANCE_USD","Doctor":"BAINES INTERCARE MEDICAL
CENTRE","MaidNumber":"34702016N-01","Tests":"FBC,Urea &
Electrolytes,CRP,VENEPUNCTURE","Comment":"","PaymentDate":"","Currency":"ZWL"
],"Message":"Success with no errors"}
```

Expected error messages:

- "Failed", "Token not found or Invalid token.
- "Failed", "Token - Expired.
- "Failed", "Only Employee usertype can access this report.")
- "Failed", Date from Format should be yyyy/MM/dd
- "Failed", "Only up to 31 Days of Date range is allowed can you revise your dates."

Other Reports

The rest of reports are accessed using one URL and specifying the report name in the URL. The request is a post method with the following JSON key values;

- **Token** : token retrieved from Login
- **Branch** : Pathology Labs branch i.e. MUTARE, HARARE, BULWAYO etc or ALL if you want data for all branches.
- **DateFrom** : start date in the format yyyy/MM/dd e.g. 2023/07/01
- **DateTo** : end date in the format yyyy/MM/dd e.g. 2023/07/17

Note: the data returned with this method is also key value JSON Example

```
{"Token":"0uADRjana8gmMVSWseLbe19XINx9ZbcHZaBK9SAFXDGtHdHOTvsw==","Branch":"ALL
","DateFrom":"2023/07/01","DateTo":"2023/07/17"}
```

Method Type: Post

URL: "http://188.227.58.112/SLISMOB/api/Reports/--put report name here--"

Report names :Clinics Summary, Tests Count, TAT Report

Report name is not case sensitive as the api converts to Upper Case

Response Key/Values

Status : Status of your request , Success or Fail

Message : Corresponding message to the receiver.

TotalRecords : Number of records.

ReportHeader: This is an Array of the report header columns

e.g.

```
"ReportHeader":["Branch","Clinic","Patients","MAid_ZWL","MAid_USD","CASH_ZWL","CASH_US
D","Total_Usd_Conv","Percentage"]
```

Report header for Clinics Summary

ReportData: This is a List of String Arrays each with the same length as the report header.

```
ReportData":[["ALL","ARUNDEL
HOSPITAL","3","0","0","0","115","115.00","0.2"],["ALL","ATHLONE FAMILY
CLINIC","18","46849.53","357","0","500","1325.50","2.6"],["ALL","BAINES INTERCARE MEDICAL
CENTRE","131","1253406.35","7843","120000","1455","23032.06","44.8"],["ALL","CITIMED","1",
"0","0","0","90","90.00","0.2"],["ALL","CORPORATE 24 MEDICAL
CENTRE","21","218850.6","227","0","270","2685.51","5.2"],["ALL","DR A
GUNU","1","0","0","0","40","40.00","0.1"],["ALL","DR C
CHIDAKWA","5","25567.27","51","0","15","321.67","0.6"],["ALL","DR CHIGONDA
T","20","222801.24","1387","0","570","4185.01","8.1"],["ALL","DR E
CHAGONDA","1","0","73","0","0","73.00","0.1"],["ALL","DR I
GANGAIDZO","3","10750.18","0","0","60","167.50","0.3"],["ALL","Dr Madimutsa
","1","0","32","0","0","32.00","0.1"],["ALL","DR
MATCHABA","1","16572.85","0","0","0","165.73","0.3"],["ALL","DR N
NDLOVU","16","42081.12","550","0","540","1510.81","2.9"],["ALL","DR R A
DOMBO","4","17885.86","0","0","175","353.86","0.7"],["ALL","DR R A
DOMBO","4","17885.86","0","0","175","353.86","0.7"],["ALL","DR SIMANGO
F.N","10","5078.6","189","0","260","499.79","1.0"],["ALL","DR T
MAKONI","2","0","0","1320000","65","13265.00","25.8"],["ALL","GLEN VIEW MEDICAL
CENTRE","1","0","0","0","40","40.00","0.1"],["ALL","MARANATHA
SURGERY","1","0","0","0","65","65.00","0.1"],["ALL","MEDICAL IMAGING
CENTRE","29","75863.09","268","0","280","1306.63","2.5"],["ALL","MEDICAL SPECIALIST
CENTRE","1","0","31","0","0","31.00","0.1"],["ALL","MEDLINK 24HR
HOSP","1","0","0","0","30","30.00","0.1"],["ALL","MR MAUNGANIDZE
AJV","4","3057.77","64","0","45","139.58","0.3"],["ALL","PARKTOWN MEDICAL
CENTRE","1","0","0","0","150","150.00","0.3"],["ALL","RAPHA HEALTHCARE
SYSTEMS","1","0","0","0","0","0.00","0.0"],["ALL","SELOUS AVENUE
CLINIC","1","0","0","0","80","80.00","0.2"],["ALL","THE FAMILY
CLINIC","1","0","0","0","65","65.00","0.1"],["ALL","UNITED METHODIST MEDICAL
CLINIC","8","72772.46","278","0","125","1130.72","2.2"],["ALL","WALK
IN","4","8360","0","0","70","153.60","0.3"]]
```

Example of response

```
{"Status":"Success","TotalRecords":29,"ReportHeader":["Branch","Clinic","Patients","MAid_ZWL","
MAid_USD","CASH_ZWL","CASH_USD","Total_Usd_Conv","Percentage"],"ReportData":[["ALL","ARU
NDEL HOSPITAL","3","0","0","0","115","115.00","0.2"],["ALL","ATHLONE FAMILY
CLINIC","18","46849.53","357","0","500","1325.50","2.6"],["ALL","BAINES INTERCARE MEDICAL
CENTRE","131","1253406.35","7843","120000","1455","23032.06","44.8"],["ALL","CITIMED","1","0",
"0","0","90","90.00","0.2"],["ALL","CORPORATE 24 MEDICAL
CENTRE","21","218850.6","227","0","270","2685.51","5.2"],["ALL","DR A
GUNU","1","0","0","0","40","40.00","0.1"],["ALL","DR C
CHIDAKWA","5","25567.27","51","0","15","321.67","0.6"],["ALL","DR CHIGONDA
```

```
T","20","222801.24","1387","0","570","4185.01","8.1"],["ALL","DR E
CHAGONDA","1","0","73","0","0","73.00","0.1"],["ALL","DR I
GANGAIDZO","3","10750.18","0","0","60","167.50","0.3"],["ALL","Dr Madimutsa
","1","0","32","0","0","32.00","0.1"],["ALL","DR
MATCHABA","1","16572.85","0","0","0","165.73","0.3"],["ALL","DR N
NDLOVU","16","42081.12","550","0","540","1510.81","2.9"],["ALL","DR R A
DOMBO","4","17885.86","0","0","175","353.86","0.7"],["ALL","DR R A
DOMBO","4","17885.86","0","0","175","353.86","0.7"],["ALL","DR SIMANGO
F.N","10","5078.6","189","0","260","499.79","1.0"],["ALL","DR T
MAKONI","2","0","0","1320000","65","13265.00","25.8"],["ALL","GLEN VIEW MEDICAL
CENTRE","1","0","0","0","40","40.00","0.1"],["ALL","MARANATHA
SURGERY","1","0","0","0","65","65.00","0.1"],["ALL","MEDICAL IMAGING
CENTRE","29","75863.09","268","0","280","1306.63","2.5"],["ALL","MEDICAL SPECIALIST
CENTRE","1","0","31","0","0","31.00","0.1"],["ALL","MEDLINK 24HR
HOSP","1","0","0","0","30","30.00","0.1"],["ALL","MR MAUNGANIDZE
AJV","4","3057.77","64","0","45","139.58","0.3"],["ALL","PARKTOWN MEDICAL
CENTRE","1","0","0","0","150","150.00","0.3"],["ALL","RAPHA HEALTHCARE
SYSTEMS","1","0","0","0","0","0.00","0.0"],["ALL","SELOUS AVENUE
CLINIC","1","0","0","0","80","80.00","0.2"],["ALL","THE FAMILY
CLINIC","1","0","0","0","65","65.00","0.1"],["ALL","UNITED METHODIST MEDICAL
CLINIC","8","72772.46","278","0","125","1130.72","2.2"],["ALL","WALK
IN","4","8360","0","0","70","153.60","0.3"],["Message":"Success with no errors"}

```

Expected error messages:

- "Failed", "Token not found or Invalid token.
- "Failed", "Token - Expired.
- "Failed", "Only Employee usertype can access this report.")
- "Failed",Date from Format should be yyyy/MM/dd
- "Failed","Date To should be greater than the date from

Summary of methods in the SLISMOB API

No	Method	Type	API URL (subject to change)	Response
1	Register Device	POST	https://www.interpathresults.com/SLISMOB/api/Devices	Success/failure
2	GetDevice	GET	https://www.interpathresults.com/SLISMOB/api/Devices	Device detailes
3	RegisterUser	POST	https://www.interpathresults.com/SLISMOB/api/Main	Status & Mess
4	Login	POST	https://www.interpathresults.com/SLISMOB/api/Main/Usertype	Status & mess/token

5	GetPatientVisits	GET	https://www.interpathresults.com/SLISMOB/api/Main/token/na/na/na	List of patient Visits
6	GetPatientsVisits	GET	https://www.interpathresults.com/SLISMOB/api/Main/date-from/date-to/token/na/na/na	List of patients visits within date range
7	GetPatientVisitTestsResults	GET	https://www.interpathresults.com/SLISMOB/api/Main/labnumber/token/na/na/na	List of results
8	Get covid certificate	GET	https://www.interpathresults.com/SLISMOB/api/Main/labnumber/token/na/na/na/na/na/na	Status & URL
9	Change Password	PUT	https://www.interpathresults.com/SLISMOB/api/Main/usertype/na	Status & mess
10	ForgetPassword	PUT	https://www.interpathresults.com/SLISMOB/api/Main/usertype/username/phoneOrAfhoz	Status & mess
11	SendSampleCollectionMessage	PUT	https://www.interpathresults.com/SLISMOB/api/Main/token/tests/phoneno/address/na/na/na	Status & mess
12	Main Report	POST	https://www.interpathresults.com/SLISMOB/api/Reports	
13	Other Reports	POST	https://www.interpathresults.com/SLISMOB/api/Reports/--put report name here--	