
CS5340 Project Report

By:

Neha Priyadarshini Garg (A0117042W)

Xin Yi (A0142487Y)

Zhu Lei (A0105790H)

November 13, 2017

1 Problem 1 : Data Denoising

1.1 Potential function

For data denoising using Gibbs Sampling, we used the following pairwise potential term:

$$\psi_t(x_t, x_s) = e^{J * x_t * x_s} \quad (1)$$

Where J is a constant parameter which can control the influence of neighboring pixels on the current pixel. Setting $J = 3$ gave us good results as can be seen in section 1.3.

For local evidence, we used gaussian distribution with mean as the original pixel value and variance as $\sqrt{1/2}$. Thus we defined local evidence as follows:

$$\psi_t(x_t) = e^{-(x_t - y_t)^2} \quad (2)$$


1.2 Algorithm



Using these potential functions, we could calculate $p(x_t = 1 | x_{-t}, y, \theta)$ as follows:

$$p(x_t = 1 | x_{-t}, y, \theta) = \frac{\psi_t(x_t = 1) \prod_{s \in nbr(t)} \psi_t(x_t = 1, x_s)}{\psi_t(x_t = 1) \prod_{s \in nbr(t)} \psi_t(x_t = 1, x_s) + \psi_t(x_t = -1) \prod_{s \in nbr(t)} \psi_t(x_t = -1, x_s)} \quad (3)$$

Using the above probability distribution for each pixel, we did gibbs sampling with 1100 iterations out of which first 100 iterations were set as burn-in.

1.3 Results





2 Problem 2 : Expectation-Maximization Segmentation

2.1 Features

We tried 3 different features for image segmentation.

- 1) Lab features : The L, a and b values for each pixel
- 2) Lab features with neighbour difference : For each pixel, we sum the differences of its L, a and b values with its neighbours' to form three new features for that pixel.
- 3) Lab features with avg neighbour : For each pixel, we average its L, a and b values and its neighbours to form three new features for that pixel.

From the results, we can see that Lab features with avg neighbour perform better than just Lab features as with the help of neighbours, small noise is filtered out more efficiently. However in case of zebra, this leads to worse results as white stripes of zebra are also filtered out.

For the Lab features with neighbour difference, we found that the results are worse than simply using Lab features. There are many noise spots appearing in the segmented images, especially for the owl picture. One reason for this phenomenon is that the pixel in the foreground and pixel in the background actually have similar values for the new added feature. Therefore, adding the new features actually reduce the contrast between foreground pixels and background pixels and makes the result worse.

From our experiments on the effect of using different features, we learned that in order to obtain good results we need to use relevant features. Some controversial features will be harmful to our results.

2.2 Algorithm


For a given feature set, we first initialize the mean and covariance parameters of 2 gaussians by setting the covariance as covariance of the features for whole image and mean as a random value which is not very far from the actual mean for the whole image.

Then we calculate the probabilities for all pixels belonging to a given segments using gaussian functions as described in problem definition. Then we update parameters of gaussians by calculating weighted mean and covariances using probabilities calculated in E-step as weights. We update the mixing parameters by summing up the probabilities for each segment. We do this iteratively until the change in parameters is very small.


2.3 Results




Lab Features



Lab features with neighbour difference




Lab features with avg neighbour






Lab Features



Lab features with neighbour difference




Lab features with avg neighbour








Lab Features



Lab features with neighbour difference





Lab features with avg neighbour







Lab Features



Lab features with neighbour difference



Lab features with avg neighbour

