Comprehensive SPF Test Suite

Test Runner

Today :)

1. Structural Commands

This document tests the capabilities of the **Simple PDF Format**. This paragraph demonstrates standard text wrapping and justification defined in the global config. We can also use *italicized text* and ***emphasised text*** (which renders as bold-italic).

1.1. `Subsection Testing`

This paragraph overrides global settings. It is centered and uses the Helvetica font.

2. List Styles

Testing different list styles:

➤ Default item *one*
➤ ***Default item two, and the last of the list***

● Bullet item one
● Bullet item two with **bold** text

1. Numbered item one
2. Numbered item two

➤ Arrow item

■ Square item

3. Visual Elements

3.1. Figures

Below is a test figure loaded from the source files.

Figure 1: The Haskell Logo

3.2. Horizontal Lines

Standard separator:

Custom thick separator:

---

4. Advanced Structures

4.1. Tables

Header 1	Header 2	Header 3
Row 1 Col 1	Row 1 Col 2	Row 1 Col 3
Row 2 Col 1	**Row 2 Col 2**	Row 2 Col 3

4.2. Verbatim Code

Below is a block of verbatim code with line numbering enabled:

```
1  module Main where
2
3  main :: IO ()
4  main = putStrLn "Hello, World!"
```

And a verbatim block without numbering:

```
$> cabal run
Hello, World!
```

4.3. Vector image

Loading an *svg* image:

Figure 2: An SVG image