


Sarawak Parliament Pre-2026 Redelineation

GeoJSON Boundary File (Baseline) — Dataset Metadata



Preview: 31 existing (pre-redelineation) Parliamentary constituency boundaries, colours for visual distinction only.

Dataset Metadata

Field	Value
Title	Sarawak Parliament Pre-2026 Redelineation (Low Resolution)
Description	Existing (pre-redelineation) boundaries of Sarawak's Parliamentary (Dewan Rakyat) constituencies, as they stood before the Election Commission of Malaysia's 2026 redelineation exercise for Sarawak — the “before” baseline layer that the SYOR 1 proposed Parliament GeoJSON is compared against.
Compiler / Publisher	TindakMalaysia Network Services PLT (civic data repository); primary source is the Election Commission of Malaysia (SPR)
Geographic Coverage	State of Sarawak, Malaysia
Bounding Box (WGS84)	109.545°E – 115.683°E, 0.863°N – 4.994°N (identical extent to the other three Sarawak boundary layers)
Coordinate Reference System	CRS84 (WGS 84, longitude/latitude — urn:ogc:def:crs:OGC:1.3:CRS84)
Geometry Type	MultiPolygon (all 31 features; 1 feature is multi-part, i.e. includes a separate exclave/island polygon)
Feature Count	31 features — one per existing parliamentary constituency (matches the 31 pre-redelineation seats referenced in the SYOR 1 Parliament CSV)
Vertex Count	~5,180 total vertices; ~167 per feature on average — generalized (“Low Resolution”) rather than survey-grade
Advisable Scale of Use	1 : 600,000 — suitable for state-wide to sub-regional overview mapping; not intended for cadastral, parcel-level, or legal-boundary determination
File Format	GeoJSON (FeatureCollection), UTF-8
File Size	~229 KB
Process Stage	Baseline / “before” layer — reflects boundaries in force prior to the 2026 redelineation exercise
License	CC BY
Companion Datasets	SYOR 1 PROPOSAL - PROPOSED PARLIAMENTARY CONSTITUENCY.csv (attribute comparison), Sarawak_Parliament_1st_Draft_2026_Redelineation_Low_Resolution.geojson (the proposed/“after” layer), and the two DUN-level GeoJSONs

Attribute (Properties) Dictionary

Property	Type	Description
Id	Integer	Sequential feature identifier, range 192–222 (31 values, no duplicates or gaps).
NEGERI	String	State name; constant value SARAWAK.
KODPAR	String (code)	Existing parliamentary constituency code, e.g. P. 201 (note the internal space, as also seen in the DUN pre-redelineation file).
PARLIMEN	String	Existing parliamentary constituency name, e.g. BATANG LUPAR.
KODUNIK	String (code)	Unique identifier; identical to KODPAR at this administrative level.
BILANGAN_P	Integer	Number of electors (“Bilangan Pengundi”) under the existing boundary.
PERATUS_EQ	Decimal (%)	Calculated differently here than in the other three layers: this is each seat's elector count as a percentage SHARE of the total Sarawak parliamentary electorate (values sum to ~99–100% across all 31 seats; average ≈ 3.2%). This is NOT the “% of average electoral quotient” definition used elsewhere (where 100% = parity with the average). Observed range: 1.43% to 7.33%.

Geometry Notes

All boundaries are MultiPolygon, even for seats with a single contiguous shape. One of the 31 features contains more than one polygon part (a detached exclave/island area). Vertex density per feature (~167) sits between the DUN pre-redelineation layer (~117) and the proposed Parliament layer (~220). Coordinates are stored at double precision, but the file name and vertex density indicate this is a generalized/simplified (“Low Resolution”) version of the boundary, appropriate for the advised 1:600,000 mapping scale — not for high-precision measurement.

Note on PERATUS_EQ Comparability

This file's PERATUS_EQ uses a different formula than the same-named field in the proposed Parliament GeoJSON and both DUN-level GeoJSONs. Here it is a percentage share of the total electorate (summing to ~100% across all 31 seats); elsewhere it is a percentage of the average electoral quotient (centred on 100%). Do not compare or combine PERATUS_EQ values across these files without accounting for this difference.