PRG521 Summitive

Contents

Q	luestion 1:	2
	Screen shots:	3
		Ī
	Code:	c

Question 1:

Question 1 25 pts

The below form will represent the main form from which the user will navigate to the other forms. Meaning each button should be linked to the appropriate form. E.g. If button Manage Addresses is clicked the form managed addresses should be displayed. The Exit button should successfully terminate the program.



Create a void method for each button and name them as follow: LinkToAddresses (), LinkToCustomers (), LinkToDrivers (), LinkToStatus (), and LinkToFreight (). The methods should be called under the appropriate button. For the exit button create a void method named AppExit () this should terminate the program.

Marks allocation: 3 Marks per Method (3x6=18) and 7 Marks for the interface design.

Screen shots:



```
FrmLogistics.cs + X FrmLogistics.cs [Design]
C# PRG521Summitive6955

 PRG521Su

            //6955 Laikin Barnard
          □using System;
            using System.Collections.Generic;
            using System.ComponentModel;
            using System.Data;
            using System.Drawing;
            using System.Ling;
            using System.Text;
            using System.Threading.Tasks;
            using System.Windows.Forms;
           using System.Data.SqlClient;
           □namespace PRG521Summitive6955
                //6955 Laikin Barnard
                public partial class FrmLogistics : Form
                    1 reference
                    public FrmLogistics()
           ₿
                        InitializeComponent();
                    private void LinkToAddresses()
           白
                        this.Hide();
                        FrmAdresses frmadresses = new FrmAdresses();
                        frmadresses.Show();
                    1 reference
                    public void LinkToCustomers()
          ₽
                        this.Hide();
                        FrmCustomers = new FrmCustomers();
                        FrmCustomers.Show();
                    public void LinkToDrivers()
          Ė
                        this.Hide();
                        FrmDriver FrmDriver = new FrmDriver();
                        FrmDriver.Show();
                    public void LinkToFreight()
                        this.Hide();
                        FrmFreight FrmFreight = new FrmFreight();
                        FrmFreight.Show();
                                  Ø -
98 %
           No issues found
```

```
FrmLogistics.cs 4 X FrmLogistics.cs [Design]
C# PRG521Summitive6955
                                                                  - RG521Summitive69
                         remereigne remereigne = new remereigne();
                        FrmFreight.Show();
                    1 reference
                    public void LinkToStatus()
                        this.Hide();
                        FrmStatus = new FrmStatus();
                        FrmStatus.Show();
                    0 references
                    public void AppExit()
                        Application.Exit();
                    0 references
                    public void btnAdresses_Click(object sender, EventArgs e)
                        LinkToAddresses();
                    1 reference
                    public void FrmLogistics_Load(object sender, EventArgs e)
    66 💡
                        btnAdresses.Focus();
                    1 reference
                    private void btnAdresses_Click_1(object sender, EventArgs e)
                        LinkToAddresses();
                    1 reference
                    private void btnCustomers_Click(object sender, EventArgs e)
           LinkToCustomers();
                    1 reference
                    private void btnFreight_Click(object sender, EventArgs e)
                        LinkToFreight();
                    1 reference
                    private void btnDriver_Click(object sender, EventArgs e)
                        LinkToDrivers();
                    private void btnStatus_Click(object sender, EventArgs e)
           Ġ
                        LinkToStatus();
            //6955 Laikin Barnard
```

```
Code:
//6955 Laikin Barnard
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;
namespace PRG521Summitive6955
{
    //6955 Laikin Barnard
    public partial class FrmLogistics : Form
        public FrmLogistics()
            InitializeComponent();
        }
        private void LinkToAddresses()
        {
            this.Hide();
            FrmAdresses frmadresses = new FrmAdresses();
            frmadresses.Show();
        public void LinkToCustomers()
        {
            this.Hide();
            FrmCustomers FrmCustomers = new FrmCustomers();
            FrmCustomers.Show();
        }
        public void LinkToDrivers()
            this.Hide();
            FrmDriver FrmDriver = new FrmDriver();
            FrmDriver.Show();
        }
        public void LinkToFreight()
        {
            this.Hide();
            FrmFreight FrmFreight = new FrmFreight();
            FrmFreight.Show();
        }
        public void LinkToStatus()
        {
            this.Hide();
            FrmStatus FrmStatus = new FrmStatus();
            FrmStatus.Show();
        }
        public void AppExit()
        {
            Application.Exit();
        public void btnAdresses_Click(object sender, EventArgs e)
        {
```

```
LinkToAddresses();
        }
        public void FrmLogistics_Load(object sender, EventArgs e)
            btnAdresses.Focus();
        private void btnAdresses_Click_1(object sender, EventArgs e)
            LinkToAddresses();
        private void btnCustomers_Click(object sender, EventArgs e)
            LinkToCustomers();
        }
        private void btnFreight_Click(object sender, EventArgs e)
            LinkToFreight();
        }
        private void btnDriver_Click(object sender, EventArgs e)
            LinkToDrivers();
        }
        private void btnStatus_Click(object sender, EventArgs e)
            LinkToStatus();
        }
//6955 Laikin Barnard
```