7111175701

D. Abhlrav 19BCS040

(1)

- 200 Emp Table

12 per 10	2 per name	77 9 7 7 7
2 per 12	TINKU	
1 2 10 00	Aaseesh	14 -12 BUT
1 80 80 80 1 30 1 30 1 30 1 1 1 1 1 1 1 1 1 1 1 1	Kartlek	
Somosman 40000		Ast - 3
5	Sahoo Marshith	
6		
2 (2tosign Katholor	110 29000 12N	632 1920 EST 1
atri Query:	ed a saravi	emptable order
They wan	ne from Est	emp
	Notabe (2500)	1/31 X317678
by 3 asc;		11). Wat .

3 asc;

Tren son 1/20 2/4 st -

Result

2 per name. so godf in creshood venty Daseesh

outputs? "Error"

(2) Query',-

SELECT \* Employers WHERE

SELECT 2. Name from employees

SELECT 2. Name from Employees e, Employees

e. Name from Employees e, Employees

e. where e, ensurance = e. Insurance.

mas mathem iman

(9) Yes, LPL server doops all related objects, which exists Enside a table like constraints, endexex, columns, defaults etc. But dropping a table will not drop views and sorted procedures as they exist outside the table.

10183 : they wo

0172121

サルインフィイ 1 D. Abusnav 19BCSQFO SELECT (3) \*. FROM table-name ORDER By column-name Asc 7771721 LIMIT N', The Query to get the nth highest necord is as follows: word of a dock SELECT 22A 2900 MONTH X9 30000 LUA IA YOU F SMAJ FROM CSELECT \* . 1297 DANDER , MARVIOS YOU THERE FROM 2 B 1 C 4 E J table-nama

DADER by column iname Asc

LIMIT (N) As the

ORDER RY Column - name DESC

LIMIT Timerer blo detail

The state of the s

Scanned with CamScanner

D. Abhenav 19BCSQ10 The query to get the n highest record To a follow: SELECT. × FROM (SELECT smalled to a but you bredgeton FROM table - name ORDER BY COLUMN name ASC LIMIT N) AS the ORDER by column - name pesc

LIMIT 1;

3 To fetch even numbered columns select & from std-Info-Details To fetch odd numbered columns celect \* from 1td -Into - Details 1- ne- pt2 = 9734W 4

Scanned with CamScanner

6) select Top 0 \* Into empty- Table from university table.

DELETE SUB FROM

(SELECT ROW\_NUMER () OVER

(PARTITION BY EMPLY, EMPLY)

EMPSIN ORDER BY Emply) cont

FROM Employee) SUB

WHERE SUB-CONT > 1

(8) a) complete

scholar	Tutorial	Jutori o
	DBMS	DBMI
Rayiesh	40 C	TOC
Mahesh	bound bright bright	2 200 000
suresh suresh	TOC	
Ja yesh	020	solod je
Ja ger	32	14511
Rajesh	24	delles

D.Alhirav Larcsoyo

query 1;

All scholars rable

-	scholar
	Rajesh
-	Mahesh
	suresh
1	Jayesh
	Rajesh

pierry 2;

(cholar And required table.

scholar	netosia
Rajesh	DBMJ
Mahesh	70 0
< suresh	2.0
Jayesh	) <u>*</u> E
	Rajesh Mahesh Suresh

query 3;

scholars and Required

NOT Complete.

scholas	mosia)
Moesh	207
Tayesh	se

puery 11:

Cannot Graduate

scholar suresh Jayesh

query 5:

Can Graduate Scholar Rajesh Makesh