
Practica 9: Integrate Bootstrap

In this class I learned to integrate bootstrap to my app.

Once we had our static-server and static-storage folders placed in our app, we simply download bootstrap and install it. Once done we have to move the bootstrap folder to our static-storage folder like this:



After doing that we and doing the corresponding lines in our code:



```
'NAME': 'django.contrib.auth.password_validation.NumericPasswordValidator',
settings.py
urls.py — home
base.html
index.html
                                                                                                                          LANGUAGE CODE = 'en-us'
urls.py — demo
                                                                                                                            TIME_ZONE = 'UTC'
                                                                                                                            USE_I18N = True
      /* settings.py
/* urls.py
/* wsgi.py

home
                                                                                                                            USE_TZ = True
          static-serve
admin
static
                                                                                                                            STATIC_URL = '/static/'
            static-storage

simple pootstrap

build point

build

dist

build

cs

injs

injg

i
             m static-storage
                                                                                                                            STATICFILES_DIRS = [
                                                                                                                                               os.path.join(BASE_DIR, "static-storage")
                                                                                               132 # WILL DE SERVE
133 STATIC_ROOT = os.path.join(os.path.dirname(BASE_DIR), "static_serve")
```

we can start using bootstrap, in our case, we added a button to the Index.html page:

```
<h3>Herencia!!</h3>
<button class="btn btn-primary">
     Hola
</button>
<button class="btn btn-success">
     Prueba
</button>
{% block content %}
{% endblock %}
```

One button named "Hola" and the other one "Prueba". This is the result:

