```html
<html >
<head>
  <title>Practical 5</title>
  <style>
    div {
      background-color: #D9EEE1;
      height: 450px;
      width: 230px;
      padding: 20px;
    }
    form {
      margin: 0;
    }
    p {
      margin: 10px 0;
    }
  </style>
  <script>
    function handleClick(event)
    {
      alert("Clicked on: " + event.target.name);
    }
    function handleChange(event)
    {
        alert("Changed value in: " + event.target.name + " to " + event.target.value);
     }
    function handleSubmit(event)
    {
      alert("Form submitted!");
      event.preventDefault();
    }
    function handleReset(event)
    {
      alert("Form reset!");
      event.preventDefault();
    }


    function handleFocus(event)
    {
      alert("Focused on: " + event.target.name);
```

```html
      }
      function handleBlur(event)
      {
         alert("Blurred from: " + event.target.name);
      }

      function handleLoad()
      {
         alert("Page has been loaded!");
      }
   window.addEventListener('load', handleLoad);
   </script>
</head>
<body>
   <div>
      <center>
         <h2>Form Events</h2>
      </center>
         <form name="frm1" onsubmit="handleSubmit(event)"
         onreset="handleReset(event)">
         <p>
            <label><b>Name:</b></label><br>
            <input type="text" name="n1" value="" required
               onclick="handleClick(event)"
               onchange="handleChange(event)"
               onfocus="handleFocus(event)"
               onblur="handleBlur(event)">
         </p>
         <p>
            <label><b>Email ID:</b></label><br>
            <input type="email" name="id" value="" required
               onclick="handleClick(event)"
               onchange="handleChange(event)"
               onfocus="handleFocus(event)"
               onblur="handleBlur(event)">
         </p>


         <p>
            <label><b>Password:</b></label><br>
            <input type="password" name="pass" value="" required
               onclick="handleClick(event)"
```

```html
                onchange="handleChange(event)"
                onfocus="handleFocus(event)"
                onblur="handleBlur(event)">
        </p>
        <p>
          <label><b>Gender:</b></label><br>
          <input type="radio" name="r1" value="Male"
              onclick="handleClick(event)">Male <br>
          <input type="radio" name="r1" value="Female"
              onclick="handleClick(event)" required>Female
        </p>
        <p>
          <label><b>Select Course:</b></label><br>
          <select name="course"
              onchange="handleChange(event)">
            <option value="ET">Electronic Engineering</option>
            <option value="ME">Mechanical Engineering</option>
            <option value="CO">Computer Engineering</option>
            <option value="EE">Electrical Engineering</option>
            <option value="CE">Civil Engineering</option>
            <option value="CH">Chemical Engineering</option>
          </select>
        </p>
        <br>
        <center>
          <input type="submit" name="submit" value="Submit"
              onclick="handleClick(event)">
          <input type="reset" name="reset" value="Reset"
              onclick="handleClick(event)">
        </center>
      </form>
    </div>
  </body>
</html>
```