



POWER SWITCHES







J1-5≯ J1-7≯ J1-6≻

₩ DO NOT MEASURE THIS POINT DURING OPERATION.

8 7 6 5







-RAIL 11 C14 C14 U2 12 C14

-RAIL

		DO NOT SCALE DRAWING  UNLESS OPERHISE SPECIFIED DIMENSIONS FRE IN INDES	ORANN BY OATE STAFF 8-16-88 CHECKED BY CHIEF	АТ	ARI	ATARI CAMES CI 675 SYCAMORE D MILPITAG, CA.	RIVE	
	A044250 DRIVE SIMU	TOLERANCES ON:	ENCR, ELECT DATE					٦,
	NEXT RSSY FIRST USED ON	PACLES ± 10 . 10 ± 83.0341	PROJECTOR DATE OF THE ENGLISH OF THE	""E SCHEMATIC,				
	SPECIFIC MILITON PERCENTION OF STREET OWERS CONTRACTION, MILITIME, On, THIS DIMENTS DE MILITON PROTECTION AND SETTING FROM MILITON PROTECTION OF SETTING PROPERTY CONTRACT PROMPATION BY ELECTRIC PROTECTION OF TECHNOLOGY DIVIDING HITTER OF THE OPERATOR OF MILITIME OF TECHNOLOGY DIVIDING	MATERIAL:		<i>\$8</i> 8	MOTOR AMP DRIVER PCB			
	DIMENSION AND NOT THE PROCESS. COLOUR TON MACHINERS AT MICHIGON AND ARREST SANCTIONS, BUT DOES HEAVERING MACHINE TO COMPANITION IN STREET AND ARREST AND ARREST THE COMPANITION AND ARREST ARREST AND ARREST ARREST AND ARREST ARREST AND ARREST A			SCALE	OH4	250-01	A A	]
4	3		2			1		

В

С