

Atomic Wise Guys - FOH Aggressive Live Settings (REWORKED TEMPLATE)

Ch 1 – Kick — Earthworks DM6

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 10 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0; A 10 ms; R 100 ms)
Standard EQ Band 3 (Low-Mid)	+5 dB @ 80 Hz (Q 1.0)
Standard EQ Band 4 (HPF)	40 Hz, 12 dB/oct

Mustard EQ Band	Setting (Static)
Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Punch	-12 dB	4:1	12 ms	90 ms	+3 dB
Mustard	Green (FET)	-10 dB	6:1	5 ms	80 ms	+4 dB

Gate Param	Value
Threshold	-35 dB
Ratio	4:1
Attack	5 ms
Release	150 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: FET for snap; dynamic EQ for mud control.

Ch 2 – Snare — Lauten Audio Snare Mic

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-5 dB @ 500 Hz (Q 2.0; A 12 ms; R 100 ms)
Standard EQ Band 3 (Low-Mid)	+3 dB @ 200 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	100 Hz, 12 dB/oct

Mustard EQ Band	Setting (Static)
Mustard EQ Band 1	+2 dB @ 12 kHz (Q 0.7)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Punch	-10 dB	5:1	10 ms	110 ms	+3 dB
Mustard	Blue (Classic)	-9 dB	5:1	8 ms	120 ms	+3 dB

Gate Param	Value
Threshold	-32 dB
Ratio	3:1

Attack	5 ms
Release	100 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Keep crack and body; control 500Hz.

Ch 3 – Hat — Earthworks SR25

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+5 dB @ 10 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid)	-3 dB @ 800 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	200 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-15 dB	3:1	15 ms	100 ms	+2 dB
Mustard	Purple (Optical)	-14 dB	3:1	15 ms	100 ms	+2 dB

Gate Param	Value
Threshold	-40 dB
Ratio	2:1
Attack	5 ms
Release	150 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Bright, cut through; HPF for rumble.

Ch 4 – Rack — Earthworks DM17

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0; A 12 ms; R 120 ms)
Standard EQ Band 3 (Low-Mid)	+4 dB @ 100 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	60 Hz, 12 dB/oct

Mustard EQ Band	Setting (Static)
Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Punch	-12 dB	6:1	10 ms	120 ms	+4 dB
Mustard	Green (FET)	-11 dB	6:1	8 ms	100 ms	+4 dB

Gate Param	Value
Threshold	-34 dB
Ratio	4:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tight gate; punch the attack.

Ch 5 – Floor — Earthworks DM17

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0; A 12 ms; R 120 ms)
Standard EQ Band 3 (Low-Mid)	+4 dB @ 100 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	60 Hz, 12 dB/oct

Mustard EQ Band	Setting (Static)
Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Punch	-12 dB	6:1	10 ms	120 ms	+4 dB
Mustard	Green (FET)	-11 dB	6:1	8 ms	100 ms	+4 dB

Gate Param	Value
Threshold	-34 dB
Ratio	4:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tight gate; punch the attack.

Ch 6 – OH Left — Earthworks SR20sp

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+5 dB @ 12 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid)	-3 dB @ 600 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	120 Hz, 18 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Bus	-10 dB	3:1	20 ms	150 ms	+2 dB
Mustard	Red (Vintage)	-11 dB	3:1	18 ms	140 ms	+2 dB

Gate Param	Value
Threshold	-45 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Air and room; high-pass to clean low end.

Ch 7 – OH Right — Earthworks SR20sp

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+5 dB @ 12 kHz (Q 0.7)

Standard EQ Band 2 (High-Mid)	-3 dB @ 600 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	120 Hz, 18 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Bus	-10 dB	3:1	20 ms	150 ms	+2 dB
Mustard	Red (Vintage)	-11 dB	3:1	18 ms	140 ms	+2 dB

Gate Param	Value
Threshold	-45 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Air and room; high-pass to clean low end.

Ch 8 – Bass DI — Radial J48

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+2 dB @ 4 kHz (Q 1.0)
Standard EQ Band 2 (Low-Mid, Dynamic On)	-5 dB @ 250 Hz (Q 1.5; A 15 ms; R 150 ms)
Standard EQ Band 3 (Low)	+6 dB @ 80 Hz (Q 0.9)
Standard EQ Band 4 (HPF)	40 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Classic	-8 dB	5:1	15 ms	100 ms	+5 dB
Mustard	Blue (Classic)	-9 dB	5:1	12 ms	110 ms	+4 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: DI weight and clarity; tame 250Hz.

Ch 9 – Bass Mic — Schoeps Mk4

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+2 dB @ 5 kHz (Q 1.0)
Standard EQ Band 2 (Low-Mid, Dynamic On)	-4 dB @ 300 Hz (Q 1.5; A 15 ms; R 150 ms)
Standard EQ Band 3 (Low)	+5 dB @ 100 Hz (Q 1.0)
Standard EQ Band 4 (HPF)	50 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Bus	-10 dB	4:1	12 ms	120 ms	+4 dB

Mustard	Red (Vintage)	-11 dB	4:1	15 ms	130 ms	+4 dB
---------	---------------	--------	-----	-------	--------	-------

Gate Param	Value
Threshold	-45 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Warmth from mic; carve mud.

Ch 10 – Piano Low — DPA 4099

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 500 Hz (Q 1.5; A 20 ms; R 200 ms)
Standard EQ Band 3 (Low-Mid)	-4 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	80 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-12 dB	3:1	20 ms	200 ms	+3 dB
Mustard	Blue (Classic)	-11 dB	3:1	18 ms	180 ms	+3 dB

Gate Param	Value
Threshold	-55 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Control midrange; keep notes clear.

Ch 11 – Piano High — DPA 4099

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 500 Hz (Q 1.5; A 20 ms; R 200 ms)
Standard EQ Band 3 (Low-Mid)	-4 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	80 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-12 dB	3:1	20 ms	200 ms	+3 dB
Mustard	Blue (Classic)	-11 dB	3:1	18 ms	180 ms	+3 dB

Gate Param	Value
Threshold	-55 dB
Ratio	2:1

Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Control midrange; keep notes clear.

Ch 12 – Guitar DI — Neve RNDI

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 6 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 15 ms; R 150 ms)
Standard EQ Band 3 (Low)	-3 dB @ 120 Hz (Q 1.0)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Classic	-10 dB	4:1	15 ms	120 ms	+2 dB
Mustard	Green (FET)	-11 dB	4:1	8 ms	110 ms	+3 dB

Gate Param	Value
Threshold	-48 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: DI clarity; tame 400Hz.

Ch 13 – Guitar Mic — Royer 121

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 600 Hz (Q 1.5; A 12 ms; R 150 ms)
Standard EQ Band 3 (Low)	-2 dB @ 120 Hz (Q 1.0)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Bus	-12 dB	4:1	12 ms	150 ms	+3 dB
Mustard	Red (Vintage)	-11 dB	4:1	15 ms	150 ms	+3 dB

Gate Param	Value
Threshold	-46 dB
Ratio	2:1
Attack	5 ms
Release	200 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Ribbon warmth; presence lift.

Ch 14 – Tenor — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
-------------------------------	--------------------------------

Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 15 – Alto — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 16 – Bari — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 17 – Bone — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 18 – Trumpet 1 — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
------------	-------

Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 19 – Trumpet 2 — Royer R10

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5; A 18 ms; R 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-14 dB	3:1	18 ms	150 ms	+2 dB
Mustard	Blue (Classic)	-14 dB	3:1	16 ms	160 ms	+2 dB

Gate Param	Value
Threshold	-50 dB
Ratio	2:1
Attack	5 ms
Release	180 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Tame honk; presence boost.

Ch 20 – Vocal — Shure B58

Standard EQ Band (High → Low)	Setting (Dynamic bands marked)
Standard EQ Band 1 (High Shelf)	+5 dB @ 12 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 2.5 kHz (Q 2.0; A 15 ms; R 100 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 300 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 18 dB/oct

Mustard EQ Band	Setting (Static)
Mustard EQ Band 1	+2 dB @ 16 kHz (Q 0.6)

Type	Flavor	Threshold	Ratio	Attack	Release	Makeup
Standard	Opto	-12 dB	3:1	12 ms	100 ms	+3 dB
Mustard	Purple (Optical)	-10 dB	4:1	10 ms	120 ms	+4 dB

Gate Param	Value
Threshold	-40 dB
Ratio	2:1

Attack	5 ms
Release	120 ms

Console labels: Standard EQ -> 'EQ 1-4'; Mustard EQ -> 'Mustard 1' etc. Notes: Presence control and smooth opto for vocals.

Global Reverb Suggestions — Seventh Heaven Pro (Wet Mode) — Go-to Presets

Usage	Preset (Seventh Heaven Pro)	Decay	Pre-Delay	Early/Late	Size	EQ Tilt
Drum Kit Room	Ambience Room A (Bricasti M7)	0.9s	10 ms	50/50	Small	-2 dB @10 kHz
Snare Plate	Rich Plate 1 (Bricasti M7 → Plates)	1.4s	15 ms	30/70	Medium	+1 dB @6 kHz
Guitar Chamber	Studio Chamber (Bricasti M7 → Chambers)	1.6s	20 ms	40/60	Medium	+1 dB @4 kHz
Bass Subtle Room	Small Wood Room (Bricasti M7 → Rooms)	0.7s	5 ms	60/40	Small	Flat
Piano Hall	Warm Hall A (Bricasti M7 → Halls)	2.0s	25 ms	35/65	Large	+1 dB @5 kHz
Band Glue	Medium Hall B (Bricasti M7 → Halls)	1.8s	20 ms	40/60	Medium-Large	Flat
Vocal Hall	Vocal Hall A (Bricasti M7 → Halls)	2.3s	30 ms	40/60	Large	+1 dB @5 kHz
Vocal Plate	Rich Plate 2 (Bricasti M7 → Plates)	1.4s	15 ms	35/65	Medium	+2 dB @6 kHz
Vocal Chamber	Studio Chamber B (Bricasti M7 → Chambers)	1.7s	20 ms	40/60	Medium	+1 dB @4 kHz

Template notes: Standard EQ High → Low. Dynamic EQ only in Standard EQ. Mustard EQ static. Mustard flavors: Blue (Classic), Red (Vintage), Purple (Optical), Green (FET). Console label hints for DiGiCo Quantum 225. All reverbs are 100% Wet (send style).