

Atomic Wise Guys - Aggressive Live Settings (DiGiCo Quantum 225)

Kick - Earthworks DM6

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 8 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0, Attack 10 ms, Release 100 ms)
Standard EQ Band 3 (Low-Mid)	+5 dB @ 80 Hz (Q 1.0)
Standard EQ Band 4 (HPF)	40 Hz, 12 dB/oct
Mustard EQ Band	Setting
Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Punch	-12 dB	6:1	10 ms	80 ms	+4 dB

Threshold	Ratio	Attack	Release
-35 dB	4:1	5 ms	150 ms

Notes: Dynamic cut at 400 Hz keeps mud under control.

Snare - Lauten Audio Snare Mic

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-5 dB @ 500 Hz (Q 2.0, Attack 12 ms, Release 100 ms)
Standard EQ Band 3 (Low-Mid)	+3 dB @ 200 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	100 Hz, 12 dB/oct
Mustard EQ Band	Setting
Mustard EQ Band 1	+2 dB @ 12 kHz (Q 0.7)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Punch	-10 dB	5:1	8 ms	120 ms	+3 dB

Threshold	Ratio	Attack	Release
-32 dB	3:1	5 ms	100 ms

Notes: Dynamic cut at 500 Hz reduces boxiness.

Hat - Earthworks SR25

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+5 dB @ 10 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid)	-3 dB @ 800 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	200 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-15 dB	3:1	15 ms	100 ms	+2 dB

Threshold	Ratio	Attack	Release
-40 dB	2:1	5 ms	150 ms

Notes: Bright and cutting, remove low rumble.

Rack - Earthworks DM17

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0, Attack 12 ms, Release 120 ms)
Standard EQ Band 3 (Low-Mid)	+4 dB @ 100 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	60 Hz, 12 dB/oct

Mustard EQ Band	Setting
Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Punch	-12 dB	6:1	10 ms	120 ms	+4 dB

Threshold	Ratio	Attack	Release
-34 dB	4:1	5 ms	180 ms

Notes: Dynamic EQ tames low-mid mud.

Floor - Earthworks DM17

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 0.8)
Standard EQ Band 2 (High-Mid, Dynamic On)	-6 dB @ 400 Hz (Q 2.0, Attack 12 ms, Release 120 ms)
Standard EQ Band 3 (Low-Mid)	+4 dB @ 100 Hz (Q 1.2)
Standard EQ Band 4 (HPF)	60 Hz, 12 dB/oct

Mustard EQ Band	Setting
-----------------	---------

Mustard EQ Band 1	+2 dB @ 10 kHz (Q 0.7)
-------------------	------------------------

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Punch	-12 dB	6:1	10 ms	120 ms	+4 dB

Threshold	Ratio	Attack	Release
-34 dB	4:1	5 ms	180 ms

Notes: Dynamic EQ tames low-mid mud.

OH Left - Earthworks SR20sp

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+5 dB @ 12 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid)	-3 dB @ 600 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	120 Hz, 18 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Bus	-10 dB	3:1	20 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-45 dB	2:1	5 ms	200 ms

Notes: Air boost + high-pass for clarity.

OH Right - Earthworks SR20sp

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+5 dB @ 12 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid)	-3 dB @ 600 Hz (Q 1.5)
Standard EQ Band 3 (HPF)	120 Hz, 18 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Bus	-10 dB	3:1	20 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-45 dB	2:1	5 ms	200 ms

Notes: Air boost + high-pass for clarity.

Bass DI - Radial J48

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+2 dB @ 4 kHz (Q 1.0)

Standard EQ Band 2 (Low-Mid, Dynamic On)	-5 dB @ 250 Hz (Q 1.5, Attack 15 ms, Release 150 ms)
Standard EQ Band 3 (Low)	+6 dB @ 80 Hz (Q 0.9)
Standard EQ Band 4 (HPF)	40 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Classic	-8 dB	5:1	15 ms	100 ms	+5 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	200 ms

Notes: Dynamic cut cleans muddy low-mids.

Bass Mic - Schoeps Mk4

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+2 dB @ 5 kHz (Q 1.0)
Standard EQ Band 2 (Low-Mid, Dynamic On)	-4 dB @ 300 Hz (Q 1.5, Attack 15 ms, Release 150 ms)
Standard EQ Band 3 (Low)	+5 dB @ 100 Hz (Q 1.0)
Standard EQ Band 4 (HPF)	50 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Bus	-10 dB	4:1	12 ms	120 ms	+4 dB

Threshold	Ratio	Attack	Release
-45 dB	2:1	5 ms	200 ms

Notes: Dynamic EQ reduces 300 Hz mud.

Piano Low - DPA 4099

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 500 Hz (Q 1.5, Attack 20 ms, Release 200 ms)
Standard EQ Band 3 (Low-Mid)	-4 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	80 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-12 dB	3:1	20 ms	200 ms	+3 dB

Threshold	Ratio	Attack	Release
-55 dB	2:1	5 ms	200 ms

Notes: Dynamic EQ keeps piano midrange controlled.

Piano High - DPA 4099

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 500 Hz (Q 1.5, Attack 20 ms, Release 200 ms)
Standard EQ Band 3 (Low-Mid)	-4 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	80 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-12 dB	3:1	20 ms	200 ms	+3 dB

Threshold	Ratio	Attack	Release
-55 dB	2:1	5 ms	200 ms

Notes: Dynamic EQ keeps piano midrange controlled.

Guitar DI - Neve RNDI

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 6 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 15 ms, Release 150 ms)
Standard EQ Band 3 (Low)	-3 dB @ 120 Hz (Q 1.0)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Classic	-10 dB	4:1	15 ms	120 ms	+2 dB

Threshold	Ratio	Attack	Release
-48 dB	2:1	5 ms	200 ms

Notes: Dynamic cut at 400 Hz for clarity.

Guitar Mic - Royer 121

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+4 dB @ 8 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 600 Hz (Q 1.5, Attack 12 ms, Release 150 ms)
Standard EQ Band 3 (Low)	-2 dB @ 120 Hz (Q 1.0)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Bus	-12 dB	4:1	12 ms	150 ms	+3 dB

Threshold	Ratio	Attack	Release
-----------	-------	--------	---------

-46 dB	2:1	5 ms	200 ms
--------	-----	------	--------

Notes: Ribbon warmth; dynamic cut cleans honk.

Tenor - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Alto - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Bari - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)

Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct
--------------------------	-------------------

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Bone - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Trumpet 1 - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Trumpet 2 - Royer R10

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+3 dB @ 7 kHz (Q 1.0)
Standard EQ Band 2 (High-Mid, Dynamic On)	-4 dB @ 400 Hz (Q 1.5, Attack 18 ms, Release 150 ms)
Standard EQ Band 3 (Low-Mid)	-3 dB @ 200 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 12 dB/oct

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-14 dB	3:1	18 ms	150 ms	+2 dB

Threshold	Ratio	Attack	Release
-50 dB	2:1	5 ms	180 ms

Notes: Dynamic EQ tames honk around 400 Hz.

Vocal - Shure B58

Standard EQ Band	Setting
Standard EQ Band 1 (High Shelf)	+5 dB @ 10 kHz (Q 0.7)
Standard EQ Band 2 (High-Mid, Dynamic On)	-3 dB @ 500 Hz (Q 1.5, Attack 12 ms, Release 100 ms)
Standard EQ Band 3 (Low-Mid)	-4 dB @ 250 Hz (Q 1.5)
Standard EQ Band 4 (HPF)	120 Hz, 18 dB/oct

Mustard EQ Band	Setting
Mustard EQ Band 1	+2 dB @ 12 kHz (Q 0.7)

Flavor	Threshold	Ratio	Attack	Release	Makeup Gain
Opto	-8 dB	4:1	12 ms	100 ms	+4 dB

Threshold	Ratio	Attack	Release
-40 dB	2:1	5 ms	120 ms

Notes: Dynamic cut at 500 Hz keeps vocal clear.