

Ch 1 – Kick In

Mic – Shure Beta 91

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting
HPF	40 Hz
Boost	+5 dB @ 60 Hz
Cut	-4 dB @ 400 Hz
Boost	+3 dB @ 4 kHz
LPF	12 kHz

Notes: Kick requires thump & attack, cutting mud

Ch 2 – Kick Out

Mic – Audix D6

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting
HPF	35 Hz
Boost	+4 dB @ 70 Hz
Cut	-5 dB @ 250 Hz
Boost	+2 dB @ 3.5 kHz

Notes: D6 already scooped, reinforce lows/highs

Ch 3 – Snare Top

Mic – Audix i5

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting
HPF	90 Hz
Boost	+3 dB @ 180 Hz
Cut	-4 dB @ 500 Hz
Boost	+4 dB @ 4 kHz

Boost	+2 dB @ 10 kHz
-------	----------------

Notes: Snare needs body & crack

Seventh Heaven Professional – Rock/Emo Presets (Expanded Layout)

Snare — Vocal Plates Rich Plate 1	
Decay	Decay 1.6 s
Pre-Delay	Pre-Delay 12 ms
Size	Medium
Early/Late Balance	50/50
HF Damping	Flat
Mix	100%

EQ Sweetening:

- Low Cut 200 Hz
- Cut -3 dB @ 300 Hz
- Boost +2 dB @ 5 kHz

Toms — Studio Chambers Studio Chamber	
Decay	Decay 1.4 s
Pre-Delay	Pre-Delay 15 ms
Size	Medium
Early/Late Balance	50/50
HF Damping	7 kHz
Mix	100%

EQ Sweetening:

- Low Cut 150 Hz
- Cut -3 dB @ 250 Hz
- Boost +3 dB @ 80 Hz

Vocals — Vocal Spaces Vocal Hall	
Decay	Decay 2.4 s
Pre-Delay	Pre-Delay 20 ms
Size	Large
Early/Late Balance	45/55
HF Damping	8 kHz
Mix	100%

EQ Sweetening:

- Low Cut 150 Hz
- Cut -3 dB @ 400 Hz
- Boost +3 dB @ 12 kHz