

Ch 1 – Kick In

Mic – Shure Beta 91

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting & Reasoning
HPF	40 Hz – remove unnecessary sub rumble
Boost	+5 dB @ 60 Hz – emphasize low-end thump
Cut	-4 dB @ 400 Hz – reduce boxy/muddy tone
Boost	+3 dB @ 4 kHz – enhance attack/click
LPF	12 kHz – cut cymbal bleed

Notes: Kick requires thump & attack, cutting mud

Ch 2 – Kick Out

Mic – Audix D6

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting & Reasoning
HPF	35 Hz – tighten subs, remove stage rumble
Boost	+4 dB @ 70 Hz – add sub punch
Cut	-5 dB @ 250 Hz – reduce mud
Boost	+2 dB @ 3.5 kHz – add definition to click

Notes: D6 is naturally scooped, reinforce lows/highs

Ch 3 – Snare Top

Mic – Audix i5

Standard Compressor	Threshold -10 dB, Ratio 4:1, Attack 10-12 ms, Release 80-90 ms, Makeup +3 dB
Standard Gate	Threshold -45 to -50 dB, Fast attack, Release 120-150 ms
Mustard Tube	Drive 0.55, Type Even/Odd Harmonics, Output -6 dB
Standard EQ Band	Setting & Reasoning
HPF	90 Hz – clean up low bleed from kick/toms
Boost	+3 dB @ 180 Hz – add body and weight
Cut	-4 dB @ 500 Hz – tame boxy/cardboard tone
Boost	+4 dB @ 4 kHz – bring out snare crack

Boost	+2 dB @ 10 kHz – add brightness/air
-------	-------------------------------------

Notes: Snare needs body & crack for Emo/Rock punch

Seventh Heaven Professional – Rock/Emo Presets (Expanded Layout with EQ Sweetening)

Snare — Vocal Plates Rich Plate 1	
Decay	Decay 1.6 s
Pre-Delay	Pre-Delay 12 ms
Size	Medium
Early/Late Balance	50/50
HF Damping	Flat
Mix	100%

EQ Sweetening:

- Low Cut 200 Hz – tighten lows
- Cut -3 dB @ 300 Hz – reduce boxiness
- Boost +2 dB @ 5 kHz – enhance snap clarity

Toms — Studio Chambers Studio Chamber	
Decay	Decay 1.4 s
Pre-Delay	Pre-Delay 15 ms
Size	Medium
Early/Late Balance	50/50
HF Damping	7 kHz
Mix	100%

EQ Sweetening:

- Low Cut 150 Hz – clear stage rumble
- Cut -3 dB @ 250 Hz – reduce mud
- Boost +3 dB @ 80 Hz – emphasize tom body

Vocals — Vocal Spaces Vocal Hall	
Decay	Decay 2.4 s
Pre-Delay	Pre-Delay 20 ms
Size	Large
Early/Late Balance	45/55
HF Damping	8 kHz
Mix	100%

EQ Sweetening:

- Low Cut 150 Hz – clear low rumble
- Cut -3 dB @ 400 Hz – remove muddiness
- Boost +3 dB @ 12 kHz – add air and clarity