

REFERENCE GUIDE

Seventh Heaven Professional

Preset Library & Application Guide

236 presets · 12 banks · 3 algorithms

LiquidSonics Fusion-IR — Bricasti M7 emulation

Compiled for **Brian Lloyd** · Memorial Hall / Jazz At The Memo

Sources: Official LiquidSonics Presets List v1.100 & Manual v1.5.7

Always 100% wet on a dedicated return · Early MAX, Late as dB

Factory values shown for reference. At Memorial Hall pull decay 30–40% and cut VLF hard from factory. Last updated May 2026.

Top 10 — Ultra-Fast Reference

The presets worth knowing cold. Start here; reach for the full library when the material wants something specific. Each pulls 30–40% shorter on decay at Memo and gets its VLF cut from factory.

- #17 Sunset Chamber Chambers 1** Chamber (V1)
The universal go-to — vocals, strings, whole mixes. VLF already -20dB. Park it on anything.
- #06 Vocal Plate Plates 1** Plate (V1)
Lead vocal, dense and forward. The standard contemporary vocal plate.
- #10 Vocal Chamber Chambers 1** Chamber (V1)
Warm jazz/gospel lead vocal. Pre-delay 20-40ms, Ducker on.
- #10 Concert Hall Halls 1** Hall (V1)
Orchestral / full-ensemble workhorse. Stable, low modulation.
- #18 Boston Hall A Halls 1** Hall (V1)
Versatile solo/chamber/mix hall. Cut the factory VLF hard.
- #01 Studio A Rooms 1** Room (V1)
Transparent glue. Zero modulation, tiny send — depth without colour.
- #04 Snare Plate A Plates 1** Plate (V1)
Bright, dense standard snare verb.
- #10 Large Wooden Rooms 1** Room (V1)
Natural air on acoustic guitar, upright, Celtic. Barely needs tweaking.
- #16 Guitar Room Rooms 2** Room (V2)
British electric guitar — baked-in 300ms slap, leave it.
- #11 Gold Hall Halls 1** Hall (V1)
Ballad vocal hall, breathing room. VLF 0dB factory — cut to -12.

Reading a recommendation: Bank / #NN Name | Decay · PreDelay · VLF · E/L Max Early · Late -XX.XdB · Late Rolloff. The number is the in-bank preset number shown in the plugin display ("17 Sunset Chamber"). Reverb is always 100% wet — the send sets the amount. Early/Late: Early is pinned at MAX, the dB shown is the Late level (0 → -20, one notch past = Late OFF).

How To Use This Guide

Algorithms. **V1** (banks ending "1" + Ambiences/Chambers/Spaces/Interiors) = original M7, static and realistic — classical, jazz, Celtic, acoustic. **V2** (banks ending "2") = brighter, more modulation, lush bloom — gospel, contemporary, pop/rock, pads. **Nonlinear** = gated bursts for drum FX.

The key controls. **Decay** — pull 30–40% from factory at Memo (the room adds ~1.6s). **VLF** — a single level slider for sub-200Hz body; cut hard at Memo (room reinforces 60–315Hz). **Pre-delay** — moves late + VLF only, never early reflections; 10ms min, 20–30ms on vocals. **Late Rolloff** — 4–6kHz classical/acoustic, 6–9kHz jazz/folk, 8–10kHz contemporary. **Ducker** — use Reverb mode on vocals (early reflections stay up, tail ducks).

Columns in the tables: # (in-bank number) · Decay (factory RT60) · Pre (pre-delay) · VLF (factory level, dB) · L.Roll (Late Rolloff) · ES (Early Select 0–31). ★ **starred names** carry an application note.

By Application — Starting Picks

Genre-tuned starting points for Memorial Hall. Factory decay shown; Memo target is the pulled-down working value. Offer **3–6 per show** — 2–3 vocal options, a main instrument verb, and 1–2 extras if useful.

Vocals (the 2–3 you always offer)

Use	Preset	Memo target	Why
Lead — acoustic/classical	Chambers 1 / #17 Sunset Chamber	1.3–1.5s	Warm, characterful, VLF already –20dB.
Lead — forward/contemporary	Plates 1 / #06 Vocal Plate	1.0s	Dense plate, presence. Ducker on.
Lead — ballad/breath	Halls 1 / #11 Gold Hall	1.1–1.3s	Longer hall, room to breathe. Cut VLF from 0.
Bright/modern top	Plates 2 / #13 Vocal Shimmer	1.1–1.3s	V2 bloom, baked delay — keep it.
Choir / group	Halls 1 / #12 Sandors Hall	1.6–1.8s	Dense wash. Gospel weight available.

Main instrument verb (pick one for the band)

Genre	Preset	Memo target	Why
Classical/orchestral	Halls 1 / #10 Concert Hall	1.3–1.4s	Stable, low modulation.
Jazz / acoustic	Rooms 1 / #16 Djangos Room	0.55s	Small jazz-club character.
Celtic / folk / acoustic gtr	Rooms 1 / #10 Large Wooden	0.75s	Natural air on anything.
Rock electric guitar	Rooms 2 / #16 Guitar Room	0.8s	Baked 300ms slap — leave it.
Gospel/contemporary band	Halls 1 / #12 Sandors Hall	1.6–1.8s	Dense hall wash.

Situational extras (1–2, only if useful)

Use	Preset	Memo target	Why
Snare	Plates 1 / #04 Snare Plate A	0.8s	Bright, dense. (Snare Chamber #09 for vintage body.)
Drum bus / overheads	Rooms 1 / #02 Studio B Close	0.5–0.6s	Tight. VLF 0dB factory — cut first.
Transparent glue	Rooms 1 / #01 Studio A	0.5s	Zero modulation. Very low send.
Feature/solo moment	Halls 1 / #18 Boston Hall A	1.2–1.3s	Bigger size for a highlight.

Engineer favourites (from the pros): Sunset Chamber is the near-universal "leave it on everything" pick. Sun Plate A with the LPF at ~4–5kHz, plus Berliner Hall and Boston Hall A, came up as a live-sound trio. Large Wooden gets praised as natural air with almost no tweaking. V1 banks are the authentic Bricasti character; most engineers just shorten decay and save their own versions.

Complete Preset Library

All 236 presets, every bank and number, from the official LiquidSonic v1.100 specification. Values are factory — at Memo pull decay 30–40% and cut VLF hard. ■ V1 banks ■ V2 banks ■ Nonlinear

Ambiences 1 (V1)

15 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	★ Large Ambience	0.80s	10ms	−010	6000Hz	12	Ensemble air/glue — space without an obvious tail. George Shilling-style 'air around anything.'
02	Med Ambience	0.65s	2ms	−010	6000Hz	7	
03	Small Ambience	0.45s	0	−010	6000Hz	1	
04	Large & Dark	1.00s	10ms	−010	3200Hz	9	
05	Medium & Dark	0.90s	2ms	−010	3200Hz	5	
06	Small & Dark	0.50s	0	−010	2800Hz	1	
07	Large & Bright	0.95s	10ms	−015	8000Hz	12	
08	Med & Bright	0.75s	2ms	−015	8000Hz	7	
09	Small & Bright	0.40s	0	−011	8000Hz	3	
10	Deep Ambience	1.00s	20ms	−010	5600Hz	19	
11	Long Ambience	1.15s	10ms	−015	5600Hz	19	
12	★ Clear Ambience	0.70s	6ms	−020	6400Hz	9	Short, clean reflections for vocals/VO — intimate doubling, dialog.
13	Heavy Ambience	0.55s	6ms	−02	7200Hz	5	
14	Bass XXL	1.25s	0	0	200Hz	19	
15	★ Percussion Air	0.50s	0	−06	8000Hz	6	Drum-bus alt — very short, very early-heavy.

Chambers 1 (V1)

22 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Large Chamber	1.40s	10ms	−015	6400Hz	6	
02	★ Medium Chamber	1.25s	4ms	−012	6400Hz	5	Uilleann pipes — tight enough to stay clean.
03	★ Small Chamber	1.00s	0	−012	6400Hz	5	
04	Large & Dark	1.50s	0	−010	4800Hz	9	
05	Small & Dark	1.20s	0	−08	5600Hz	9	
06	Large & Bright	1.60s	10ms	−012	8000Hz	6	
07	Small & Bright	1.00s	0	−015	12000Hz	9	
08	★ Kick Chamber	0.70s	0	−06	5600Hz	3	Kick layer — short by design; cut VLF further at Memo.
09	★ Snare Chamber	1.20s	10ms	−019	5600Hz	5	
10	★ Vocal Chamber	1.60s	0	−010	8000Hz	9	Classic jazz/gospel lead vocal — warm. Pre-delay 20-40ms, Ducker on.
11	★ A&M Chamber	2.20s	20ms	−014	6400Hz	7	Strings/fiddle/clip-on — '70s smooth, mid-forward. 20ms pre-delay factory.
12	CD Chamber	1.90s	20ms	−010	6000Hz	6	
13	Deep Chamber	1.90s	0	−010	6400Hz	9	
14	Amb Chamber A	1.65s	0	−011	7600Hz	5	
15	A&M Chamber B	2.20s	20ms	−017	6000Hz	7	
16	Old Chamber	2.40s	0	−09	6400Hz	9	

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
17	★ Sunset Chamber	2.15s	20ms	-020	7200Hz	7	THE go-to. Vocals, strings, whole mixes. VLF already -20dB. Leave-on-everything preset.
18	Amb Chamber B	1.50s	0	-08	6000Hz	8	
19	Stone Chamber	1.70s	10ms	-010	5200Hz	12	
20	Tiled Chamber	1.70s	10ms	-013	7200Hz	15	
21	Fat Chamber	1.60s	10ms	0	5600Hz	12	
22	Echo Chamber	1.90s	10ms	-010	6400Hz	12	

Halls 1 (V1)

32 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Large Hall	2.20s	10ms	-012	5200Hz	13	
02	Medium Hall	1.80s	24ms	-010	6000Hz	17	
03	★ Small Hall	1.40s	0	-010	5600Hz	6	Flute/woodwinds — modest hall.
04	Large & Near	2.20s	10ms	-011	6000Hz	14	
05	Medium & Near	1.80s	24ms	-010	6000Hz	17	
06	Small & Near	1.40s	0	-07	5600Hz	7	
07	Large & Dark	2.15s	0	-05	4800Hz	6	
08	Large & Deep	2.15s	40ms	-010	5200Hz	17	
09	Medium & Deep	1.80s	20ms	-05	5600Hz	17	
10	★ Concert Hall	2.20s	18ms	-010	5200Hz	19	Orchestral/full ensemble — stable, low modulation. The classical workhorse.
11	★ Gold Hall	1.80s	30ms	0	6000Hz	19	Ballad vocal hall — breathing room. VLF 0dB factory, cut to -12.
12	★ Sandors Hall	2.60s	20ms	-014	5600Hz	19	Choir wash/dense ensemble — long, dense. Gospel weight.
13	Dense Hall	2.00s	10ms	-03	5600Hz	18	
14	Clear Hall	2.20s	0	-04	6800Hz	9	
15	★ Brass Hall	2.00s	20ms	-011	8400Hz	19	Brass section — bright (8400Hz rolloff); pull to 6kHz at Memo.
16	Amsterdam Hall	2.30s	0	-06	6800Hz	15	
17	★ Berliner Hall	2.50s	0	-06	6400Hz	10	Named live-sound favourite (vocal+band). Slightly modify to taste.
18	★ Boston Hall A	2.10s	0	-02	6000Hz	12	Solo/chamber/versatile mix hall. Factory VLF only -2dB — cut hard.
19	Boston Hall B	1.80s	0	-09	4800Hz	9	
20	Chicago Hall	2.10s	0	0	5600Hz	8	
21	Vienna Hall	2.30s	0	-09	5600Hz	16	
22	Worcester Hall	2.25s	0	-011	7600Hz	19	
23	The ArchDuke	1.80s	0	-013	5200Hz	6	
24	Troy Hall	2.30s	10ms	-010	8800Hz	12	
25	Saint Sylvain	3.50s	10ms	-011	8400Hz	7	
26	Mechanics Hall	2.25s	0	-05	7200Hz	6	
27	Saint Gerold	3.00s	10ms	-03	5600Hz	14	
28	Pepes Hall A	1.90s	30ms	-018	4000Hz	22	
29	Pepes Hall B	1.90s	30ms	-018	4000Hz	22	
30	Reflect Hall A	2.30s	0	-010	7200Hz	21	
31	Reflect Hall B	2.25s	20ms	-06	6400Hz	15	
32	★ Piano Hall	2.00s	24ms	-08	6400Hz	16	Piano solo — 24ms pre-delay built in. Stereo send.

Plates 1 (V1)

24 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	★ Bright Plate	2.00s	0	-015	6400Hz	15	Pop lead vocal — top-end clarity and sustain.
02	★ Dark Plate	1.50s	0	-015	4800Hz	8	Warm male vocal / ballad / vintage snare. Factory 4800Hz — already dark.
03	London Plate	1.80s	0	-010	4400Hz	2	
04	★ Snare Plate A	1.20s	0	-09	6800Hz	5	Standard snare — bright, dense.
05	★ Snare Plate B	1.00s	20ms	-010	7200Hz	3	Snare in dense mixes — 20ms factory pre-delay.
06	★ Vocal Plate	1.50s	24ms	-019	6400Hz	15	Lead vocal, forward presence — dense plate. VLF -19dB factory.
07	Old Plate	1.25s	0	-08	7600Hz	7	
08	★ Rich Plate	1.90s	0	-09	9200Hz	4	Gospel BG/choir vocals — warmth and density.
09	Gold Plate	1.80s	0	-010	5200Hz	2	
10	Dense Plate	1.70s	0	-015	5600Hz	4	
11	Silver Plate	2.00s	10ms	-015	8800Hz	5	
12	Percussion Plate	1.10s	0	-010	5200Hz	3	
13	Echo Plate	1.70s	60ms	-015	5600Hz	19	
14	CD Plate A	1.70s	0	-011	6400Hz	0	
15	CD Plate B	1.60s	0	-06	5600Hz	2	
16	Large Plate	2.20s	0	-010	4800Hz	7	
17	Small Plate	0.90s	0	-010	5600Hz	4	
18	Fat Plate	0.95s	0	-02	6000Hz	2	
19	Crystal Plate	1.35s	18ms	-020	12000Hz	4	
20	★ Sun Plate A	2.55s	0	-011	10000Hz	15	Named live vocal pick — pull LPF to ~4-5kHz.
21	Sun Plate B	2.55s	0	-011	10400Hz	15	
22	Sun Plate C	2.15s	0	-020	8400Hz	6	
23	Vocal Plate B	2.30s	0	-011	10000Hz	15	
24	Repro Plate	1.90s	0	-010	6000Hz	9	

Rooms 1 (V1)

36 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	★ Studio A	0.70s	4ms	-03	8400Hz	4	Universal transparent glue — Mod 0. Very low send level. Memo glue pick.
02	★ Studio B Close	0.75s	0	0	8000Hz	7	Drum bus/overheads — tight. VLF 0dB factory, ALWAYS cut first at Memo.
03	Studio B Far	0.65s	0	-03	9200Hz	12	
04	Studio C	0.55s	0	-02	7200Hz	4	
05	Studio D	0.45s	0	0	7200Hz	2	
06	Studio E	1.00s	0	-01	4800Hz	4	
07	Deep Stone	1.20s	20ms	-08	5600Hz	9	
08	Music Room	1.00s	0	-09	7600Hz	17	
09	Heavy Room	0.60s	0	0	9600Hz	9	
10	★ Large Wooden	1.20s	0	-09	8000Hz	9	Natural air on acoustic gtr/upright/Celtic. Producer favourite, rarely tweaked.
11	Small Wooden	0.60s	0	-07	9600Hz	9	

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
12	Large Tiled	1.20s	0	−010	9600Hz	18	
13	Medium Tiled	1.00s	0	−010	9600Hz	9	
14	Small Tiled	0.70s	0	−012	9600Hz	9	
15	Drum & Chamber	1.20s	60ms	−06	6400Hz	9	
16	★ Djangos Room	0.80s	4ms	−010	5200Hz	6	Jazz-club feel for acoustic instruments.
17	Small Vox Room	0.95s	0	−012	7200Hz	1	
18	Glass Room	0.80s	0	−013	6400Hz	19	
19	Percussion	0.70s	0	−011	7200Hz	18	
20	Marble Foyer	1.25s	10ms	−015	6400Hz	19	
21	Large Q Room	2.60s	0	−09	4800Hz	19	
22	Small Q Room	1.20s	10ms	−06	5600Hz	15	
23	Large Red Room	1.00s	0	−07	9600Hz	9	
24	Red Room	0.40s	0	−07	10400Hz	9	
25	Blue Room	0.60s	0	−09	9600Hz	8	
26	Large Room	1.10s	0	−012	6000Hz	7	
27	Small Room	0.60s	0	−012	6800Hz	6	
28	Front Room	0.40s	0	−015	6000Hz	3	
29	Center Room	0.50s	2ms	−012	5600Hz	5	
30	Back Room	0.55s	4ms	−010	5600Hz	7	
31	Studio K	0.20s	6ms	−012	6800Hz	5	
32	★ Waits Room	0.85s	10ms	−011	8400Hz	9	Character/vibe room (Tom Waits) — grit over clarity.
33	Corn Room	2.30s	24ms	−020	4800Hz	8	
34	Oakland Room	1.45s	20ms	−010	5600Hz	15	
35	SF Perf Room	1.50s	20ms	−017	5200Hz	15	
36	Long Wood Room	1.20s	0	−09	7600Hz	9	

Spaces 1 (V1)

19 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	★ North Church	3.20s	0	−06	5600Hz	15	Large choir/ensemble — 3.2s factory, pull hard at Memo.
02	East Church	3.30s	0	−015	8000Hz	19	
03	South Church	3.90s	0	−04	5200Hz	19	
04	West Church	5.40s	0	−09	4800Hz	16	
05	Cinema Room	0.45s	4ms	−04	4800Hz	9	
06	Scoring Stage	2.20s	0	−05	7600Hz	19	
07	Bath House	3.90s	6ms	−020	8800Hz	19	
08	Car Park	3.50s	48ms	−012	2000Hz	4	
09	Arena	2.30s	80ms	−010	5600Hz	19	
10	Redwood Valley	1.90s	220ms	−010	3200Hz	19	
11	Tanglewood	3.00s	20ms	−06	4800Hz	18	
12	Academy Yard	3.50s	300ms	−012	3200Hz	19	
13	Hillside	8.00s	300ms	−020	1600Hz	5	
14	Cavern	4.00s	0	−05	3600Hz	19	

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
15	Stone Quarry	5.10s	0	0	3600Hz	19	
16	Europa	25.00s	0	-06	5200Hz	19	
17	Gated Space	1.50s	32ms	-06	7600Hz	10	
18	Reflect Chapel	3.80s	0	-06	5600Hz	20	
19	Reflect Church	4.00s	0	-06	5600Hz	20	

SM Interiors (V1)

14 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Adjacent Floor	0.55s	0	-02	800Hz	14	
02	Adjacent Room	0.55s	0	-02	280Hz	19	
03	Backstage	0.55s	0	-02	280Hz	19	
04	Bedroom	0.30s	0	-013	11200Hz	6	
05	Small Tunnel	1.70s	92ms	-010	8800Hz	13	
06	Closet	0.35s	0	0	720Hz	0	
07	Deep Well	4.20s	332ms	-012	3600Hz	18	
08	Dining Room	0.40s	4ms	-01	4800Hz	9	
09	Factory Floor	1.60s	96ms	-020	8800Hz	16	
10	Gym Bleachers	0.95s	88ms	-07	9600Hz	2	
11	Kitchen	0.40s	0	0	15600Hz	4	
12	Locker Room	1.20s	38ms	-013	6400Hz	19	
13	Parking Garage	2.70s	172ms	-020	4800Hz	5	
14	Small Office	0.30s	0	-013	480Hz	4	

Halls 2 (V2)

14 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Large Hall	2.35s	24ms	-013	3600Hz	21	
02	Large & Stage	2.30s	24ms	-010	3600Hz	28	
03	Medium Hall	1.75s	24ms	-010	4800Hz	13	
04	Med & Stage	1.75s	24ms	-08	4000Hz	23	
05	Small Hall	1.15s	24ms	-010	4400Hz	6	
06	Small & Stage	1.15s	24ms	-013	4400Hz	23	
07	Large Church	4.10s	0	-08	2800Hz	24	
08	Small Church	2.50s	0	-017	3600Hz	20	
09	Jazz Church	1.35s	0	-010	8800Hz	20	
10	West Hall	2.20s	0	-05	3600Hz	13	
11	Concert A	2.00s	64ms	-09	5200Hz	25	
12	Concert B	1.90s	26ms	-09	4800Hz	19	
13	Live Hall	2.60s	0	-010	3200Hz	23	
14	Koncert Piano	2.00s	24ms	-010	4800Hz	17	

Plates 2 (V2)

14 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Plate A	2.00s	0	−010	10000Hz	9	
02	Small Plate	1.50s	0	−09	8800Hz	9	
03	Snare Plate	1.20s	20ms	−013	9200Hz	11	
04	Dark Plate	2.00s	0	−09	3600Hz	8	
05	Rich Plate A	2.00s	0	−017	7200Hz	8	
06	Rich Plate B	2.00s	0	−017	7200Hz	20	
07	Thin Plate	1.40s	0	−020	17600Hz	9	
08	Vocal Plate A	1.70s	30ms	−015	8800Hz	8	
08	Vocal Plate B	1.50s	20ms	−014	6400Hz	8	
09	Drum Plate	1.35s	0	−012	6800Hz	9	
10	Large Plate	2.20s	0	−010	7200Hz	9	
11	Fat Plate	0.95s	0	−02	5200Hz	5	
12	Alpha Plate	1.90s	0	−014	6800Hz	15	
13	★ Vocal Shimmer	1.80s	20ms	−014	8000Hz	8	Contemporary/bright top vocal — V2 bloom, baked 236ms delay.

Rooms 2 (V2)

22 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Music Club	1.05s	0	−016	5200Hz	20	
02	Large Room	0.70s	0	−09	4800Hz	10	
03	Med Room	0.55s	0	−09	5200Hz	8	
04	Small Room	0.40s	0	−07	5200Hz	6	
05	Lg Wood Room	1.20s	0	−020	6000Hz	21	
06	Sm Wood Room	0.80s	10ms	−018	4800Hz	10	
07	Large Chamber	2.00s	10ms	−015	4800Hz	9	
08	Small Chamber	1.50s	6ms	−015	5200Hz	4	
09	Bright Chamber	1.85s	10ms	−012	5600Hz	9	
10	Tiled Room	1.10s	10ms	−015	6400Hz	10	
11	Fat Chamber	1.35s	10ms	−04	2800Hz	11	
12	Studio 1	0.75s	0	−03	8400Hz	11	
13	Studio 2	0.60s	0	−03	6800Hz	5	
14	Studio 3	0.70s	0	0	5200Hz	7	
15	Studio 4	1.05s	0	0	4800Hz	8	
16	★ Guitar Room	1.20s	0	−011	5200Hz	25	British electric guitar — baked-in 300ms slap, leave it. Stones/Kinks/Bowie.
17	Marble Room	1.30s	0	−011	6000Hz	22	
18	Deep Chamber	1.90s	10ms	−014	4400Hz	9	
19	Dark Chamber	2.00s	10ms	−012	3600Hz	12	
20	Vocal Chamber	1.70s	20ms	−017	6800Hz	4	
21	Wide Room	1.00s	0	−012	4000Hz	15	
22	Lush Room	0.90s	0	−010	4000Hz	19	

Spaces 2 (V2)

20 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Open Space	2.10s	180ms	-014	1800Hz	24	
02	Med Space	1.40s	0	-010	2800Hz	7	
03	Small Space	0.60s	0	-010	2800Hz	4	
04	Vox Ambience	1.70s	0	-013	6800Hz	12	
05	Big Bottom	1.45s	0	0	6800Hz	18	
06	Cathedral	5.50s	0	-012	4000Hz	15	
07	Grand Stage	2.45s	0	-04	4800Hz	2	
08	Lush Church	5.00s	0	-012	4000Hz	24	
09	Grand Church	5.00s	0	-013	4000Hz	14	
10	Concert Wave	5.00s	0	-012	3200Hz	24	
11	Long Vox Space	2.40s	0	-020	7200Hz	31	
12	Dark Warm Room	1.00s	10ms	-010	3600Hz	11	
13	Live Room	1.50s	10ms	-015	4000Hz	22	
14	Shimmering Sky	8.40s	0	-06	3600Hz	22	
15	Oak Ballroom	7.00s	0	-05	2000Hz	27	
16	Ice House	8.00s	0	-04	7600Hz	20	
17	Ice Beads	5.50s	24ms	-020	16000Hz	16	
18	Music Forest	2.60s	34ms	-06	2000Hz	31	
19	Waving Bloom	5.80s	236ms	-020	1800Hz	31	
20	Brick Chamber	0.70s	0	-018	7600Hz	29	

Nonlinear

4 presets

#	NAME	DECAY	PRE	VLF	L.ROLL	ES	SUGGESTED APPLICATION
01	Nonlin A	0.20s	0	-020	6000Hz	0	
02	Nonlin B	0.20s	0	-020	6400Hz	9	
03	Nonlin C	0.20s	0	-020	4800Hz	20	
04	Nonlin D	0.20s	0	-020	8000Hz	23	