

Seals and Crofts 2

FOH Channel Processing | Memorial Hall | 2026-05-27

Style context: Brady Seals + Lua Crofts performing the Seals & Crofts catalog. Acoustic-centered soft rock — acoustic guitar is the anchor, piano prominent, harmonies front and center. EQ tuned for warmth and clarity over aggression: softer sub on kick (+2 vs +4), warmer snare body (180 Hz), lighter low mids overall. Channels 7/8 are true overhead mics (SR20sp G2), not underheads — treated with slow DEQ to preserve transient sheen. Ch 25-26 are beyond the 24-strip patcher limit and must be set manually on console.

Ch	Name	Mic / DI	HPF	LPF
1	Kick	Earthworks DM6	40 Hz	8000 Hz
2	Snare	Lauten LS-408	100 Hz	OFF
3	Underhat	Audix M1280BHC	200 Hz	OFF
4	Rack 1	Earthworks DM17	100 Hz	12000 Hz
5	Rack 2	Earthworks DM17	100 Hz	12000 Hz
6	Floor Tom	Earthworks DM17	60 Hz	10000 Hz
7	OH Left	Earthworks SR20sp G2	100 Hz	OFF
8	OH Right	Earthworks SR20sp G2	100 Hz	OFF
9	Bass DI	Radial Pro DI	50 Hz	5000 Hz
10	Ac Guitar	Neve RNDI	80 Hz	OFF
11	Elec Gtr L	DI	80 Hz	OFF
12	Elec Gtr R	DI	80 Hz	OFF
13	Piano Low	DPA 4099	60 Hz	OFF
14	Piano Hi	DPA 4099	120 Hz	OFF
15	Keys L	Radial DI	80 Hz	OFF
16	Keys R	Radial DI	80 Hz	OFF
17	Tracks L	Radial DI	80 Hz	OFF
18	Tracks R	Radial DI	80 Hz	OFF
19	Click	Radial DI	80 Hz	OFF
20	Video	Radial DI	80 Hz	OFF
21	Ziggy Vox	Beta 58	100 Hz	15000 Hz
22	Lua Vox	Telefunken M80	100 Hz	15000 Hz
23	Brady Vox	Telefunken M80	100 Hz	15000 Hz
24	Key Vox	Telefunken M80	100 Hz	15000 Hz
25	Brian Vox *	Beta 58	100 Hz	15000 Hz
26	John Vox *	Beta 56	100 Hz	15000 Hz

* Ch 25-26 exceed the 24-strip patcher limit. Set manually on console.

Per-Channel EQ Cards

Band order: B1 = High | B2 = Upper Mid | B3 = Lower Mid | B4 = Low (matches Q225 strip layout)

Ch 1 Kick		Earthworks DM6			
HPF: 40 Hz		LPF: 8000 Hz			
B1 High	-2 dB	6000 Hz	Q0.8	SHELF	
B2 Upper Mid	+3 dB	3000 Hz	Q1.5	BELL	
B3 Lower Mid	-5 dB	250 Hz	Q2.0	BELL	thr=-16 atk=8ms rel=80ms
B4 Low	+2 dB	60 Hz	Q1.2	SHELF	
LPF 8k — keeps kick tight. Softer sub shelf (+2 vs typical +4) fits acoustic-leaning S&C; mix.					

Ch 2 Snare		Lauten LS-408			
HPF: 100 Hz		LPF: OFF			
B1 High	+2 dB	10000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	4000 Hz	Q1.5	BELL	
B3 Lower Mid	-4 dB	250 Hz	Q2.0	BELL	thr=-16 atk=8ms rel=80ms
B4 Low	+3 dB	180 Hz	Q1.5	BELL	
180 Hz body bell (vs 160 Gospel) — warmer snare for acoustic-forward show.					

Ch 3 Underhat		Audix M1280BHC			
HPF: 200 Hz		LPF: OFF			
B1 High	+4 dB	12000 Hz	Q0.8	SHELF	
B2 Upper Mid	+4 dB	6000 Hz	Q1.2	BELL	
B3 Lower Mid	-3 dB	600 Hz	Q2.0	BELL	
B4 Low	-5 dB	315 Hz	Q1.5	BELL	
Broadcast underhat position. HPF 200 Hz. No DEQ.					

Ch 4 Rack 1		Earthworks DM17			
HPF: 100 Hz		LPF: 12000 Hz			
B1 High	-2 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	4000 Hz	Q1.2	BELL	
B3 Lower Mid	-5 dB	315 Hz	Q2.0	BELL	thr=-16 atk=8ms rel=100ms
B4 Low	+3 dB	200 Hz	Q1.5	BELL	
LPF 12k. Matched rack pair.					

Ch 5 Rack 2		Earthworks DM17			
HPF: 100 Hz		LPF: 12000 Hz			
B1 High	-2 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	4000 Hz	Q1.2	BELL	

B3 Lower Mid	-5 dB	315 Hz	Q2.0	BELL	thr=-16 atk=8ms rel=100ms
B4 Low	+3 dB	200 Hz	Q1.5	BELL	
<i>LPF 12k. Matched rack pair.</i>					

Ch 6 Floor Tom			Earthworks DM17		
HPF: 60 Hz			LPF: 10000 Hz		
B1 High	-3 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	3000 Hz	Q1.2	BELL	
B3 Lower Mid	-5 dB	250 Hz	Q2.0	BELL	thr=-12 atk=8ms rel=100ms
B4 Low	+4 dB	100 Hz	Q1.2	SHELF	
<i>LPF 10k. DEQ threshold -12 — floor tom hits harder than racks.</i>					

Ch 7 OH Left			Earthworks SR20sp G2		
HPF: 100 Hz			LPF: OFF		
B1 High	+1 dB	12000 Hz	Q0.8	SHELF	
B2 Upper Mid	+1 dB	6000 Hz	Q1.2	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-18 atk=20ms rel=200ms
B4 Low	-4 dB	200 Hz	Q2.0	SHELF	
<i>True overheads (not underheads) — slow DEQ thr=-18, long rel to preserve transients and sheen.</i>					

Ch 8 OH Right			Earthworks SR20sp G2		
HPF: 100 Hz			LPF: OFF		
B1 High	+1 dB	12000 Hz	Q0.8	SHELF	
B2 Upper Mid	+1 dB	6000 Hz	Q1.2	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-18 atk=20ms rel=200ms
B4 Low	-4 dB	200 Hz	Q2.0	SHELF	
<i>Matched to OH Left.</i>					

Ch 9 Bass DI			Radial Pro DI		
HPF: 50 Hz			LPF: 5000 Hz		
B1 High	+1 dB	3500 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	800 Hz	Q1.5	BELL	
B3 Lower Mid	-4 dB	250 Hz	Q2.0	BELL	thr=-16 atk=10ms rel=100ms
B4 Low	+2 dB	80 Hz	Q1.2	SHELF	
<i>HPF 50 Hz (slightly tighter than Gospel). 800 Hz warmth bell.</i>					

Ch 10 Ac Guitar			Neve RNDI		
HPF: 80 Hz			LPF: OFF		
B1 High	+2 dB	8000 Hz	Q0.8	SHELF	

B2 Upper Mid	+2 dB	2500 Hz	Q1.2	BELL	
B3 Lower Mid	-5 dB	250 Hz	Q2.0	BELL	thr=-16 atk=15ms rel=120ms
B4 Low	-2 dB	200 Hz	Q1.5	SHELF	
Central instrument for S&C; sound. Neve RNDI for transformer warmth. 2.5k presence, mud cut at 250 Hz.					

Ch 11 Elec Gtr L				DI	
HPF: 80 Hz				LPF: OFF	
B1 High	+1 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	2500 Hz	Q1.5	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-18 atk=10ms rel=80ms
B4 Low	-3 dB	200 Hz	Q1.5	BELL	
XLR listed on patch — treating as DI per show notes.					

Ch 12 Elec Gtr R				DI	
HPF: 80 Hz				LPF: OFF	
B1 High	+1 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	2500 Hz	Q1.5	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-18 atk=10ms rel=80ms
B4 Low	-3 dB	200 Hz	Q1.5	BELL	
Matched to Elec Gtr L.					

Ch 13 Piano Low				DPA 4099	
HPF: 60 Hz				LPF: OFF	
B1 High	+2 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+1 dB	2000 Hz	Q1.2	BELL	
B3 Lower Mid	-5 dB	315 Hz	Q2.0	BELL	thr=-14 atk=10ms rel=120ms
B4 Low	-2 dB	200 Hz	Q1.5	SHELF	
Yamaha C6 closed lid. HPF 60 Hz — body without boom. DEQ thr=-14 for consistent dynamics.					

Ch 14 Piano Hi				DPA 4099	
HPF: 120 Hz				LPF: OFF	
B1 High	+3 dB	10000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	3000 Hz	Q1.2	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-18 atk=10ms rel=100ms
B4 Low	-3 dB	200 Hz	Q1.5	SHELF	
High string clarity. HPF 120 Hz. Air shelf +3 at 10k.					

Ch 15 Keys L				Radial DI	
HPF: 80 Hz				LPF: OFF	

B1 High	+1 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	3000 Hz	Q1.2	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-16 atk=15ms rel=150ms
B4 Low	-3 dB	200 Hz	Q1.5	SHELF	
<i>Stereo pair.</i>					

Ch 16 Keys R				Radial DI	
HPF: 80 Hz				LPF: OFF	
B1 High	+1 dB	8000 Hz	Q0.8	SHELF	
B2 Upper Mid	+2 dB	3000 Hz	Q1.2	BELL	
B3 Lower Mid	-4 dB	315 Hz	Q2.0	BELL	thr=-16 atk=15ms rel=150ms
B4 Low	-3 dB	200 Hz	Q1.5	SHELF	
<i>Stereo pair.</i>					

Ch 17 Tracks L		Radial DI			
HPF: 80 Hz		LPF: OFF			
B1 High	FLAT				
B2 Upper Mid	FLAT				
B3 Lower Mid	-3 dB 315 Hz Q2.0 BELL				
B4 Low	-2 dB 200 Hz Q1.5 SHELF				
Playback tracks. Utility EQ only — mud and low cut, no presence work.					

Ch 18 Tracks R				Radial DI			
HPF: 80 Hz				LPF: OFF			
B1 High		FLAT					
B2 Upper Mid		FLAT					
B3 Lower Mid		-3 dB	315 Hz	Q2.0	BELL		
B4 Low		-2 dB	200 Hz	Q1.5	SHELF		
Matched to Tracks L.							

Ch 19 Click		Radial DI
HPF: 80 Hz		LPF: OFF
B1 High	FLAT	
B2 Upper Mid	FLAT	
B3 Lower Mid	FLAT	
B4 Low	FLAT	
Click feed — name and HPF only. All EQ flat.		

Ch 20 Video				Radial DI	
---------------	--	--	--	-----------	--

HPF: 80 Hz		LPF: OFF	
B1 High	FLAT		
B2 Upper Mid	FLAT		
B3 Lower Mid	FLAT		
B4 Low	FLAT		
Video playback feed — name and HPF only. All EQ flat.			

Ch 21 Ziggy Vox		Beta 58	
HPF: 100 Hz		LPF: 15000 Hz	
B1 High	+3 dB	8000 Hz	Q0.7 SHELF
B2 Upper Mid	+3 dB	3000 Hz	Q1.2 BELL
B3 Lower Mid	-4 dB	300 Hz	Q2.0 BELL thr=-16 atk=10ms rel=80ms
B4 Low	-4 dB	200 Hz	Q1.5 SHELF
LPF 15k. Beta 58 upper peak managed by high shelf. 3k presence bell.			

Ch 22 Lua Vox		Telefunken M80	
HPF: 100 Hz		LPF: 15000 Hz	
B1 High	+2 dB	8000 Hz	Q0.7 SHELF
B2 Upper Mid	+3 dB	3000 Hz	Q1.2 BELL
B3 Lower Mid	-4 dB	300 Hz	Q2.0 BELL thr=-16 atk=10ms rel=80ms
B4 Low	-4 dB	200 Hz	Q1.5 SHELF
M80 smoother top than Beta 58 — shelf +2 vs +3. Lua Crofts lead vocal.			

Ch 23 Brady Vox		Telefunken M80	
HPF: 100 Hz		LPF: 15000 Hz	
B1 High	+2 dB	8000 Hz	Q0.7 SHELF
B2 Upper Mid	+3 dB	3500 Hz	Q1.2 BELL
B3 Lower Mid	-4 dB	300 Hz	Q2.0 BELL thr=-16 atk=10ms rel=80ms
B4 Low	-4 dB	200 Hz	Q1.5 SHELF
Brady Seals lead vocal. Presence bell at 3.5k (vs 3k) — slightly brighter forward bite.			

Ch 24 Key Vox		Telefunken M80	
HPF: 100 Hz		LPF: 15000 Hz	
B1 High	+2 dB	8000 Hz	Q0.7 SHELF
B2 Upper Mid	+3 dB	3000 Hz	Q1.2 BELL
B3 Lower Mid	-4 dB	300 Hz	Q2.0 BELL thr=-16 atk=10ms rel=80ms
B4 Low	-4 dB	200 Hz	Q1.5 SHELF
Keys player vocal. Matched to Lua Vox baseline.			

Manual Entry Required — Beyond Patcher Limit (Ch 25-26)

These channels exceed the 24-strip patcher script limit. Enter EQ settings manually on the console.

Ch 25 Brian Vox					Beta 58				
HPF: 100 Hz					LPF: 15000 Hz				
B1 High	+3 dB	8000 Hz	Q0.7	SHELF					
B2 Upper Mid	+3 dB	3000 Hz	Q1.2	BELL					
B3 Lower Mid	-4 dB	300 Hz	Q2.0	BELL			thr=-16 atk=10ms rel=80ms		
B4 Low	-4 dB	200 Hz	Q1.5	SHELF					
BEYOND PATCHER LIMIT — set manually on console.									

Ch 26 John Vox					Beta 56				
HPF: 100 Hz					LPF: 15000 Hz				
B1 High	+3 dB	8000 Hz	Q0.7	SHELF					
B2 Upper Mid	+3 dB	3000 Hz	Q1.2	BELL					
B3 Lower Mid	-4 dB	300 Hz	Q2.0	BELL			thr=-16 atk=10ms rel=80ms		
B4 Low	-4 dB	200 Hz	Q1.5	SHELF					
BEYOND PATCHER LIMIT — set manually on console. Beta 56 ribbon-style dynamic.									