

SEVENTH HEAVEN PROFESSIONAL

Reference — Memorial Hall / Live FOH

Brian Lloyd · Jazz At The Memo · DiGiCo Quantum 225 · Last updated: 2026-05-28
Source: Liquidsonics Seventh Heaven Professional Manual v1.5.7 · Presets List v1.100 · Direct operational knowledge

CORE PRINCIPLE — MEMO RT60

The Memo adds roughly **1.6 seconds** of natural decay in a working show. Factory preset decay times are designed for drier rooms. For most shows at Memo, pull decay time down **30–40% from factory** as a starting point. Let the room do the late field work. You're adding placement and character — not competing with the room.

Exception: Very close-mic'd sources (DI bass, kick inside mic, lip-close vocal) that pick up minimal natural room need reverb for placement context — these can run longer because the mic isn't picking up the room.

CONTROLS REFERENCE

Decay Time

RT60 in seconds. Right-click "Decay Time" to snap to exact sampled M7 values — interpolation between those points is fine, but at the sampled values you're hearing the actual hardware capture. Factory values are in the spec tables below.

Pre-Delay

Affects **late reverb and VLF only**. Does not move the early reflections (that's an M7 design behavior). Range 0–500 ms; tempo-sync available. Minimum 10 ms on most sends; 20–30 ms on vocals.

VLF (Very Low Frequency Reverb)

A **single level slider** — not an EQ band. Controls the level of the M7's dedicated sub-200 Hz reverb component: body and fullness, metered separately. Factory VLF levels from presets PDF range from 0 dB to –20 dB relative to the late tail.

At Memo, the room reinforces 60–315 Hz through standing waves — cut VLF aggressively:

Genre	Memo VLF Target
Classical / acoustic	–18 to –20 dB, or off entirely
Jazz / Celtic / folk	–15 to –18 dB
Contemporary / gospel	–12 to –15 dB

Early / Late (Balance Slider)

⚠ **Critical Behavior — Hard Jump to MAX**

The slider range is **−20 dB to Equal Mix**. Crossing Equal Mix causes an **immediate hard jump to MAX on the opposite side** — there is no gradual crossfade through center. In practice:

- Slider in the *Early half*: Early signal = displayed dB value, Late = MAX
- Slider in the *Late half*: Late signal = displayed dB value, Early = MAX
- Equal Mix = the only balanced point

Example: "Early: −15 dB, Late: MAX" means the slider is positioned in the Early half at −15 dB.

Push toward Early for room placement without long tail; push toward Late for bloom and wash. At Memo, most sends benefit from slightly more Early than factory — the room handles the late field.

Notation standard: Use "Early: −X dB, Late: MAX" or "Equal Mix" — never percentage pairs (35/65, 60/40, etc.).

Preset: Halls 1 / Boston Hall A | Decay 1.3s • PreDelay 20ms • VLF −18dB • Early: −8 dB, Late: MAX • Late Rolloff 5kHz • Mix 18% — classical vocal

Early Reflections Set (0–31)

Thirty-two discrete early reflection patterns sampled from the M7. Lower numbers = small spaces; higher = large spaces. More reflective environments within each group have higher numbers. Factory value shown in spec tables.

Early Rolloff / Late Rolloff

Two **separate** filter cutpoint controls. **Not called "HF Damp" anywhere in the plugin.**

Control	Memo Target by Genre
Late Rolloff	Classical/acoustic: 4–6 kHz · Jazz/folk: 6–9 kHz · Contemporary: 8–10 kHz
Early Rolloff	Usually leave at factory

Frequency Dependent Decay Time

HF and LF multipliers relative to main RT60. At Memo with low-end buildup, an LF multiplier below 1.0 tightens bass reverb time without touching main decay.

Ducker

Two modes: **Reverb** (late tail + VLF only) or **Wet Mix** (all signals). For vocals, use Reverb mode — early reflections stay up for placement while tail ducks during phrases. Controls: Threshold, Ratio, Release, Trim.

Algorithm Types

Type	Character	When to Use
V1	Static, realistic, low modulation — "pure" Bricasti sound	Classical, jazz, Celtic, acoustic folk, chamber. Source keeps its character.
V2	Brighter, more modulated, lush bloom	Gospel, contemporary, pop/rock, dense choir. Wash and bloom over accuracy.
NL	Non-decaying initial region (~50–300ms) then ~200ms exponential tail	Drums only, gated effects. Not a primary tool at Memo.

When in doubt on acoustic shows: V1. When in doubt on contemporary: V2 for plates/vocals, V1 for halls.

FACTORY SPECS — RECOMMENDED PRESETS

All values verified against Liquidsonics Seventh Heaven Professional Presets List v1.100. Memo Target = 30–40% pull from factory as starting point.

Halls

Preset	Algo	Factory Decay	Memo Target	PreDly	VLF	Early Bal	Late Bal	Late Rolloff	Early Set
Halls 1 / Concert Hall	V1	2.20s	1.3–1.4s	18ms	–10dB	0dB	0dB	5200Hz	19
Halls 1 / Boston Hall A	V1	2.10s	1.2–1.3s	0ms	–2dB	–2dB	0dB	6000Hz	12
Halls 1 / Boston Hall B	V1	1.80s	1.1–1.2s	0ms	–9dB	–2dB	0dB	4800Hz	9
Halls 1 / Gold Hall	V1	1.80s	1.1–1.2s	30ms	0dB	Equal Mix	Equal Mix	—	—
Halls 1 / Piano Hall	V1	2.00s	1.2s	24ms	–8dB	–4dB	0dB	6400Hz	16
Halls 1 / Sandors Hall	V1	2.60s	1.6–1.8s	20ms	–14dB	–1dB	0dB	5600Hz	19
Halls 1 / Small Hall	V1	1.40s	0.9–1.0s	0ms	–10dB	–4dB	0dB	5600Hz	6
Halls 1 / Brass Hall	V1	2.00s	1.2–1.4s	20ms	–11dB	0dB	–2dB	8400Hz	19
Halls 2 / Large Hall	V2	2.35s	1.5–1.7s	24ms	–13dB	–12dB	0dB	3600Hz	21
Halls 2 / Jazz Church	V2	1.35s	0.85–1.0s	0ms	–10dB	–12dB	0dB	8800Hz	20

Chambers

Preset	Algo	Factory Decay	Memo Target	PreDly	VLF	Early Bal	Late Bal	Late Rolloff	Early Set
Chambers 1 / Vocal Chamber	V1	1.60s	1.0s	0ms	–10dB	0dB	0dB	8000Hz	9
Chambers 1 / Sunset Chamber	V1	2.15s	1.3–1.5s	20ms	–20dB	–2dB	0dB	7200Hz	7
Chambers 1 / A&M Chamber	V1	2.20s	1.4s	20ms	–14dB	–5dB	0dB	6400Hz	7
Chambers 1 / Snare Chamber	V1	1.20s	0.75–0.85s	10ms	–19dB	Equal Mix	Equal Mix	—	—
Chambers 1 / Small Chamber	V1	1.00s	0.65s	0ms	–12dB	0dB	0dB	6400Hz	5
Chambers 1 / Medium Chamber	V1	1.25s	0.8s	4ms	–12dB	0dB	0dB	6400Hz	5
Chambers 1 / Kick Chamber	V1	0.70s	0.5s	0ms	–6dB	0dB	0dB	5600Hz	3

Plates									
Preset	Algo	Factory Decay	Memo Target	PreDly	VLF	Early Bal	Late Bal	Late Rolloff	Early Set
Plates 1 / Vocal Plate	V1	1.50s	1.0s	24ms	−19dB	0dB	0dB	6400Hz	15
Plates 1 / Snare Plate A	V1	1.20s	0.8s	0ms	−9dB	0dB	0dB	6800Hz	5
Plates 1 / Snare Plate B	V1	1.00s	0.65s	20ms	−10dB	−1dB	0dB	7200Hz	3
Plates 1 / Rich Plate	V1	1.90s	1.2–1.3s	0ms	−9dB	−2dB	0dB	9200Hz	4
Plates 1 / Dark Plate	V1	1.50s	1.0s	0ms	−15dB	0dB	0dB	4800Hz	8
Plates 2 / Vocal Shimmer	V2	1.80s	1.1–1.3s	20ms	−14dB	−2dB	0dB	8000Hz	8

Plates 2 / Vocal Shimmer: has baked-in hardware delay at 236 ms / −10 dB — part of the shimmer. Leave it.

Rooms									
Preset	Algo	Factory Decay	Memo Target	PreDly	VLF	Early Bal	Late Bal	Late Rolloff	Early Set
Rooms 1 / Studio A	V1	0.70s	0.5s	4ms	−3dB	0dB	−5dB	—	—
Rooms 1 / Studio B Close	V1	0.75s	0.5–0.6s	0ms	0dB	0dB	−7dB	8000Hz	7
Rooms 1 / Studio B Far	V1	0.65s	0.45s	0ms	−3dB	0dB	−1dB	9200Hz	12
Rooms 1 / Large Wooden	V1	1.20s	0.75s	0ms	−9dB	0dB	−1dB	8000Hz	9
Rooms 1 / Small Wooden	V1	0.60s	0.4s	0ms	−7dB	0dB	0dB	9600Hz	9
Rooms 1 / Djangos Room	V1	0.80s	0.5–0.55s	4ms	−10dB	0dB	−2dB	5200Hz	6
Rooms 2 / Guitar Room	V2	1.20s	0.8s	0ms	−11dB	Equal Mix	Equal Mix	5200Hz	25

Studio A (Rooms 1 #01): Mod 0 — zero modulation, clean and transparent. Excellent glue reverb at Memo. Mix 3–5% only.

Studio B Close: Factory VLF is 0 dB — always cut to at least −12 dB at Memo.

Guitar Room (Rooms 2 #16): Has baked-in hardware delay at 300 ms / -14 dB with Mod 4. The slap echo is part of the preset — don't try to remove it. Great for British rock / American classic rock guitar character.

Ambiences & Spaces

Preset	Algo	Factory Decay	Memo Target	PreDly	VLF	Early Bal	Late Bal	Late Rolloff	Early Set
Ambiences 1 / Large Ambience	V1	0.80s	0.5–0.6s	10ms	-10dB	0dB	-10dB	6000Hz	12
Ambiences 1 / Percussion Air	V1	0.50s	0.35s	0ms	-6dB	0dB	-11dB	8000Hz	6
Spaces 1 / North Church	V1	3.20s	1.8–2.0s	0ms	-6dB	-3dB	0dB	5600Hz	15

QUICK PICKS — BY SOURCE (MEMO-SPECIFIC)

Source	First Choice	Alt	Key Watch-Out
Lead vocal — classical/acoustic	Chambers 1 / Sunset Chamber	Chambers 1 / Vocal Chamber	Sunset factory VLF already -20dB. Cut Vocal Chamber from -10dB.
Lead vocal — contemporary plate	Plates 1 / Vocal Plate	Plates 2 / Vocal Shimmer	Vocal Plate VLF -19dB factory. Shimmer has baked delay — keep it.
Lead vocal — hall (ballads/breathing)	Halls 1 / Gold Hall	Halls 1 / Boston Hall B	Gold Hall VLF at 0dB factory — cut hard to -12dB at Memo.
Choir / group vocals	Halls 1 / Sandors Hall	Spaces 1 / North Church	North Church is 3.2s factory — pull hard (1.8–2.0s). VLF from -6dB → -15dB.
Snare — bright crack	Plates 1 / Snare Plate A	Plates 1 / Snare Plate B	Plate B has 20ms factory pre-delay — good in dense mixes.
Snare — vintage / British rock	Chambers 1 / Snare Chamber	Plates 1 / Dark Plate	Snare Chamber VLF at -19dB factory (already safe). Dense, characterful chamber body.
Kick (reverb layer)	Chambers 1 / Kick Chamber	—	0.70s factory. VLF at -6dB factory — cut further at Memo.
Drum bus / overheads	Rooms 1 / Studio B Close	Ambiences 1 / Percussion Air	Studio B Close VLF is 0dB factory — always cut at Memo.
Overall glue	Rooms 1 / Studio A	Ambiences 1 / Large Ambience	Studio A: Mod 0 = zero modulation, fully transparent. Mix 3–5% max. VLF -3dB factory — cut to -12dB.
Electric guitar — rock/British	Rooms 2 / Guitar Room	—	V2. Baked-in 300ms slap delay — part of the character, leave it.
Acoustic guitar	Rooms 1 / Large Wooden	Chambers 1 / Small Chamber	Large Wooden: airy. Small Chamber: tighter and drier.
Piano — solo	Halls 1 / Piano Hall	Halls 1 / Boston Hall A	Piano Hall VLF only -8dB — cut to -18dB+. Boston Hall A VLF only -2dB — cut hard.
Upright bass	Rooms 1 / Django's Room	Rooms 1 / Small Wooden	Djangos: 0.80s factory, jazz-club character.
Orchestral strings	Halls 1 / Concert Hall	Halls 1 / Sandors Hall	Concert Hall: stable, low modulation. Sandors: denser, more tail.
Amplified strings (clip-on)	Chambers 1 / A&M Chamber	Rooms 1 / Studio B Far	A&M: '70s smooth. Pre-delay 20ms factory already there.

Brass section	Halls 1 / Brass Hall	Halls 1 / Small Hall	Brass Hall Late Rolloff 8400Hz factory — can pull to 6kHz at Memo.
Flute / woodwinds	Chambers 1 / Small Chamber	Halls 1 / Small Hall	—
Uilleann pipes	Chambers 1 / Medium Chamber	Rooms 1 / Large Wooden	—

STARTING POINTS — BY GENRE

Classical / Chamber / Orchestral v1

Use	Preset	Factory	Memo Target	Notes
Main hall — full ensemble	Halls 1 / Concert Hall	2.20s	1.3–1.4s	VLF off or –20dB. Push Early [†] . Late Rolloff 4–5kHz.
Solo instrument / small chamber	Halls 1 / Boston Hall A	2.10s	1.2–1.3s	Brighter. VLF only –2dB factory — cut to –18dB+ at Memo.
Piano solo	Halls 1 / Piano Hall	2.00s	1.2s	24ms pre-delay factory. VLF to –18dB+. Stereo send.
Vocal (classical)	Chambers 1 / Sunset Chamber	2.15s	1.3–1.5s	Factory VLF already –20dB. Minimum 20ms pre-delay.
Strings (close-mic'd)	Chambers 1 / A&M Chamber	2.20s	1.4s	'70s smooth. 20ms pre-delay factory.
Ensemble air / glue	Ambiences 1 / Large Ambience	0.80s	0.5–0.6s	Adds space without obvious tail. Cut VLF from –10dB factory.

Jazz v1

Use	Preset	Factory	Memo Target	Notes
Drum bus / overheads	Rooms 1 / Studio B Close	0.75s	0.5–0.6s	Late Bal at –7dB factory — inherently early-heavy. VLF 0dB factory — cut to –12dB.
Acoustic instruments	Rooms 1 / Djangos Room	0.80s	0.55s	Small jazz-club feel. VLF to –15dB.
Upright bass / acoustic guitar	Rooms 1 / Large Wooden	1.20s	0.75s	Natural air.
Lead vocal	Chambers 1 / Vocal Chamber	1.60s	1.0s	Classic chamber on vox. Pre-delay 20–40ms. Ducker on (Reverb mode).
Snare	Plates 1 / Snare Plate A	1.20s	0.8s	Bright and dense.

Celtic / Acoustic Folk v1

Use	Preset	Factory	Memo Target	Notes
Acoustic instruments (general)	Rooms 1 / Large Wooden	1.20s	0.75s	Natural, airy. VLF to –15dB.
Flute / whistles	Chambers 1 / Small Chamber	1.00s	0.65s	Compact, warm.
Uilleann pipes	Chambers 1 / Medium Chamber	1.25s	0.8s	Tight enough to stay clean.

Bodhran	Rooms 1 / Studio B Close	0.75s	0.5s	Short and dense. Cut VLF from 0dB factory.
Vocals	Chambers 1 / Sunset Chamber	2.15s	1.3–1.5s	Warm, characterful. VLF already –20dB factory.
Fiddle / strings	Chambers 1 / A&M Chamber	2.20s	1.4s	Smooth, mid-forward.

Rock / Blues / British Pop v1 / v2

Use	Preset	Factory	Memo Target	Notes
Snare — crack	Plates 1 / Snare Plate A	1.20s	0.8s	Bright and aggressive.
Snare — British rock / vintage	Chambers 1 / Snare Chamber	1.20s	0.8s	Dense chamber body. VLF –19dB factory (safe). Classic Brit rock character.
Drum bus	Rooms 1 / Studio B Close	0.75s	0.5s	Dense. Cut VLF from 0dB factory.
Electric guitar	Rooms 2 / Guitar Room	1.20s	0.8s	V2. Baked-in 300ms slap. Stones, Kinks, Bowie, Allmans.
Vocal — plate (loud mix)	Plates 1 / Vocal Plate	1.50s	1.0s	Dense, forward. VLF –19dB factory.
Vocal — hall (ballads)	Halls 1 / Gold Hall	1.80s	1.1–1.3s	Breathing room. Cut VLF from 0dB factory → –12dB.
Overall glue	Rooms 1 / Studio A	0.70s	0.5s	Mod 0. No modulation. Mix 3–5% max.

Gospel / Contemporary v1 halls, v2 plates/vocals

Use	Preset	Factory	Memo Target	Notes
Main hall / choir wash	Halls 1 / Sandors Hall	2.60s	1.6–1.8s	Long and dense. VLF –14dB factory — can bring to –10dB for gospel weight.
Lead vocal — traditional	Chambers 1 / Vocal Chamber	1.60s	1.0–1.1s	V1 warmth. Ducker on.
Lead vocal — contemporary	Plates 2 / Vocal Shimmer	1.80s	1.1–1.3s	V2 bloom. Baked delay at 236ms / –10dB — part of shimmer.
BG / choir vocals	Plates 1 / Rich Plate	1.90s	1.2–1.3s	Warmth and density.
Snare	Plates 1 / Snare Plate A	1.20s	0.8s	Standard.
Drum bus	Rooms 1 / Studio B Close	0.75s	0.5s	Cut VLF from 0dB factory.
Keys / synth pads	Halls 2 / Large Hall	2.35s	1.5–1.7s	V2 bloom. Early Bal –12dB factory (inherently early-heavy).

TWEAK PRIORITY ORDER — MEMO

#	Parameter	Action
1	Decay Time	Pull 30–40% from factory. Use spec tables for starting number.
2	VLF Slider	Cut aggressively. Room reinforces 60–315Hz. Watch Studio B Close (0dB) and Boston Hall A (–2dB) especially.

3	Pre-Delay	Late reverb and VLF only — does not move early reflections. 10ms minimum; 20–30ms on vocals.
4	Late Rolloff	4–6kHz classical/acoustic (audience absorbs HF). 6–9kHz jazz/folk. 8–10kHz contemporary.
5	Early/Late Balance	Push slightly Early ₁ on most sends. Room handles the late field.
6	Ducker (Reverb mode)	Vocals especially — keeps early reflections up between phrases while late tail ducks.

LAYERING STRATEGY

Classic two-reverb move: short chamber/plate for close perspective + long hall pre-delayed 40–80 ms for tail. At Memo, the room itself is the third layer — most useful on close-mic'd sources that aren't picking up much natural room.

Example — vocal chain: Chambers 1 / Vocal Chamber (1.0s, 10ms pre-delay) + Halls 1 / Boston Hall A (1.3s, 50ms pre-delay). Both VLF at –18dB+. The Vocal Chamber provides sense of place; the Boston Hall adds size between phrases. The room handles the diffuse late field naturally.

Underhat / underhead offset: When cymbal mics are in underhat/underhead position, add +2 to +3 dB to the reverb send to compensate for reduced natural air. Preset choice doesn't change — only the send level.