

The Carole King and James Taylor Story

FOH CHANNEL EQ SETUP — DiGiCo Quantum 225

Show	The Carole King and James Taylor Story
Show Date	2026-09-28
Venue	Memorial Hall
Console	DiGiCo Quantum 225
Channels	15
FOH Engineer	Brian Lloyd
Monitor Engineer	Brian Lloyd (wedges from FOH)
Show Time	TBD
Rev	Rev 1.0 Deep Think

DOCUMENT CONTENTS

1. Cover Page — show, venue, and personnel
2. Input List — color-coded full channel patch sheet
3. Patching — AES and Local inputs sorted by port
4. EQ Setup — 15 channels for DiGiCo Quantum 225
5. Reference — EQ structure, pan guide, bus grouping, soundcheck order

SHOW STYLE: Two nights, 09-28 and 09-30. Two voices, one C3, one guitar. Keep it warm, keep it dry-ish, let the room sing.

The Carole King and James Taylor Story

VENUE: Memorial Hall

DATE: 2026-09-28

REV: Rev 1.0 Deep Think

FOH: Brian Lloyd

MON: Brian Lloyd (wedges from FOH)

SHOW TIME: TBD

Ch	Instrument	Mic / DI	Patch	48V	Stand	Notes
■ PIANO						
1	Piano Hi	DPA 4099 CORE+ Extreme SPL	Millennia HV-3D-8 ch 1 → R1 (line)	✓	Clip	P-clip on the plate around G5, just past the dampers, 25–30 cm over the strings, rear null up at the lid. 48V at the HV-3, not the stagebox; stagebox input LINE, console gain unity. Pan LEFT (audience view, matches the MK4 pair). PA + multitrack. PIANO GROUP EQ (dial by hand, linked stereo; the patcher writes input EQ only): HPF 40 · B4 FLAT · B3 FLAT · B2 –3 @ 300 Hz Q2.0 · B1 –3 @ 125 Hz Q2.0. COMP (group): Purple thr for 2–3 dB GR ratio 2:1 atk 30ms rel 300ms.
2	Piano Lo	DPA 4099 CORE+ Extreme SPL	Millennia HV-3D-8 ch 2 → R2 (line)	✓	Clip	P-clip over C2–G2, a third of the way down the strings past the dampers, same height and angle as ch 1, at least 30 cm from it. 48V at the HV-3; stagebox LINE, gain unity. Pan RIGHT. PA + multitrack. See ch 1 for the piano group EQ.
3	Piano Mon	Shure SM57	R3		—	WEDGES ONLY: Mix 1 (Phoebe) and Mix 2 (Dan) as needed. Unassign from LR. Pointing down into plate hole H2 (see C3 Placement PDF); try H3 if the treble is thin. No 48V.
■ GUITAR						
4	Dan Gtr	Rupert Neve Designs RNDI	2-ch sub 1		DI	■ TOUR — confirm at load-in · RNDI on INSTRUMENT. Guitar and pickup are Dan's; pickup type confirm at load-in (assumed undersaddle piezo).
■ DRUMS						


Ch	Instrument	Mic / DI	Patch	48V	Stand	Notes
5	Stomp	Rupert Neve Designs RNDI	2-ch sub 2		DI	■ TOUR — confirm at load-in · RNDI on INSTRUMENT. Dan's stomp box, piezo assumed, confirm at load-in. Dial the HPF at 24 dB/oct.
■ VOCALS						
6	Dan	Wireless 1 (Shure Beta 58A)	Wireless 1		—	House Wireless 1, multed to fader 41. Mix 2.
7	Phoebe Pno	Neumann KMS 105	R4	✓	Boom	Input list said 'KSM105'; Brian confirmed Neumann KMS 105. 48V. Boom over the C3 keyboard. Mix 1.
8	Phoebe DS	Wireless 2 (Shure Beta 58A)	Wireless 2		—	House Wireless 2, multed to fader 42. Mix 1 (her wedges travel with her or add a DS wedge; confirm at load-in).
■ PIANO						
13	Pno Rec Hi	Schoeps CMC6 + MK4	Millennia HV-3D-8 ch 3 → R5 (line)	✓	Boom	RECORD ONLY: unassign from LR and all mixes; multitrack pre-EQ. MK4 ORTF bar at the bend, 17 cm / 110°, 15–20 cm inside the rim under the lid edge, 30–40 cm over the strings (C3 Placement PDF). 48V at the HV-3; stagebox LINE, gain unity. Pan L (audience view, highs left).
14	Pno Rec Lo	Schoeps CMC6 + MK4	Millennia HV-3D-8 ch 4 → R6 (line)	✓	Boom	RECORD ONLY: unassign from LR and all mixes; multitrack pre-EQ. MK4 ORTF bar at the bend, 17 cm / 110°, 15–20 cm inside the rim under the lid edge, 30–40 cm over the strings (C3 Placement PDF). 48V at the HV-3; stagebox LINE, gain unity. Pan R (audience view, highs left).
■ VOCALS						
41	Dan W1	Wireless 1 (Shure Beta 58A)	Wireless 1		—	Receiver home fader, multed to ch 6. Same curve; ride the digital trim here. Keep it OUT of LR (ch 6 carries the PA) unless ch 6 is lost.

Ch	Instrument	Mic / DI	Patch	48V	Stand	Notes
42	Phoebe W2	Wireless 2 (Shure Beta 58A)	Wireless 2		—	Receiver home fader, muled to ch 8. Same curve; ride the digital trim here. Keep it OUT of LR (ch 8 carries the PA) unless ch 8 is lost.
■ AMBIENT						
57	Above Stage	Line Audio OM1 (pair)	House crowd rig	✓	—	Flown 18' above stage, 12' apart. Fixed Memo crowd EQ from the KB (R35). Record; not in LR.
58	Floor Crowd	Deity S-Mic 2 (pair)	House crowd rig	✓	—	Under the main-floor PA, aimed into the audience. Fixed Memo crowd EQ from the KB (R35). Record; not in LR.
59	Balcony Crwd	Line Audio CM4 (pair)	House crowd rig	✓	—	Balcony, rear-facing ORTF, 34' from the Deity pair. Fixed Memo crowd EQ from the KB (R35). Record; not in LR.

PIANO

Ch 1 | Piano Hi

Mic: DPA 4099 CORE+ Extreme SPL




Mic Notes: Near-flat supercardioid: 80 Hz–17 kHz ± 3 dB with a +2 dB soft boost at 10–12 kHz (SOS). R16 lanes: Hi owns the right hand, hammer and top; Lo owns everything under ~200. Mono-sum with ch 2 at line check before touching EQ; flip one if the centre thins.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	100 Hz	LC	—	—	High-pass
4	10 kHz	Bell	-2 dB	1	
3	2.5 kHz	Bell	-3 dB	2	DYNAMIC: thr=-20dB atk=5ms rel=150ms — bites only on peaks
2	500 Hz	Bell	-3 dB	1.5	
1	—	OFF	—	—	Flat
HC	—	HC	—	—	No LPF

Engineer Notes: This is the half of the piano Phoebe's voice lives on top of. The -2 at 10k takes back the capsule's own +2 so a bright C3 reads as the warm Tapestry piano, not a classical sparkle. The dynamic -3 at 2.5k only bites when she digs in or the lid throws her wedge and vocal back into the mic, which is where this mic hears them most. -3 at 500 clears the treble-side honk. HPF 100 leaves the left hand to ch 2. Room treatment (125, 300) sits once on the piano group, not twice on the channels.

Ch 2 | Piano Lo

Mic: DPA 4099 CORE+ Extreme SPL




Mic Notes: Same capsule as ch 1. Lo owns the bottom; the LPF 10k hands the top to ch 1 so the hammer and vocal bleed aren't counted twice. At 25–30 cm proximity is barely in play (it only rises inside 20 cm, SOS).

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	50 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	—	OFF	—	—	Flat
2	250 Hz	Bell	-4 dB	1.5	
1	—	OFF	—	—	Flat
HC	10 kHz	HC	—	—	Low-pass

Engineer Notes: Carole King's left hand is the bass player in this show: rolling octaves under 'I Feel the Earth Move' and 'It's Too Late'. So the HPF stays at 50 and nothing gets boosted. The one cut is -4 at 250, the wound-string box that stacks on Memo's 250–315 mode. The group's -3 at 125 and -3 at 300 do the room work.

Ch 3 | Piano Mon

Mic: Shure SM57




Mic Notes: Shure: presence rise around 4–6 kHz (~+5 dB) and 6–10 dB of proximity below 100 Hz up close. Down in the plate hole the soundboard makes it boomy. Leave the top alone; the capsule already gives the hammers.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	160 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	—	OFF	—	—	Flat
2	500 Hz	Bell	-4 dB	1.5	
1	250 Hz	Bell	-5 dB	1.5	
HC	12 kHz	HC	—	—	Low-pass

Engineer Notes: This channel only has to give Phoebe pitch and time in her wedges without ever feeding back through the DPAs. HPF 160 and -5 at 250 remove the soundboard boom and the hardwood stage's build-up. -4 at 500 is the honk a dynamic makes inside a grand. Nothing is added at 4–6k because the 57 already carries its own +5 there.

Ch 13 | Pno Rec Hi

Mic: Schoeps CMC6 + MK4




Mic Notes: Schoeps: flat with a slight rise around 10 kHz (~+2 dB) to offset room HF loss; very consistent off-axis. Blended with ch 1/2 in post. Time-align by ear; the pair sits within about 1 ms of the DPAs.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	30 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	—	OFF	—	—	Flat
2	—	OFF	—	—	Flat
1	—	OFF	—	—	Flat
HC	—	HC	—	—	No LPF

Engineer Notes: Record-only. The multitrack takes it pre-EQ, so any EQ here would only colour a solo check. HPF 30 for rumble and nothing else. Its job in post is the natural whole-instrument piano under the close DPAs.

Ch 14 | Pno Rec Lo

Mic: Schoeps CMC6 + MK4




Mic Notes: Schoeps: flat with a slight rise around 10 kHz (~+2 dB) to offset room HF loss; very consistent off-axis. Blended with ch 1/2 in post. Time-align by ear; the pair sits within about 1 ms of the DPAs.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	30 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	—	OFF	—	—	Flat
2	—	OFF	—	—	Flat
1	—	OFF	—	—	Flat
HC	—	HC	—	—	No LPF

Engineer Notes: Record-only. The multitrack takes it pre-EQ, so any EQ here would only colour a solo check. HPF 30 for rumble and nothing else. Its job in post is the natural whole-instrument piano under the close DPAs.

Ch 4 | Dan Gtr

Mic: Rupert Neve Designs RNDI




Mic Notes: The RNDI is ± 0.25 dB from 28 Hz to 60 kHz (RND/SOS), so the curve is all pickup. Assumed piezo. If it turns out to be a mic or blend system, halve the 1.7k cut. COMP: Blue | in | thr for 3–4 dB GR | ratio 3:1 | atk 15ms | rel 150ms. A Neve-style comp rounds the piezo quack peaks (Gearspace piezo thread), and the 15 ms attack lets the pick transient through.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	80 Hz	LC	—	—	High-pass
4	4 kHz	Bell	-3 dB	2	
3	1.7 kHz	Bell	-5 dB	2	
2	250 Hz	Bell	-4 dB	1.5	
1	—	OFF	—	—	Flat
HC	15 kHz	HC	—	—	Low-pass

Engineer Notes: In Dan's half of the show this guitar is the whole band. Taylor's alternating thumb carries the bass line, so the HPF sits at 80, not the 120 you'd use in a band. The primary cut is -5 at 1.7k, the piezo quack (R13). -3 at 4k removes the zing, and -4 at 250 clears the box that Memo's 250–315 would otherwise make worse.

Ch 5 | Stomp

Mic: Rupert Neve Designs RNDI



Mic Notes: The RNDI is flat, so the piezo is the whole voice. Piezo stomp boxes lack real thump and read as cardboard at 300–400 (AGF piezo-stomp thread; Kopf). GATE: Gate | in | thr just above foot-rest noise | atk 1ms | hold 60ms | rel 150ms | range=20. That keeps shuffling and floor handling out of the sub region between hits.


Band	Freq	Type	Gain	Q	Notes / Rationale
LC	50 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	350 Hz	Bell	-5 dB	1.5	
2	130 Hz	Bell	-4 dB	3	
1	85 Hz	Bell	+3 dB	2.5	
HC	5 kHz	HC	—	—	Low-pass

Engineer Notes: The only kick in the show, and it should be felt, not heard. The +3 at 85 (Q 2.5) is the one boost, placed in the gap between Memo's 63 and 125 modes. The piezo's documented lack of low thump clears it under R15. -4 at 130 (Q 3) keeps the 125 mode from blooming. -5 at 350 removes the cardboard. The LPF at 5k takes off the piezo click so nobody hears a clacky box. If the room still booms at 63, slope the HPF steeper rather than cutting more.

■ VOCALS ■

Ch 6 | Dan

Mic: Wireless 1 (Shure Beta 58A)




Mic Notes: Shure: rise above 3k with peaks near 4k and 10k, lows rolled off for proximity. COMP: Purple | in | thr for 3–5 dB GR | ratio 3:1 | atk 10ms | rel 200ms. Optical because a soft crooner wants smoothing, not grab.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	90 Hz	LC	—	—	High-pass
4	4.5 kHz	Bell	-3 dB	2	
3	500 Hz	Bell	-4 dB	1.8	
2	250 Hz	Bell	-3 dB	2	
1	—	OFF	—	—	Flat
HC	14 kHz	HC	—	—	Low-pass

Engineer Notes: Dan sings like Taylor, soft and close. His warmth is in 200–350, so this curve protects it. The male slot is HPF 90, the lowest of the three vocals. -4 at 500 is his box lane, deliberately different from Phoebe's 700 on ch 8 so duets don't share a notch. -3 at 250 is only there because Memo's 250–315 mode doubles it. -3 at 4.5k trims the Beta's presence peak, which goes steely on a quiet voice with the gain up. B1 is written FLAT so the wireless template curve doesn't leak in. Cuts only (R9).

Ch 7 | Phoebe Pno

Mic: Neumann KMS 105




Mic Notes: Flat 500 Hz–7 kHz with about +5 dB at 12 kHz (RecordingHacks, higherhz); internal HPF -3 dB at 120 Hz. COMP: Purple | in | thr for 3–5 dB GR | ratio 3:1 | atk 10ms | rel 200ms. Gentle, because breathiness is her sound.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	120 Hz	LC	—	—	High-pass
4	8 kHz	Bell	-4 dB	3	DYNAMIC: thr=-20dB atk=2ms rel=100ms — bites only on peaks
3	1.6 kHz	Bell	-4 dB	2	
2	315 Hz	Bell	-3 dB	2	
1	—	OFF	—	—	Flat
HC	16 kHz	HC	—	—	Low-pass

Engineer Notes: Reviews describe Phoebe as breathy and light, so the KMS's 12k air stays: it carries her. Sibilance only gets a dynamic -4 at 8k when it's actually there. -4 at 1.6k is the nasal band on this capsule (KB). -3 at 315 does double duty: Memo's mode, and the piano's low-mids bouncing off the open lid into her mic. The HPF at 120 slots her above Dan (90) and matches the capsule's own roll-off. Cuts only.

Ch 8 | Phoebe DS

Mic: Wireless 2 (Shure Beta 58A)




Mic Notes: Same Beta 58A data as ch 6: peaks near 4k and 10k. COMP: Purple | in | thr for 3–5 dB GR | ratio 3:1 | atk 10ms | rel 200ms.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	120 Hz	LC	—	—	High-pass
4	4 kHz	Bell	-4 dB	2	
3	1.6 kHz	Bell	-3 dB	2	
2	700 Hz	Bell	-3 dB	1.8	
1	—	OFF	—	—	Flat
HC	15 kHz	HC	—	—	Low-pass

Engineer Notes: Same singer as ch 7 on a different capsule. The goal is for her to sound like one voice when she walks off the piano. The KMS has air on top and a flat 4k; the Beta 58A peaks at 4k, so this curve trims -4 at 4k and leaves 10k for the breath. -3 at 1.6k matches her nasal cut on ch 7. -3 at 700 is the Beta's box, kept away from Dan's 500 on ch 6. HPF 120, same as ch 7. Cuts only.

Ch 41 | Dan W1

Mic: Wireless 1 (Shure Beta 58A)




Mic Notes: Mult of ch 6, same capsule notes.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	90 Hz	LC	—	—	High-pass
4	4.5 kHz	Bell	-3 dB	2	
3	500 Hz	Bell	-4 dB	1.8	
2	250 Hz	Bell	-3 dB	2	
1	—	OFF	—	—	Flat
HC	14 kHz	HC	—	—	Low-pass

Engineer Notes: Identical to ch 6 so a swap mid-show is seamless.

Ch 42 | Phoebe W2

Mic: Wireless 2 (Shure Beta 58A)



Mic Notes: Mult of ch 8, same capsule notes.


Band	Freq	Type	Gain	Q	Notes / Rationale
LC	120 Hz	LC	—	—	High-pass
4	4 kHz	Bell	-4 dB	2	
3	1.6 kHz	Bell	-3 dB	2	
2	700 Hz	Bell	-3 dB	1.8	
1	—	OFF	—	—	Flat
HC	15 kHz	HC	—	—	Low-pass

Engineer Notes: Identical to ch 8 so a swap mid-show is seamless.

■ AMBIENT ■

Ch 57 | Above Stage

Mic: Line Audio OM1 (pair)




Mic Notes: Fixed house rig. EQ is locked in venue-memorial-hall, not re-derived.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	80 Hz	LC	—	—	High-pass
4	—	OFF	—	—	Flat
3	800 Hz	Bell	-3 dB	1.5	
2	315 Hz	Bell	-6 dB	2	
1	200 Hz	Bell	-5 dB	2	
HC	—	HC	—	—	No LPF

Engineer Notes: KB crowd curve as written: it treats Memo's 200/315 build-up in the room air. Unchanged show to show.

Ch 58 | Floor Crowd

Mic: Deity S-Mic 2 (pair)




Mic Notes: Fixed house rig. EQ is locked in venue-memorial-hall, not re-derived.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	100 Hz	LC	—	—	High-pass
4	2.4 kHz	Bell	-3 dB	1.8	
3	—	OFF	—	—	Flat
2	315 Hz	Bell	-5 dB	2	
1	200 Hz	Bell	-5 dB	2	
HC	16 kHz	HC	—	—	Low-pass

Engineer Notes: KB crowd curve as written: it treats Memo's 200/315 build-up in the room air. Unchanged show to show.

Ch 59 | Balcony Crwd

Mic: Line Audio CM4 (pair)



Mic Notes: Fixed house rig. EQ is locked in venue-memorial-hall, not re-derived.

Band	Freq	Type	Gain	Q	Notes / Rationale
LC	120 Hz	LC	—	—	High-pass
4	400 Hz	Bell	-4 dB	1.5	
3	315 Hz	Bell	-5 dB	2	
2	200 Hz	Bell	-6 dB	2	
1	63 Hz	Bell	-5 dB	2.5	
HC	14 kHz	HC	—	—	Low-pass

Engineer Notes: KB crowd curve as written: it treats Memo's 200/315 build-up in the room air. Unchanged show to show.