

Exercise 2

1. SELECT COUNT(id)
FROM employees

ANS:

10

2. SELECT SUM(salary) AS total_salary-IT
FROM employees
WHERE department = "IT"

ANS:

total_salary-IT
220 000

3. SELECT AVG(salary) AS avg_salary-HR
FROM employees
WHERE department = "HR"

ANS:

avg_salary-HR
49 500

4. SELECT MIN(salary) AS lowest_salary
MAX(salary) AS highest_salary
FROM employees

ANS:

lowest_salary	highest_salary
48 000	62 000

5. SELECT department
SUM(salary) AS total_salary-per-department
FROM employees
GROUP BY department.

department	total salary-per-department
IT	220 000
HR	99 000
Finance	119 000
Marketing	105 000

6. SELECT city,
COUNT(city) as no-of-employees
FROM employees
GROUP BY city

City	no of employees
New York	2
Chicago	3
Los Angeles	2
San Francisco	2
Houston	1

8

SELECT department
 SUM(salary) AS total-salary
 FROM employees
 GROUP BY department
 HAVING SUM(salary) > 100 000

department	total-salary
IT	220000
Finance	119000
Marketing	105000

7. SELECT department,
 AVG(salary) AS average-salary
 FROM employees
 GROUP BY department
 ORDER BY AVG(salary) DESC

department	average-salary
Finance	59500
IT	55000
Marketing	52500
HR	49500

9. SELECT city,
 COUNT(city) as no-of-employees
 FROM employees
 GROUP BY city
 HAVING COUNT(city) > 1
 GROUP BY COUNT(city) DESC

City	no.-of-employees
Chicago	3
San Francisco	2
New York	2
Los Angeles	2

10. SELECT department

AVG(salary) AS Avg-salary

FROM employees

GROUP BY department

ORDER BY AVG(salary) DESC

LIMIT 1

department	Avg-salary
Finance	59500