

C:\Users\vicen\.jdk\ms-21.0.11\bin\java.exe -XX:TieredStopAtLevel=1
 -Dspring.output.ansi.enabled=always "-javaagent:C:\Program Files\JetBrains\IntelliJ IDEA
 2026.1.1\lib\idea_rt.jar=52629" -Dfile.encoding=UTF-8 -Dsun.stdout.encoding=UTF-8
 -Dsun.stderr.encoding=UTF-8 -classpath
 "V:\E-commerce-de-Economia-Circular\Proyecto_venta_de_ropa_de_segunda_mano\Proye
 cto venta de ropa de segunda
 mano\ms-regiones\target\classes;C:\Users\vicen\.m2\repository\com\oracle\database\jdbc\oj
 dbc11\23.9.0.25.07\ojdbc11-23.9.0.25.07.jar;C:\Users\vicen\.m2\repository\com\oracle\ datab
 ase\security\oraclepki\19.8.0.0\oraclepki-19.8.0.0.jar;C:\Users\vicen\.m2\repository\org\spring
 framework\cloud\spring-cloud-starter-netflix-eureka-client\5.0.1\spring-cloud-starter-netflix-e
 ureka-client-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-
 starter\5.0.1\spring-cloud-starter-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework
 \cloud\spring-cloud-context\5.0.1\spring-cloud-context-5.0.1.jar;C:\Users\vicen\.m2\repositor
 y\org\springframework\boot\spring-boot-restclient\4.0.6\spring-boot-restclient-4.0.6.jar;C:\Us
 ers\vicen\.m2\repository\org\springframework\boot\spring-boot-http-client\4.0.6\spring-boot-h
 ttp-client-4.0.6.jar;C:\Users\vicen\.m2\repository\org\bouncycastle\bcprov-jdk18on\1.81\bcpr
 ov-jdk18on-1.81.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-n
 etflix-eureka-client\5.0.1\spring-cloud-netflix-eureka-client-5.0.1.jar;C:\Users\vicen\.m2\reposi
 tory\org\springframework\boot\spring-boot-jackson2\4.0.6\spring-boot-jackson2-4.0.6.jar;C:\
 Users\vicen\.m2\repository\com\fasterxml\jackson\datatype\jackson-datatype-jdk8\2.21.2\jac
 kson-datatype-jdk8-2.21.2.jar;C:\Users\vicen\.m2\repository\com\fasterxml\jackson\datatype\
 jackson-datatype-jsr310\2.21.2\jackson-datatype-jsr310-2.21.2.jar;C:\Users\vicen\.m2\reposi
 tory\com\fasterxml\jackson\module\jackson-module-parameter-names\2.21.2\jackson-modul
 e-parameter-names-2.21.2.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\cli
 ent5\httpclient5\5.5.2\httpclient5-5.5.2.jar;C:\Users\vicen\.m2\repository\org\apache\httpcom
 ponents\core5\httpcore5\5.3.6\httpcore5-5.3.6.jar;C:\Users\vicen\.m2\repository\org\apache\
 httpcomponents\core5\httpcore5-h2\5.3.6\httpcore5-h2-5.3.6.jar;C:\Users\vicen\.m2\repositor
 y\com\netflix\eureka\eureka-client\2.0.5\eureka-client-2.0.5.jar;C:\Users\vicen\.m2\repository\
 com\thoughtworks\xstream\xstream\1.4.21\xstream-1.4.21.jar;C:\Users\vicen\.m2\repository\
 io\github\x-stream\mxparser\1.2.2\mxparser-1.2.2.jar;C:\Users\vicen\.m2\repository\xmlpull\x
 mlpull\1.1.3.1\xmlpull-1.1.3.1.jar;C:\Users\vicen\.m2\repository\jakarta\ws\rs\jakarta.ws.rs-api
 \4.0.0\jakarta.ws.rs-api-4.0.0.jar;C:\Users\vicen\.m2\repository\jakarta\inject\jakarta.inject-api
 \2.0.1\jakarta.inject-api-2.0.1.jar;C:\Users\vicen\.m2\repository\jakarta\annotation\jakarta.ann
 otation-api\3.0.0\jakarta.annotation-api-3.0.0.jar;C:\Users\vicen\.m2\repository\com\netflix\sp
 ector\spectator-api\1.7.3\spectator-api-1.7.3.jar;C:\Users\vicen\.m2\repository\org\slf4j\slf4j
 -api\2.0.17\slf4j-api-2.0.17.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\http
 client\4.5.3\httpclient-4.5.3.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\htt
 pcore\4.4.16\httpcore-4.4.16.jar;C:\Users\vicen\.m2\repository\commons-codec\commons-co
 dec\1.19.0\commons-codec-1.19.0.jar;C:\Users\vicen\.m2\repository\commons-configuration
 \commons-configuration\1.10\commons-configuration-1.10.jar;C:\Users\vicen\.m2\repository\
 commons-lang\commons-lang\2.6\commons-lang-2.6.jar;C:\Users\vicen\.m2\repository\com\
 fasterxml\jackson\core\jackson-annotations\2.21\jackson-annotations-2.21.jar;C:\Users\vicen
 \.m2\repository\com\fasterxml\jackson\core\jackson-core\2.21.2\jackson-core-2.21.2.jar;C:\U
 sers\vicen\.m2\repository\com\fasterxml\jackson\core\jackson-databind\2.21.2\jackson-datab
 ind-2.21.2.jar;C:\Users\vicen\.m2\repository\com\netflix\netflix-commons\netflix-eventbus\0.3
 .0\netflix-eventbus-0.3.0.jar;C:\Users\vicen\.m2\repository\com\netflix\netflix-commons\netflix
 -infix\0.3.0\netflix-infix-0.3.0.jar;C:\Users\vicen\.m2\repository\commons-jxpath\commons-jxp
 ath\1.3\commons-jxpath-1.3.jar;C:\Users\vicen\.m2\repository\joda-time\joda-time\2.3\joda-ti

me-2.3.jar;C:\Users\vicen\.m2\repository\org\antlr\antlr-runtime\3.4\antlr-runtime-3.4.jar;C:\Users\vicen\.m2\repository\org\antlr\stringtemplate\3.2.1\stringtemplate-3.2.1.jar;C:\Users\vicen\.m2\repository\antlr\antlr\2.7.7\antlr-2.7.7.jar;C:\Users\vicen\.m2\repository\com\google\code\gson\gson\2.13.2\gson-2.13.2.jar;C:\Users\vicen\.m2\repository\com\google\errorprone\error_prone_annotations\2.41.0\error_prone_annotations-2.41.0.jar;C:\Users\vicen\.m2\repository\com\netflix\servo\servo-core\0.5.3\servo-core-0.5.3.jar;C:\Users\vicen\.m2\repository\org\apache\commons\commons-math\2.2\commons-math-2.2.jar;C:\Users\vicen\.m2\repository\javax\annotation\javax.annotation-api\1.2\javax.annotation-api-1.2.jar;C:\Users\vicen\.m2\repository\org\codehaus\jettison\jettison\1.5.4\jettison-1.5.4.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-starter-loadbalancer\5.0.1\spring-cloud-starter-loadbalancer-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-loadbalancer\5.0.1\spring-cloud-loadbalancer-5.0.1.jar;C:\Users\vicen\.m2\repository\io\projectreactor\reactor-core\3.8.5\reactor-core-3.8.5.jar;C:\Users\vicen\.m2\repository\org\reactivestreams\reactive-streams\1.0.4\reactive-streams-1.0.4.jar;C:\Users\vicen\.m2\repository\io\projectreactor\addons\reactor-extra\3.6.0\reactor-extra-3.6.0.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-cache\4.0.6\spring-boot-starter-cache-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-cache\4.0.6\spring-boot-cache-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-context-support\7.0.7\spring-context-support-7.0.7.jar;C:\Users\vicen\.m2\repository\com\stoyanr\evictor\1.0.0\evictor-1.0.0.jar;C:\Users\vicen\.m2\repository\com\oracle\database\security\osdt_core\19.8.0.0\osdt_core-19.8.0.0.jar;C:\Users\vicen\.m2\repository\com\oracle\database\security\osdt_cert\19.8.0.0\osdt_cert-19.8.0.0.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-data-jpa\4.0.6\spring-boot-starter-data-jpa-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter\4.0.6\spring-boot-starter-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-logging\4.0.6\spring-boot-starter-logging-4.0.6.jar;C:\Users\vicen\.m2\repository\ch\qos\logback\logback-classic\1.5.32\logback-classic-1.5.32.jar;C:\Users\vicen\.m2\repository\ch\qos\logback\logback-core\1.5.32\logback-core-1.5.32.jar;C:\Users\vicen\.m2\repository\org\apache\logging\log4j\log4j-to-slf4j\2.25.4\log4j-to-slf4j-2.25.4.jar;C:\Users\vicen\.m2\repository\org\apache\logging\log4j\log4j-api\2.25.4\log4j-api-2.25.4.jar;C:\Users\vicen\.m2\repository\org\slf4j\jul-to-slf4j\2.0.17\jul-to-slf4j-2.0.17.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-autoconfigure\4.0.6\spring-boot-autoconfigure-4.0.6.jar;C:\Users\vicen\.m2\repository\org\yaml\snakeyaml\2.5\snakeyaml-2.5.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-jdbc\4.0.6\spring-boot-starter-jdbc-4.0.6.jar;C:\Users\vicen\.m2\repository\com\zaxxer\HikariCP\7.0.2\HikariCP-7.0.2.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-data-jpa\4.0.6\spring-boot-data-jpa-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-data-commons\4.0.6\spring-boot-data-commons-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-persistence\4.0.6\spring-boot-persistence-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\data\spring-data-commons\4.0.5\spring-data-commons-4.0.5.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-hibernate\4.0.6\spring-boot-hibernate-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jpa\4.0.6\spring-boot-jpa-4.0.6.jar;C:\Users\vicen\.m2\repository\jakarta\persistence\jakarta.persistence-api\3.2.0\jakarta.persistence-api-3.2.0.jar;C:\Users\vicen\.m2\repository\org\hibernate\orm\hibernate-core\7.2.12.Final\hibernate-core-7.2.12.Final.jar;C:\Users\vicen\.m2\repository\jakarta\transaction\jakarta.transaction-api\2.0.1\jakarta.transaction-api-2.0.1.jar;C:\Users\vicen\.m2\repository\org\hibernate\models\hibernate-models\1.0.1\hibernate-models-1.0.1.jar;C:\Users\vicen\.m2\repository\org\glassfish\jaxb\jaxb-runtime\4.0.6\jaxb-runtime-4.0.6.jar;C:\Users\vicen\.m2\repository\org\glassfish

h\jaxb\jaxb-core\4.0.6\jaxb-core-4.0.6.jar;C:\Users\vicen\.m2\repository\org\eclipse\angus\angus-activation\2.0.3\angus-activation-2.0.3.jar;C:\Users\vicen\.m2\repository\org\glassfish\jaxb\txw2\4.0.6\txw2-4.0.6.jar;C:\Users\vicen\.m2\repository\com\sun\istack\istack-commons-runtime\4.1.2\istack-commons-runtime-4.1.2.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-orm\7.0.7\spring-orm-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\data\spring-data-jpa\4.0.5\spring-data-jpa-4.0.5.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-context\7.0.7\spring-context-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-aop\7.0.7\spring-aop-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-tx\7.0.7\spring-tx-7.0.7.jar;C:\Users\vicen\.m2\repository\org\antlr\antlr4-runtime\4.13.2\antlr4-runtime-4.13.2.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-aspects\7.0.7\spring-aspects-7.0.7.jar;C:\Users\vicen\.m2\repository\org\aspectj\aspectjweaver\1.9.25.1\aspectjweaver-1.9.25.1.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jdbc\4.0.6\spring-boot-jdbc-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot\4.0.6\spring-boot-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-sql\4.0.6\spring-boot-sql-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-transaction\4.0.6\spring-boot-transaction-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-jdbc\7.0.7\spring-jdbc-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-validation\4.0.6\spring-boot-starter-validation-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-validation\4.0.6\spring-boot-validation-4.0.6.jar;C:\Users\vicen\.m2\repository\org\apache\tomcat\embed\tomcat-embed-el\11.0.21\tomcat-embed-el-11.0.21.jar;C:\Users\vicen\.m2\repository\org\hibernate\validator\hibernate-validator\9.0.1.Final\hibernate-validator-9.0.1.Final.jar;C:\Users\vicen\.m2\repository\jakarta\validation\jakarta.validation-api\3.1.1\jakarta.validation-api-3.1.1.jar;C:\Users\vicen\.m2\repository\org\jboss\logging\jboss-logging\3.6.3.Final\jboss-logging-3.6.3.Final.jar;C:\Users\vicen\.m2\repository\com\fastxml\classmate\1.7.3\classmate-1.7.3.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-webmvc\4.0.6\spring-boot-starter-webmvc-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-jackson\4.0.6\spring-boot-starter-jackson-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jackson\4.0.6\spring-boot-jackson-4.0.6.jar;C:\Users\vicen\.m2\repository\tools\jackson\core\jackson-databind\3.1.2\jackson-databind-3.1.2.jar;C:\Users\vicen\.m2\repository\tools\jackson\core\jackson-core\3.1.2\jackson-core-3.1.2.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-tomcat\4.0.6\spring-boot-starter-tomcat-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-tomcat-runtime\4.0.6\spring-boot-starter-tomcat-runtime-4.0.6.jar;C:\Users\vicen\.m2\repository\org\apache\tomcat\embed\tomcat-embed-core\11.0.21\tomcat-embed-core-11.0.21.jar;C:\Users\vicen\.m2\repository\org\apache\tomcat\embed\tomcat-embed-websocket\11.0.21\tomcat-embed-websocket-11.0.21.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-tomcat\4.0.6\spring-boot-tomcat-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-http-converter\4.0.6\spring-boot-http-converter-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-webmvc\4.0.6\spring-boot-webmvc-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-servlet\4.0.6\spring-boot-servlet-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-webmvc\7.0.7\spring-webmvc-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-expression\7.0.7\spring-expression-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-starter-openfeign\5.0.1\spring-cloud-starter-openfeign-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-openfeign-core\5.0.1\spring-cloud-openfeign-core-5.0.1.jar;C:\Users\vicen\.m2\repository\org\jSpecify\jSpecify\1.0.0\jSpecify-1.0.0.jar;C:\Users\vicen\.m2\repository\io\

github\openfeign\feign-form-spring\13.6\feign-form-spring-13.6.jar;C:\Users\vicen\.m2\repository\org\apache\commons\commons-text\1.13.0\commons-text-1.13.0.jar;C:\Users\vicen\.m2\repository\org\apache\commons\commons-lang3\3.19.0\commons-lang3-3.19.0.jar;C:\Users\vicen\.m2\repository\io\github\openfeign\feign-form\13.6\feign-form-13.6.jar;C:\Users\vicen\.m2\repository\commons-fileupload\commons-fileupload\1.5\commons-fileupload-1.5.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-web\7.0.7\spring-web-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-beans\7.0.7\spring-beans-7.0.7.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-core\7.0.7\spring-core-7.0.7.jar;C:\Users\vicen\.m2\repository\commons-logging\commons-logging\1.3.6\commons-logging-1.3.6.jar;C:\Users\vicen\.m2\repository\io\micrometer\micrometer-observation\1.16.5\micrometer-observation-1.16.5.jar;C:\Users\vicen\.m2\repository\io\micrometer\micrometer-commons\1.16.5\micrometer-commons-1.16.5.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-commons\5.0.1\spring-cloud-commons-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\security\spring-security-crypto\7.0.5\spring-security-crypto-7.0.5.jar;C:\Users\vicen\.m2\repository\io\github\openfeign\feign-core\13.6\feign-core-13.6.jar;C:\Users\vicen\.m2\repository\io\github\openfeign\feign-slf4j\13.6\feign-slf4j-13.6.jar;C:\Users\vicen\.m2\repository\org\projectlombok\lombok\1.18.46\lombok-1.18.46.jar;C:\Users\vicen\.m2\repository\jakarta\xml\bind\jakarta.xml.bind-api\4.0.4\jakarta.xml.bind-api-4.0.4.jar;C:\Users\vicen\.m2\repository\jakarta\activation\jakarta.activation-api\2.1.4\jakarta.activation-api-2.1.4.jar;C:\Users\vicen\.m2\repository\net\bytebuddy\byte-buddy\1.17.8\byte-buddy-1.17.8.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-web-server\4.0.6\spring-boot-web-server-4.0.6.jar" com.e_commerce.ms_regiones.MsRegionesApplication

```

.  _ _ _ _ _
/\ / _ _ _ _ _ ( ) _ _ _ _ _ \ \ \ \
( ( ) _ _ | ' _ | ' _ | ' V _ _ | \ \ \ \
\ \ _ _ ) | _ _ | | | | | | ( _ _ | ) ) ) )
' | _ _ | _ _ | | _ _ | _ _ , | / / / /
=====|_|=====|_|_/ _ / _ / _ /

```

:: Spring Boot :: (v4.0.6)

```

2026-05-19T15:08:26.732-04:00 INFO 2588 --- [ms-regiones] [      main]
c.e.ms_regiones.MsRegionesApplication : Starting MsRegionesApplication using Java
21.0.11 with PID 2588
(V:\E-commerce-de-Economia-Circular\Proyecto_venta_de_ropa_de_segunda_mano\Proye
cto_venta_de_ropa_de_segunda_mano\ms-regiones\target\classes started by TioBicho in
V:\E-commerce-de-Economia-Circular\Proyecto_venta_de_ropa_de_segunda_mano)
2026-05-19T15:08:26.736-04:00 INFO 2588 --- [ms-regiones] [      main]
c.e.ms_regiones.MsRegionesApplication : No active profile set, falling back to 1 default
profile: "default"
2026-05-19T15:08:26.853-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.xml.config.ValidationXmlParser : Trying to load META-INF/validation.xml for XML
based Validator configuration.
2026-05-19T15:08:26.855-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.xml.config.ResourceLoaderHelper : Trying to load META-INF/validation.xml via TCCL

```

2026-05-19T15:08:26.856-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.xml.config.ResourceLoaderHelper : Trying to load META-INF/validation.xml via
Hibernate Validator's class loader

2026-05-19T15:08:26.856-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.xml.config.ValidationXmlParser : No META-INF/validation.xml found. Using
annotation based configuration only.

2026-05-19T15:08:26.866-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.e.resolver.TraversableResolvers : Found jakarta.persistence.Persistence on
classpath containing 'getPersistenceUtil'. Assuming Jakarta Persistence environment. Trying
to instantiate Jakarta Persistence aware TraversableResolver

2026-05-19T15:08:26.867-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
o.h.v.i.e.resolver.TraversableResolvers : Instantiated Jakarta Persistence aware
TraversableResolver of type
org.hibernate.validator.internal.engine.resolver.JPATraversableResolver.

2026-05-19T15:08:26.900-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.h.v.m.ResourceBundleMessageInterpolator : Loaded expression factory via original TCCL

2026-05-19T15:08:27.010-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000252: Using
org.hibernate.validator.internal.engine.DefaultPropertyNameProvider as property node
name provider.

2026-05-19T15:08:27.016-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.messageinterpolation.ResourceBundleMessageInterpolator as
ValidatorFactory-scoped message interpolator.

2026-05-19T15:08:27.016-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.resolver.JPATraversableResolver as
ValidatorFactory-scoped traversable resolver.

2026-05-19T15:08:27.016-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.util.ExecutableParameterNameProvider as
ValidatorFactory-scoped parameter name provider.

2026-05-19T15:08:27.017-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.DefaultClockProvider as ValidatorFactory-scoped
clock provider.

2026-05-19T15:08:27.017-04:00 DEBUG 2588 --- [ms-regiones] [kground-preinit]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.scripting.DefaultScriptEvaluatorFactory as
ValidatorFactory-scoped script evaluator factory.

2026-05-19T15:08:27.549-04:00 INFO 2588 --- [ms-regiones] [main]
.s.d.r.c.RepositoryConfigurationDelegate : Bootstrapping Spring Data JPA repositories in
DEFAULT mode.

2026-05-19T15:08:27.693-04:00 INFO 2588 --- [ms-regiones] [main]
.s.d.r.c.RepositoryConfigurationDelegate : Finished Spring Data repository scanning in 134
ms. Found 1 JPA repository interface.

2026-05-19T15:08:27.913-04:00 INFO 2588 --- [ms-regiones] [main]
o.s.cloud.context.scope.GenericScope : BeanFactory
id=1b41c77a-6176-3812-a461-18a076eb7faf
2026-05-19T15:08:28.305-04:00 INFO 2588 --- [ms-regiones] [main]
o.s.boot.tomcat.TomcatWebServer : Tomcat initialized with port 8087 (http)
2026-05-19T15:08:28.336-04:00 INFO 2588 --- [ms-regiones] [main]
o.apache.catalina.core.StandardService : Starting service [Tomcat]
2026-05-19T15:08:28.336-04:00 INFO 2588 --- [ms-regiones] [main]
o.apache.catalina.core.StandardEngine : Starting Servlet engine: [Apache Tomcat/11.0.21]
2026-05-19T15:08:28.449-04:00 INFO 2588 --- [ms-regiones] [main]
b.w.c.s.WebApplicationContextInitializer : Root WebApplicationContext: initialization
completed in 1635 ms
2026-05-19T15:08:28.527-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.util.UtilityElf : Class oracle.jdbc.OracleDriver found in Thread context
class loader jdk.internal.loader.ClassLoaders\$AppClassLoader@76ed5528
2026-05-19T15:08:28.758-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.jpa : HHH008541: PersistenceUnitInfo [
name: default
persistence provider classname: null
classloader: jdk.internal.loader.ClassLoaders\$AppClassLoader@76ed5528
excludeUnlistedClasses: true
JTA datasource: null
Non JTA datasource: HikariDataSource (null)
Transaction type: RESOURCE_LOCAL
PU root URL:
file:/V:/E-commerce-de-Economia-Circular/Proyecto_venta_de_ropa_de_segunda_mano/Pr
oyecto%20venta%20de%20ropa%20de%20segunda%20mano/ms-regiones/target/classes/
Shared Cache Mode: UNSPECIFIED
Validation Mode: AUTO
Jar files URLs []
Managed classes names [
com.e_commerce.ms_regiones.Modelo.ModeloRegion]
Mapping files names []
Properties []
2026-05-19T15:08:28.795-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.service : HHH010455: Adding integrator:
org.hibernate.boot.beanvalidation.BeanValidationIntegrator
2026-05-19T15:08:28.797-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.service : HHH010455: Adding integrator:
org.hibernate.cache.internal.CollectionCacheInvalidator
2026-05-19T15:08:28.832-04:00 INFO 2588 --- [ms-regiones] [main]
org.hibernate.orm.core : HHH000001: Hibernate ORM core version 7.2.12.Final
2026-05-19T15:08:28.834-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.core : HHH000206: 'hibernate.properties' not found
2026-05-19T15:08:28.856-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.cache : HHH90001031: Cannot default RegionFactory since no
RegionFactory strategies were registered

2026-05-19T15:08:28.857-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.cache : HHH90001029: Second-level cache disabled
2026-05-19T15:08:29.386-04:00 INFO 2588 --- [ms-regiones] [main]
o.s.o.j.p.SpringPersistenceUnitInfo : No LoadTimeWeaver setup: ignoring JPA class
transformer
2026-05-19T15:08:29.420-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : HikariPool-1 - configuration:
2026-05-19T15:08:29.422-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : allowPoolSuspension.....false
2026-05-19T15:08:29.422-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : autoCommit.....true
2026-05-19T15:08:29.422-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : catalog.....none
2026-05-19T15:08:29.422-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionInitSql.....none
2026-05-19T15:08:29.422-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionTestQuery.....none
2026-05-19T15:08:29.423-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionTimeout.....30000
2026-05-19T15:08:29.423-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig :
credentials.....com.zaxxer.hikari.util.Credentials@2dc73024
2026-05-19T15:08:29.423-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : credentialsProvider.....none
2026-05-19T15:08:29.423-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : credentialsProviderClassName....none
2026-05-19T15:08:29.423-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSource.....none
2026-05-19T15:08:29.424-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceClassName.....none
2026-05-19T15:08:29.424-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceJNDI.....none
2026-05-19T15:08:29.424-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceProperties.....{password=<masked>}
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : driverClassName....."oracle.jdbc.OracleDriver"
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : exceptionOverride.....none
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : exceptionOverrideClassName.....none
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : healthCheckProperties.....{}
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : healthCheckRegistry.....none
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : idleTimeout.....600000
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : initializationFailTimeout.....1

2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : isolateInternalQueries.....false
2026-05-19T15:08:29.425-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig :
jdbcUrl.....jdbc:oracle:thin:@wave6mvvwt38qrkd_high?TNS_ADMIN=C:/Users/
Gamer/Desktop/WalletDeBaseDeDatos
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : keepaliveTime.....120000
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : leakDetectionThreshold.....0
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : maxLifetime.....1800000
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : maximumPoolSize.....2
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : metricRegistry.....none
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : metricsTrackerFactory.....none
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : minimumIdle.....2
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : password.....<masked>
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : poolName....."HikariPool-1"
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : readOnly.....false
2026-05-19T15:08:29.426-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : registerMbeans.....false
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : scheduledExecutor.....none
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : schema.....none
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : threadFactory.....internal
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : transactionIsolation.....default
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : username....."ADMIN"
2026-05-19T15:08:29.427-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : validationTimeout.....5000
2026-05-19T15:08:29.427-04:00 INFO 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Starting...
2026-05-19T15:08:29.435-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.pool.PoolBase : HikariPool-1 - Attempting to create/setup new
connection (006d107b-46c8-48fa-b7d7-cb215464e2cd)
2026-05-19T15:08:29.584-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.pool.PoolBase : HikariPool-1 - Failed to create/setup connection
(006d107b-46c8-48fa-b7d7-cb215464e2cd): ORA-12263: Fallo al acceder a tnsnames.ora

en el directorio configurado como administrador de TNS:

C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

2026-05-19T15:08:29.584-04:00 DEBUG 2588 --- [ms-regiones] [main]

com.zaxxer.hikari.pool.HikariPool : HikariPool-1 - Cannot acquire connection from data source

java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

```
    at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]
    at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnectio
n(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
    at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcCo
nnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

at
org.hibernate.resource.transaction.backend.jdbc.internal.JdbcIsolationDelegate.delegateWork(JdbcIsolationDelegate.java:48) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironmentUsingJdbcMetadata(JdbcEnvironmentInitiator.java:366)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironment(JdbcEnvironmentInitiator.java:143) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnvironmentInitiator.java:120) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnvironmentInitiator.java:80) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.registry.internal.StandardServiceRegistryImpl.initiateService(StandardServiceRegistryImpl.java:133) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.service.internal.AbstractServiceRegistryImpl.createService(AbstractServiceRegistryImpl.java:260) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.service.internal.AbstractServiceRegistryImpl.initializeService(AbstractServiceRegistryImpl.java:235) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.service.internal.AbstractServiceRegistryImpl.getService(AbstractServiceRegistryImpl.java:212) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at org.hibernate.boot.model.relational.Database.<init>(Database.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.getDatabase(InFlightMetadataCollectorImpl.java:251) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.<init>(InFlightMetadataCollectorImpl.java:203) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.model.process.spi.MetadataBuildingProcess.complete(MetadataBuildingProcess.java:172) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.metadata(EntityManagerFactoryBuilderImpl.java:1392) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.populateSessionFactoryBuilder(EntityManagerFactoryBuilderImpl.java:1472)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]

at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactory
BuilderImpl.java:1454) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContain
erEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntity
ManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManager
Factory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(Abstrac
tEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(
LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInit
Methods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeB
ean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreate
Bean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBea
n(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(Abs
tractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defa
ultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanF
actory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFact
ory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]

```

        at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:621) ~[spring-context-7.0.7.jar:7.0.7]
        at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.r
efresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
        at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
        at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:1
2) ~[classes/:na]
Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
        at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 51 common frames omitted
Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
https://docs.oracle.com/error-help/db/ora-17866/

```

at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 58 common frames omitted

2026-05-19T15:08:30.601-04:00 WARN 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc.error : HHH000247: ErrorCode: 12263, SQLState: 66000
2026-05-19T15:08:30.601-04:00 WARN 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc.error : ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
<https://docs.oracle.com/error-help/db/ora-12263/>
2026-05-19T15:08:30.601-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc.error : Unable to obtain isolated JDBC connection [n/a]

java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio
configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos.
El archivo no existe o no se puede acceder a él.
<https://docs.oracle.com/error-help/db/ora-12263/>

at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]
at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]
at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]
at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]
at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]
at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]

```
        at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]
        at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnection(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcConnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.resource.transaction.backend.jdbc.internal.JdbcIsolationDelegate.delegateWork(JdbcIsolationDelegate.java:48) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironmentUsingJdbcMetadata(JdbcEnvironmentInitiator.java:366)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironment(JdbcEnvironmentInitiator.java:143) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnvironmentInitiator.java:120) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnvironmentInitiator.java:80) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.boot.registry.internal.StandardServiceRegistryImpl.initiateService(StandardServiceRegistryImpl.java:133) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.service.internal.AbstractServiceRegistryImpl.createService(AbstractServiceRegistryImpl.java:260) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.service.internal.AbstractServiceRegistryImpl.initializeService(AbstractServiceRegistryImpl.java:235) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.service.internal.AbstractServiceRegistryImpl.getService(AbstractServiceRegistryImpl.java:212) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at org.hibernate.boot.model.relational.Database.<init>(Database.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.getDatabase(InFlightMetadataCollectorImpl.java:251) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.<init>(InFlightMetadataCollectorImpl.java:203) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.boot.model.process.spi.MetadataBuildingProcess.complete(MetadataBuildingProcess.java:172) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.metadata(EntityManagerFactoryBuilderImpl.java:1392) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.populateSessionFactoryBuilder(EntityManagerFactoryBuilderImpl.java:1472)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactoryBuilderImpl.java:1454) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContainerEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntityManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManagerFactory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(AbstractEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]

```

    at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFact
ory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
    at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]
    at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:621) ~[spring-context-7.0.7.jar:7.0.7]
    at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.r
efresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
    at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
            at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
                at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
    at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:1
2) ~[classes/:na]
Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
    at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
            at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
                at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
                    at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
                        at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
                            at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

```



```
at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 51 common frames omitted
Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
https://docs.oracle.com/error-help/db/ora-17866/
```

```
at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 58 common frames omitted
```

2026-05-19T15:08:30.604-04:00 WARN 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc : HHH100046: Could not obtain connection to query
JDBC database metadata

```
org.hibernate.exception.GenericJDBCException: Unable to obtain isolated JDBC connection
[ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como
administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no
existe o no se puede acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/] [n/a]
```

```
at
org.hibernate.exception.internal.StandardSQLExceptionConverter.convert(StandardSQLExc
eptionConverter.java:39) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:115)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:101)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.resource.transaction.backend.jdbc.internal.JdbcIsolationDelegate.delegateWor
k(JdbcIsolationDelegate.java:51) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironmentUsingJd
bcMetadata(JdbcEnvironmentInitiator.java:366)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.getJdbcEnvironment(JdbcEn
vironmentInitiator.java:143) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnviron
mentInitiator.java:120) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator.initiateService(JdbcEnviron
mentInitiator.java:80) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

```
at
org.hibernate.boot.registry.internal.StandardServiceRegistryImpl.initiateService(StandardSer
viceRegistryImpl.java:133) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

at
org.hibernate.service.internal.AbstractServiceRegistryImpl.createService(AbstractServiceRegistryImpl.java:260) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.service.internal.AbstractServiceRegistryImpl.initializeService(AbstractServiceRegistryImpl.java:235) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.service.internal.AbstractServiceRegistryImpl.getService(AbstractServiceRegistryImpl.java:212) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at org.hibernate.boot.model.relational.Database.<init>(Database.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.getDatabase(InFlightMetadataCollectorImpl.java:251) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.InFlightMetadataCollectorImpl.<init>(InFlightMetadataCollectorImpl.java:203) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.model.process.spi.MetadataBuildingProcess.complete(MetadataBuildingProcess.java:172) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.metadata(EntityManagerFactoryBuilderImpl.java:1392) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.populateSessionFactoryBuilder(EntityManagerFactoryBuilderImpl.java:1472)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactoryBuilderImpl.java:1454) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContainerEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntityManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManagerFactory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(AbstractEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInit
Methods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeB
ean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreate
Bean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBea
n(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(Abs
tractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defa
ultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanF
actory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFact
ory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:621) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.r
efresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:1
2) ~[classes/:na]

Caused by: java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS:

C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

```
    at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]
    at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnectio
n(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
    at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcCo
nnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
    at
org.hibernate.resource.transaction.backend.jdbc.internal.JdbcIsolationDelegate.delegateWor
k(JdbcIsolationDelegate.java:48) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
    ... 37 common frames omitted
```

Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS:

C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

```
at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    ... 51 common frames omitted
    Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
```

<https://docs.oracle.com/error-help/db/ora-17866/>

```
at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    ... 58 common frames omitted
```

2026-05-19T15:08:30.626-04:00 WARN 2588 --- [ms-regiones] [main]
org.hibernate.orm.deprecation : HHH90000025: OracleDialect does not need to be
specified explicitly using 'hibernate.dialect' (remove the property setting and it will be
selected by default)

2026-05-19T15:08:30.627-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.dialect : HHH035001: Using dialect:
org.hibernate.dialect.OracleDialect, version: 19.0

2026-05-19T15:08:30.635-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc.lob : HHH10010002: Disabling contextual LOB creation as
connection was null

2026-05-19T15:08:30.636-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.jdbc : HHH100122: Using default JDBC fetch size: -1

2026-05-19T15:08:30.638-04:00 INFO 2588 --- [ms-regiones] [main]
org.hibernate.orm.connections.pooling : HHH10001005: Database info:

```
Database JDBC URL [undefined/unknown]
Database driver: undefined/unknown
Database dialect: OracleDialect
Database version: 19.0
Default catalog/schema: unknown/unknown
```

Autocommit mode: undefined/unknown

Isolation level: NONE [default NONE]

JDBC fetch size: undefined/unknown

Pool: DataSourceConnectionProvider

Minimum pool size: undefined/unknown

Maximum pool size: undefined/unknown

2026-05-19T15:08:30.912-04:00 DEBUG 2588 --- [ms-regiones] [main]

org.hibernate.orm.factory : HHH90020001: Instantiating factory

[0142de7a-4d32-44e8-a155-2c70bf29402d] with settings: {java.specification.version=21,
sun.cpu.isalist=amd64,

hibernate.resource.beans.container=org.springframework.orm.jpa.hibernate.SpringBeanCon
tainer@2979c6ef,

hibernate.connection.handling_mode=DELAYED_ACQUISITION_AND_HOLD,

sun.jnu.encoding=Cp1252, hibernate.dialect=org.hibernate.dialect.OracleDialect,

hibernate.implicit_naming_strategy=org.springframework.boot.hibernate.SpringImplicitNamin
gStrategy,

java.class.path=V:\E-commerce-de-Economia-Circular\Proyecto_venta_de_ropa_de_segund
a_mano\Proyecto venta de ropa de segunda

mano\ms-regiones\target\classes;C:\Users\vicen\.m2\repository\com\oracle\database\jdbc\oj
dbc11\23.9.0.25.07\ojdbc11-23.9.0.25.07.jar;C:\Users\vicen\.m2\repository\com\oracle\ datab
ase\security\oraclepki\19.8.0.0\oraclepki-19.8.0.0.jar;C:\Users\vicen\.m2\repository\org\spring
framework\cloud\spring-cloud-starter-netflix-eureka-client\5.0.1\spring-cloud-starter-netflix-e
ureka-client-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-
starter\5.0.1\spring-cloud-starter-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework
\cloud\spring-cloud-context\5.0.1\spring-cloud-context-5.0.1.jar;C:\Users\vicen\.m2\repositor
y\org\springframework\boot\spring-boot-restclient\4.0.6\spring-boot-restclient-4.0.6.jar;C:\Us
ers\vicen\.m2\repository\org\springframework\boot\spring-boot-http-client\4.0.6\spring-boot-h
ttp-client-4.0.6.jar;C:\Users\vicen\.m2\repository\org\bouncycastle\bcprov-jdk18on\1.81\bcpr
ov-jdk18on-1.81.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-n
etflix-eureka-client\5.0.1\spring-cloud-netflix-eureka-client-5.0.1.jar;C:\Users\vicen\.m2\reposi
tory\org\springframework\boot\spring-boot-jackson2\4.0.6\spring-boot-jackson2-4.0.6.jar;C:\
Users\vicen\.m2\repository\com\fastxml\jackson\datatype\jackson-datatype-jdk8\2.21.2\jac
kson-datatype-jdk8-2.21.2.jar;C:\Users\vicen\.m2\repository\com\fastxml\jackson\datatype\
jackson-datatype-jsr310\2.21.2\jackson-datatype-jsr310-2.21.2.jar;C:\Users\vicen\.m2\reposi
tory\com\fastxml\jackson\module\jackson-module-parameter-names\2.21.2\jackson-modul
e-parameter-names-2.21.2.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\cli
ent5\httpclient5\5.5.2\httpclient5-5.5.2.jar;C:\Users\vicen\.m2\repository\org\apache\httpcom
ponents\core5\httpcore5\5.3.6\httpcore5-5.3.6.jar;C:\Users\vicen\.m2\repository\org\apache\
httpcomponents\core5\httpcore5-h2\5.3.6\httpcore5-h2-5.3.6.jar;C:\Users\vicen\.m2\repositor
y\com\netflix\eureka\eureka-client\2.0.5\eureka-client-2.0.5.jar;C:\Users\vicen\.m2\repository\
com\thoughtworks\xstream\xstream\1.4.21\xstream-1.4.21.jar;C:\Users\vicen\.m2\repository\
io\github\x-stream\mxparser\1.2.2\mxparser-1.2.2.jar;C:\Users\vicen\.m2\repository\xmlpull\x
mlpull\1.1.3.1\xmlpull-1.1.3.1.jar;C:\Users\vicen\.m2\repository\jakarta\ws\rs\jakarta.ws.rs-api
\4.0.0\jakarta.ws.rs-api-4.0.0.jar;C:\Users\vicen\.m2\repository\jakarta\inject\jakarta.inject-api
\2.0.1\jakarta.inject-api-2.0.1.jar;C:\Users\vicen\.m2\repository\jakarta\annotation\jakarta.ann
otation-api\3.0.0\jakarta.annotation-api-3.0.0.jar;C:\Users\vicen\.m2\repository\com\netflix\sp
ectator\spectator-api\1.7.3\spectator-api-1.7.3.jar;C:\Users\vicen\.m2\repository\org\slf4j\slf4j
-api\2.0.17\slf4j-api-2.0.17.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\http

client\4.5.3\httpclient-4.5.3.jar;C:\Users\vicen\.m2\repository\org\apache\httpcomponents\httpcore\4.4.16\httpcore-4.4.16.jar;C:\Users\vicen\.m2\repository\commons-codec\commons-codec\1.19.0\commons-codec-1.19.0.jar;C:\Users\vicen\.m2\repository\commons-configuration\commons-configuration\1.10\commons-configuration-1.10.jar;C:\Users\vicen\.m2\repository\commons-lang\commons-lang\2.6\commons-lang-2.6.jar;C:\Users\vicen\.m2\repository\com\fastxml\jackson\core\jackson-annotations\2.21\jackson-annotations-2.21.jar;C:\Users\vicen\.m2\repository\com\fastxml\jackson\core\jackson-core\2.21.2\jackson-core-2.21.2.jar;C:\Users\vicen\.m2\repository\com\fastxml\jackson\core\jackson-databind\2.21.2\jackson-databind-2.21.2.jar;C:\Users\vicen\.m2\repository\com\netflix\netflix-commons\netflix-eventbus\0.3.0\netflix-eventbus-0.3.0.jar;C:\Users\vicen\.m2\repository\com\netflix\netflix-commons\netflix-infix\0.3.0\netflix-infix-0.3.0.jar;C:\Users\vicen\.m2\repository\commons-jxpath\commons-jxpath\1.3\commons-jxpath-1.3.jar;C:\Users\vicen\.m2\repository\joda-time\joda-time\2.3\joda-time-2.3.jar;C:\Users\vicen\.m2\repository\org\antlr\antlr-runtime\3.4\antlr-runtime-3.4.jar;C:\Users\vicen\.m2\repository\org\antlr\stringtemplate\3.2.1\stringtemplate-3.2.1.jar;C:\Users\vicen\.m2\repository\antlr\antlr\2.7.7\antlr-2.7.7.jar;C:\Users\vicen\.m2\repository\com\google\code\gson\gson\2.13.2\gson-2.13.2.jar;C:\Users\vicen\.m2\repository\com\google\errorprone\error_prone_annotations\2.41.0\error_prone_annotations-2.41.0.jar;C:\Users\vicen\.m2\repository\com\netflix\servo\servo-core\0.5.3\servo-core-0.5.3.jar;C:\Users\vicen\.m2\repository\org\apache\commons\commons-math\2.2\commons-math-2.2.jar;C:\Users\vicen\.m2\repository\javax\annotation\javax.annotation-api\1.2\javax.annotation-api-1.2.jar;C:\Users\vicen\.m2\repository\org\codehaus\jettison\jettison\1.5.4\jettison-1.5.4.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-starter-loadbalancer\5.0.1\spring-cloud-starter-loadbalancer-5.0.1.jar;C:\Users\vicen\.m2\repository\org\springframework\cloud\spring-cloud-loadbalancer\5.0.1\spring-cloud-loadbalancer-5.0.1.jar;C:\Users\vicen\.m2\repository\io\projectreactor\reactor-core\3.8.5\reactor-core-3.8.5.jar;C:\Users\vicen\.m2\repository\org\reactivestreams\reactive-streams\1.0.4\reactive-streams-1.0.4.jar;C:\Users\vicen\.m2\repository\io\projectreactor\addons\reactor-extra\3.6.0\reactor-extra-3.6.0.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-cache\4.0.6\spring-boot-starter-cache-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-cache\4.0.6\spring-boot-cache-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\spring-context-support\7.0.7\spring-context-support-7.0.7.jar;C:\Users\vicen\.m2\repository\com\stoyan\levictor\1.0.0\levictor-1.0.0.jar;C:\Users\vicen\.m2\repository\com\oracle\database\security\osdt_core\19.8.0.0\osdt_core-19.8.0.0.jar;C:\Users\vicen\.m2\repository\com\oracle\database\security\osdt_cert\19.8.0.0\osdt_cert-19.8.0.0.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-data-jpa\4.0.6\spring-boot-starter-data-jpa-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter\4.0.6\spring-boot-starter-4.0.6.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-logging\4.0.6\spring-boot-starter-logging-4.0.6.jar;C:\Users\vicen\.m2\repository\ch\qos\logback\logback-classic\1.5.32\logback-classic-1.5.32.jar;C:\Users\vicen\.m2\repository\ch\qos\logback\logback-core\1.5.32\logback-core-1.5.32.jar;C:\Users\vicen\.m2\repository\org\apache\logging\log4j\log4j-to-slf4j\2.25.4\log4j-to-slf4j-2.25.4.jar;C:\Users\vicen\.m2\repository\org\apache\logging\log4j\log4j-api\2.25.4\log4j-api-2.25.4.jar;C:\Users\vicen\.m2\repository\org\slf4j\jul-to-slf4j\2.0.17\jul-to-slf4j-2.0.17.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-autoconfigure\4.0.6\spring-boot-autoconfigure-4.0.6.jar;C:\Users\vicen\.m2\repository\org\yaml\snakeyaml\2.5\snakeyaml-2.5.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-jdbc\4.0.6\spring-boot-starter-jdbc-4.0.6.jar;C:\Users\vicen\.m2\repository\com\zaxxer\HikariCP\7.0.2\HikariCP-7.0.2.jar;C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-data-jpa\4.0.6\spring-boot-data-jpa-4.0.6.jar;C:\Users\vicen\.m2\repository\org\

springframework\boot\spring-boot-data-commons\4.0.6\spring-boot-data-commons-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-persistence\4.0.6\spring-boot-persistence-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\data\spring-data-commons\4.0.5\spring-data-commons-4.0.5.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-hibernate\4.0.6\spring-boot-hibernate-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jpa\4.0.6\spring-boot-jpa-4.0.6.jar; C:\Users\vicen\.m2\repository\jakarta\persistence\jakarta.persistence-api\3.2.0\jakarta.persistence-api-3.2.0.jar; C:\Users\vicen\.m2\repository\org\hibernate\orm\hibernate-core\7.2.12.Final\hibernate-core-7.2.12.Final.jar; C:\Users\vicen\.m2\repository\jakarta\transaction\jakarta.transaction-api\2.0.1\jakarta.transaction-api-2.0.1.jar; C:\Users\vicen\.m2\repository\org\hibernate\models\hibernate-models\1.0.1\hibernate-models-1.0.1.jar; C:\Users\vicen\.m2\repository\org\glassfish\jaxb\jaxb-runtime\4.0.6\jaxb-runtime-4.0.6.jar; C:\Users\vicen\.m2\repository\org\glassfish\jaxb\jaxb-core\4.0.6\jaxb-core-4.0.6.jar; C:\Users\vicen\.m2\repository\org\eclipse\angus\angus-activation\2.0.3\angus-activation-2.0.3.jar; C:\Users\vicen\.m2\repository\org\glassfish\jaxb\txw2\4.0.6\txw2-4.0.6.jar; C:\Users\vicen\.m2\repository\com\sun\istack\istack-commons-runtime\4.1.2\istack-commons-runtime-4.1.2.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-orm\7.0.7\spring-orm-7.0.7.jar; C:\Users\vicen\.m2\repository\org\springframework\data\spring-data-jpa\4.0.5\spring-data-jpa-4.0.5.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-context\7.0.7\spring-context-7.0.7.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-aop\7.0.7\spring-aop-7.0.7.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-tx\7.0.7\spring-tx-7.0.7.jar; C:\Users\vicen\.m2\repository\org\antlr\antlr4-runtime\4.13.2\antlr4-runtime-4.13.2.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-aspects\7.0.7\spring-aspects-7.0.7.jar; C:\Users\vicen\.m2\repository\org\aspectj\aspectjweaver\1.9.25.1\aspectjweaver-1.9.25.1.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jdbc\4.0.6\spring-boot-jdbc-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot\4.0.6\spring-boot-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-sql\4.0.6\spring-boot-sql-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-transaction\4.0.6\spring-boot-transaction-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\spring-jdbc\7.0.7\spring-jdbc-7.0.7.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-validation\4.0.6\spring-boot-starter-validation-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-validation\4.0.6\spring-boot-validation-4.0.6.jar; C:\Users\vicen\.m2\repository\org\apache\tomcat\embed\tomcat-embed-el\11.0.21\tomcat-embed-el-11.0.21.jar; C:\Users\vicen\.m2\repository\org\hibernate\validator\hibernate-validator\9.0.1.Final\hibernate-validator-9.0.1.Final.jar; C:\Users\vicen\.m2\repository\jakarta\validation\jakarta.validation-api\3.1.1\jakarta.validation-api-3.1.1.jar; C:\Users\vicen\.m2\repository\org\jboss\logging\jboss-logging\3.6.3.Final\jboss-logging-3.6.3.Final.jar; C:\Users\vicen\.m2\repository\com\fastxml\classmate\1.7.3\classmate-1.7.3.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-webmvc\4.0.6\spring-boot-starter-webmvc-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-jackson\4.0.6\spring-boot-starter-jackson-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-jackson\4.0.6\spring-boot-jackson-4.0.6.jar; C:\Users\vicen\.m2\repository\tools\jackson\core\jackson-databind\3.1.2\jackson-databind-3.1.2.jar; C:\Users\vicen\.m2\repository\tools\jackson\core\jackson-core\3.1.2\jackson-core-3.1.2.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-tomcat\4.0.6\spring-boot-starter-tomcat-4.0.6.jar; C:\Users\vicen\.m2\repository\org\springframework\boot\spring-boot-starter-tomcat-runtime\4.0.6\spring-boot-starter-tomcat-runtime-4.0.6.jar; C:\Users\vicen\.m2\repository\org\apache\tomcat\embed\tomcat-embed-core\11.0.21\tomcat-embed-core-11.0.21.jar; C:\Users\vicen\.m2\repository\org\apache\tomcat\

mbed\tomcat-embed-websocket\11.0.21\tomcat-embed-websocket-11.0.21.jar;C:\Users\vicen\m2\repository\org\springframework\boot\spring-boot-tomcat\4.0.6\spring-boot-tomcat-4.0.6.jar;C:\Users\vicen\m2\repository\org\springframework\boot\spring-boot-http-converter\4.0.6\spring-boot-http-converter-4.0.6.jar;C:\Users\vicen\m2\repository\org\springframework\boot\spring-boot-webmvc\4.0.6\spring-boot-webmvc-4.0.6.jar;C:\Users\vicen\m2\repository\org\springframework\boot\spring-boot-servlet\4.0.6\spring-boot-servlet-4.0.6.jar;C:\Users\vicen\m2\repository\org\springframework\spring-webmvc\7.0.7\spring-webmvc-7.0.7.jar;C:\Users\vicen\m2\repository\org\springframework\spring-expression\7.0.7\spring-expression-7.0.7.jar;C:\Users\vicen\m2\repository\org\springframework\cloud\spring-cloud-starter-openfeign\5.0.1\spring-cloud-starter-openfeign-5.0.1.jar;C:\Users\vicen\m2\repository\org\springframework\cloud\spring-cloud-openfeign-core\5.0.1\spring-cloud-openfeign-core-5.0.1.jar;C:\Users\vicen\m2\repository\org\jSpecify\jSpecify\1.0.0\jSpecify-1.0.0.jar;C:\Users\vicen\m2\repository\io\github\openfeign\feign-form-spring\13.6\feign-form-spring-13.6.jar;C:\Users\vicen\m2\repository\org\apache\commons\commons-text\1.13.0\commons-text-1.13.0.jar;C:\Users\vicen\m2\repository\org\apache\commons\commons-lang3\3.19.0\commons-lang3-3.19.0.jar;C:\Users\vicen\m2\repository\io\github\openfeign\feign-form\13.6\feign-form-13.6.jar;C:\Users\vicen\m2\repository\commons-fileupload\commons-fileupload\1.5\commons-fileupload-1.5.jar;C:\Users\vicen\m2\repository\org\springframework\spring-web\7.0.7\spring-web-7.0.7.jar;C:\Users\vicen\m2\repository\org\springframework\spring-beans\7.0.7\spring-beans-7.0.7.jar;C:\Users\vicen\m2\repository\org\springframework\spring-core\7.0.7\spring-core-7.0.7.jar;C:\Users\vicen\m2\repository\commons-logging\commons-logging\1.3.6\commons-logging-1.3.6.jar;C:\Users\vicen\m2\repository\io\micrometer\micrometer-observation\1.16.5\micrometer-observation-1.16.5.jar;C:\Users\vicen\m2\repository\io\micrometer\micrometer-commons\1.16.5\micrometer-commons-1.16.5.jar;C:\Users\vicen\m2\repository\org\springframework\cloud\spring-cloud-commons\5.0.1\spring-cloud-commons-5.0.1.jar;C:\Users\vicen\m2\repository\org\springframework\security\spring-security-crypto\7.0.5\spring-security-crypto-7.0.5.jar;C:\Users\vicen\m2\repository\io\github\openfeign\feign-core\13.6\feign-core-13.6.jar;C:\Users\vicen\m2\repository\io\github\openfeign\feign-slf4j\13.6\feign-slf4j-13.6.jar;C:\Users\vicen\m2\repository\org\projectlombok\lombok\1.18.46\lombok-1.18.46.jar;C:\Users\vicen\m2\repository\jakarta\xml\bind\jakarta.xml.bind-api\4.0.4\jakarta.xml.bind-api-4.0.4.jar;C:\Users\vicen\m2\repository\jakarta\activation\jakarta.activation-api\2.1.4\jakarta.activation-api-2.1.4.jar;C:\Users\vicen\m2\repository\net\bytebuddy\byte-buddy\1.17.8\byte-buddy-1.17.8.jar;C:\Users\vicen\m2\repository\org\springframework\boot\spring-boot-web-server\4.0.6\spring-boot-web-server-4.0.6.jar, java.vm.vendor=Microsoft, sun.arch.data.model=64, user.variant=, java.vendor.url=https://www.microsoft.com, catalina.useNaming=false, user.timezone=America/Santiago, jakarta.persistence.sharedCache.mode=UNSPECIFIED, org.jboss.logging.provider=slf4j, java.vm.specification.version=21, os.name=Windows 11, APPLICATION_NAME=ms-regiones, jakarta.persistence.nonJtaDataSource=HikariDataSource (null), sun.java.launcher=SUN_STANDARD, user.country=CL, sun.boot.library.path=C:\Users\vicen\jdk\ms-21.0.11\bin, sun.java.command=com.e_commerce.ms_regiones.MsRegionesApplication, javax.persistence.nonJtaDataSource=HikariDataSource (null), hibernate.transaction.jta.platform=org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform@1af6974c, jdk.debug=release, sun.cpu.endian=little, hibernate.cdi.extensions=true, user.home=C:\Users\vicen, user.language=es, sun.stderr.encoding=UTF-8, java.specification.vendor=Oracle Corporation, java.version.date=2026-04-21, java.home=C:\Users\vicen\jdk\ms-21.0.11, file.separator=,

spring.output.ansi.enabled=always, java.vm.compressedOopsMode=Zero based,
sun.stdout.encoding=UTF-8, line.separator=
, hibernate.persistenceUnitName=default, java.vm.specification.vendor=Oracle Corporation,
java.specification.name=Java Platform API Specification, FILE_LOG_CHARSET=UTF-8,
hibernate.transaction.coordinator_class=class
org.hibernate.resource.transaction.backend.jdbc.internal.JdbcResourceLocalTransactionCoor
dinatorBuilderImpl, java.awt.headless=true, jakarta.persistence.validation.mode=AUTO,
hibernate.hbm2ddl.auto=validate, user.script=, sun.management.compiler=HotSpot 64-Bit
Tiered Compilers, java.runtime.version=21.0.11+10-LTS, user.name=TioBicho,
stdout.encoding=UTF-8, path.separator=;, os.version=10.0, java.runtime.name=OpenJDK
Runtime Environment, file.encoding=UTF-8, java.vm.name=OpenJDK 64-Bit Server VM,
java.vendor.version=Microsoft-13877171,
java.vendor.url.bug=https://github.com/microsoft/openjdk/issues,
java.io.tmpdir=C:\Users\vicen\AppData\Local\Temp\
catalina.home=C:\Users\vicen\AppData\Local\Temp\tomcat.8087.15978865464461594000,
java.version=21.0.11,
hibernate.physical_naming_strategy=org.hibernate.boot.model.naming.PhysicalNamingStrat
egySnakeCaseImpl,
user.dir=V:\E-commerce-de-Economia-Circular\Proyecto_venta_de_ropa_de_segunda_man
o, os.arch=amd64, java.vm.specification.name=Java Virtual Machine Specification,
PID=2588, sun.os.patch.level=, CONSOLE_LOG_CHARSET=UTF-8,
catalina.base=C:\Users\vicen\AppData\Local\Temp\tomcat.8087.15978865464461594000,
hibernate.boot.CfgXmlAccessService.key=org.hibernate.boot.registry.StandardServiceRegist
ryBuilder\$1@61d61b0e, native.encoding=Cp1252,
java.library.path=C:\Users\vicen\jdk\ms-21.0.11\bin;C:\WINDOWS\Sun\Java\bin;C:\WINDO
WS\system32;C:\WINDOWS;C:\Program Files\Common
Files\Oracle\Java\javapath;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32
\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\WINDOWS\System32\Open
SSH\;C:\Program Files (x86)\NVIDIA Corporation\PhysX\Common;C:\Program
Files\Git\cmd;C:\Program Files\PuTTY\;C:\Program Files\NVIDIA Corporation\NVIDIA
App\NvDLISR;C:\Program Files\dotnet\;C:\Program Files\Tailscale\;C:\Program
Files\Docker\Docker\resources\bin;C:\Users\vicen\AppData\Local\Programs\Python\Python3
14\Scripts\;C:\Users\vicen\AppData\Local\Programs\Python\Python314\;C:\Users\vicen\AppData\Local\Programs\Python\Launcher\;C:\Users\vicen\AppData\Local\Microsoft\WindowsAp
ps;C:\Users\vicen\AppData\Local\Programs\Microsoft VS
Code\bin;C:\Users\vicen\AppData\Local\GitHubDesktop\bin;C:\Program
Files\JetBrains\IntelliJ IDEA 2026.1.1\bin;., stderr.encoding=UTF-8, java.vendor=Microsoft,
java.vm.info=mixed mode, emulated-client, sharing, java.vm.version=21.0.11+10-LTS,
sun.io.unicode.encoding=UnicodeLittle,
hibernate.archive.scanner=org.hibernate.boot.archive.scan.internal.DisabledScanner,
hibernate.connection.datasource=HikariDataSource (null), java.class.version=65.0,
LOGGED_APPLICATION_NAME=[ms-regiones] }
2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.xml.config.ValidationXmlParser : Trying to load META-INF/validation.xml for XML
based Validator configuration.
2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.xml.config.ResourceLoaderHelper : Trying to load META-INF/validation.xml via TCCL

2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.xml.config.ResourceLoaderHelper : Trying to load META-INF/validation.xml via
Hibernate Validator's class loader

2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.xml.config.ValidationXmlParser : No META-INF/validation.xml found. Using
annotation based configuration only.

2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.e.resolver.TraversableResolvers : Found jakarta.persistence.Persistence on
classpath containing 'getPersistenceUtil'. Assuming Jakarta Persistence environment. Trying
to instantiate Jakarta Persistence aware TraversableResolver

2026-05-19T15:08:30.922-04:00 DEBUG 2588 --- [ms-regiones] [main]
o.h.v.i.e.resolver.TraversableResolvers : Instantiated Jakarta Persistence aware
TraversableResolver of type
org.hibernate.validator.internal.engine.resolver.JPATraversableResolver.

2026-05-19T15:08:30.923-04:00 DEBUG 2588 --- [ms-regiones] [main]
.h.v.m.ResourceBundleMessageInterpolator : Loaded expression factory via original TCCL

2026-05-19T15:08:30.923-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000252: Using
org.hibernate.validator.internal.engine.DefaultPropertyNameProvider as property node
name provider.

2026-05-19T15:08:30.924-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.messageinterpolation.ResourceBundleMessageInterpolator as
ValidatorFactory-scoped message interpolator.

2026-05-19T15:08:30.924-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.resolver.JPATraversableResolver as
ValidatorFactory-scoped traversable resolver.

2026-05-19T15:08:30.924-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.util.ExecutableParameterNameProvider as
ValidatorFactory-scoped parameter name provider.

2026-05-19T15:08:30.924-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.DefaultClockProvider as ValidatorFactory-scoped
clock provider.

2026-05-19T15:08:30.924-04:00 DEBUG 2588 --- [ms-regiones] [main]
.i.e.ValidatorFactoryConfigurationHelper : HV000234: Using
org.hibernate.validator.internal.engine.scripting.DefaultScriptEvaluatorFactory as
ValidatorFactory-scoped script evaluator factory.

2026-05-19T15:08:31.065-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.HQL_FUNCTIONS : Available HQL Functions:
abs(NUMERIC arg)
Double acos(NUMERIC arg)
add_months DATE datetime, INTEGER months)
Boolean any(BOOLEAN arg)
array(...)
array_agg(arg)

array_append(...)
array_concat(...)
Boolean array_contains(ARRAY haystackArray, OBJECT needleElementOrArray)
Boolean array_contains_nullable(ARRAY haystackArray, OBJECT
needleElementOrArray)
array_fill(OBJECT element, INTEGER elementCount)
array_fill_list(OBJECT element, INTEGER elementCount)
array_get(...)
Boolean array_includes(ARRAY haystackArray, OBJECT needleArray)
Boolean array_includes_nullable(ARRAY haystackArray, OBJECT needleArray)
Boolean array_intersects(ARRAY array0, OBJECT array1)
Boolean array_intersects_nullable(ARRAY array0, OBJECT array1)
Integer array_length(ARRAY array)
array_list(...)
Boolean array_overlaps(ARRAY array0, OBJECT array1)
Boolean array_overlaps_nullable(ARRAY array0, OBJECT array1)
Integer array_position(ARRAY array, OBJECT element[, INTEGER startPosition])
int[] array_positions(ARRAY array, OBJECT element)
List array_positions_list(ARRAY array, OBJECT element)
array_prepend(...)
array_remove(...)
array_remove_index(...)
array_replace(...)
array_set(...)
array_slice(...)
String array_to_string(...)
array_trim(...)
Integer ascii(STRING arg)
Double asin(NUMERIC arg)
Double atan(NUMERIC arg)
Double atan2(NUMERIC arg0, NUMERIC arg1)
avg(arg)
Integer bit_length(STRING_OR_CLOB arg)
bitand(arg0, arg1)
bitor(arg0, arg1)
bitxor(arg0, arg1)
cast(arg as Type)
ceil(NUMERIC arg)
ceiling(NUMERIC arg)
Character char(INTEGER arg)
Integer character_length(STRING_OR_CLOB arg)
Character chr(INTEGER arg)
coalesce(arg0[, arg1[, ...]])
String collate(STRING string as COLLATION collation)
String concat(STRING string0[, STRING string1[, ...]])
Double corr(NUMERIC arg0, NUMERIC arg1)
Double cos(NUMERIC arg)
Double cosh(NUMERIC arg)

Long count([distinct]{arg|*})
 Double covar_pop(NUMERIC arg0, NUMERIC arg1)
 Double covar_samp(NUMERIC arg0, NUMERIC arg1)
 Double cume_dist([arg0[, ...]])
 Date current date
 Time current time
 Timestamp current timestamp
 Date current_date
 Instant current_instant
 Time current_time
 Timestamp current_timestamp
 dateadd(TEMPORAL_UNIT field, INTEGER magnitude, TEMPORAL datetime)
 Long|Double datediff(TEMPORAL_UNIT field, TEMPORAL start, TEMPORAL end)
 Double degrees(NUMERIC arg)
 Long dense_rank([arg0[, ...]])
 Boolean every(BOOLEAN arg)
 Double exp(NUMERIC arg)
 extract(TEMPORAL_UNIT field from TEMPORAL arg)
 first_valueANY value
 floor(NUMERIC arg)
 String format(TEMPORAL datetime as STRING pattern)
 greatest(COMPARABLE arg0, COMPARABLE arg1[, arg2[, ...]])
 String hex(arg)
 ifnull(arg0, arg1)
 String initcap(arg)
 Instant instant
 Integer instr(STRING string, STRING pattern[, INTEGER start[, INTEGER occurrence]])
 String json_array([arg0[, ...]])
 String json_array_append(IMPLICIT_JSON arg0, STRING arg1, ANY arg2)
 String json_array_insert(IMPLICIT_JSON arg0, STRING arg1, ANY arg2)
 String json_arrayagg(arg0[, arg1])
 Boolean json_exists(IMPLICIT_JSON arg0, STRING arg1)
 String json_insert(IMPLICIT_JSON arg0, STRING arg1, ANY arg2)
 String json_mergepatch(IMPLICIT_JSON arg0, IMPLICIT_JSON arg1[, arg2[, ...]])
 String json_object(...)
 String json_objectagg(arg0, arg1[, arg2, arg3])
 String json_query(...)
 String json_remove(IMPLICIT_JSON arg0, STRING arg1)
 String json_replace(IMPLICIT_JSON arg0, STRING arg1, ANY arg2)
 String json_set(IMPLICIT_JSON arg0, STRING arg1, ANY arg2)
 json_value(...)
 lagANY value[, INTEGER offset[, ANY default]]
 Date last_day(DATE arg)
 last_valueANY value
 leadANY value[, INTEGER offset[, ANY default]]
 least(COMPARABLE arg0, COMPARABLE arg1[, arg2[, ...]])
 String left(STRING string, INTEGER length)

length
String listagg(STRING arg0, STRING arg1)
Double ln(NUMERIC arg)
LocalDate local date
LocalDateTime local datetime
LocalTime local time
LocalDate local_date
LocalDateTime local_datetime
LocalTime local_time
Integer locate(pattern, string[, start])
Double log(NUMERIC arg0[, NUMERIC arg1])
Double log10(NUMERIC arg)
String lower(STRING string)
String lpad(STRING string, INTEGER length[, STRING padding])
String ltrim(STRING string[, STRING characters])
max(COMPARABLE arg)
byte[] md5(arg)
Double median(NUMERIC arg)
min(COMPARABLE arg)
Integer mod(INTEGER arg0, INTEGER arg1)
mode()
Integer months_between(DATE end, DATE start)
nth_valueANY value, INTEGER nth
nullif(arg0, arg1)
Integer octet_length(STRING_OR_CLOB arg)
OffsetDateTime offset datetime
OffsetDateTime offset_datetime
Integer ordinal(ENUM arg)
String overlay(STRING string placing STRING replacement from INTEGER start[for
INTEGER length])
String pad(STRING string with INTEGER length {leading|trailing}[STRING
character])
Double percent_rank([arg0[, ...]])
percentile_cont(NUMERIC arg)
percentile_disc(NUMERIC arg)
Double pi
Integer position(STRING pattern in STRING string)
Double power(NUMERIC arg0, NUMERIC arg1)
Double radians(NUMERIC arg)
Long rank([arg0[, ...]])
(STRING string, STRING pattern[, STRING flags])
Double regr_avgx(NUMERIC arg0, NUMERIC arg1)
Double regr_avgy(NUMERIC arg0, NUMERIC arg1)
Double regr_count(NUMERIC arg0, NUMERIC arg1)
Double regr_intercept(NUMERIC arg0, NUMERIC arg1)
Double regr_r2(NUMERIC arg0, NUMERIC arg1)
Double regr_slope(NUMERIC arg0, NUMERIC arg1)
Double regr_sxx(NUMERIC arg0, NUMERIC arg1)

```

Double regr_sxy(NUMERIC arg0, NUMERIC arg1)
Double regr_syy(NUMERIC arg0, NUMERIC arg1)
String repeat(String string, INTEGER times)
String replace(String string, String pattern, String replacement)
String right(String string, INTEGER length)
round(NUMERIC number[, INTEGER places])
Long row_number()
Long rowid
Long rownum
String rpad(String string, INTEGER length[, String padding])
String rtrim(String string[, String characters])
byte[] sha(arg)
Integer sign(NUMERIC arg)
Double sin(NUMERIC arg)
Double sinh(NUMERIC arg)
String soundex(arg)
sql
Double sqrt(NUMERIC arg)
Double stddev(NUMERIC arg)
Double stddev_pop(NUMERIC arg)
Double stddev_samp(NUMERIC arg)
String str(arg)
String string(ENUM arg)
String substr(String string, INTEGER start[, INTEGER length])
String substring(String string{ from|,} INTEGER start[{ for|,} INTEGER length])
sum(arg)
Timestamp sysdate
Timestamp systimestamp
Double tan(NUMERIC arg)
Double tanh(NUMERIC arg)
timestampadd(TEMPORAL_UNIT field, INTEGER magnitude, TEMPORAL datetime)
Long|Double timestampdiff(TEMPORAL_UNIT field, TEMPORAL start, TEMPORAL
end)
String to_char(ANY arg0[, String arg1, String arg2])
Date to_date(String arg0[, String arg1, String arg2])
Double to_number(String arg0[, String arg1, String arg2])
Timestamp to_timestamp(String arg0[, String arg1, String arg2])
String translate(String arg0, String arg1, String arg2)
String trim([[{leading|trailing|both} ][String arg0 ]from] String arg1)
trunc( ... )
truncate( ... )
String upper(String string)
Double var_pop(NUMERIC arg)
Double var_samp(NUMERIC arg)
Double variance(NUMERIC arg)
String xmlagg( ... )
String xmlcomment(String arg)
String xmlconcat( ... )

```

String xmlelement(...)
Boolean xmlexists(...)
String xmlforest(...)
String xmlpi(...)
String xmlquery(...)

2026-05-19T15:08:31.388-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.core : HHH000513: Unable to create the ReflectionOptimizer
for [com.e_commerce.ms_regiones.Modelo.ModeloRegion]: private accessor
[nombreRegion]
2026-05-19T15:08:31.569-04:00 INFO 2588 --- [ms-regiones] [main]
org.hibernate.orm.core : HHH000489: No JTA platform available (set
'hibernate.transaction.jta.platform' to enable JTA platform integration)
2026-05-19T15:08:31.576-04:00 DEBUG 2588 --- [ms-regiones] [main]
org.hibernate.orm.service : HHH010454: EventListenerRegistry access via
ServiceRegistry is deprecated - use 'sessionFactory.getEventEngine().getListenerRegistry()' instead
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : HikariPool-1 - configuration:
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : allowPoolSuspension.....false
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : autoCommit.....true
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : catalog.....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionInitSql.....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionTestQuery.....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : connectionTimeout.....30000
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig :
credentials.....com.zaxxer.hikari.util.Credentials@2dc73024
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : credentialsProvider.....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : credentialsProviderClassName....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSource.....none
2026-05-19T15:08:31.596-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceClassName.....none
2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceJNDI.....none
2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : dataSourceProperties.....{password=<masked>}
2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : driverClassName....."oracle.jdbc.OracleDriver"

2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : exceptionOverride.....none
2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : exceptionOverrideClassName.....none
2026-05-19T15:08:31.597-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : healthCheckProperties.....{}
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : healthCheckRegistry.....none
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : idleTimeout.....600000
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : initializationFailTimeout.....1
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : isolateInternalQueries.....false
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig :
jdbcUrl.....jdbc:oracle:thin:@wave6mvvwt38qrkd_high?TNS_ADMIN=C:/Users/
Gamer/Desktop/WalletDeBaseDeDatos
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : keepaliveTime.....120000
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : leakDetectionThreshold.....0
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : maxLifetime.....1800000
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : maximumPoolSize.....2
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : metricRegistry.....none
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : metricsTrackerFactory.....none
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : minimumIdle.....2
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : password.....<masked>
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : poolName....."HikariPool-1"
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : readOnly.....false
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : registerMbeans.....false
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : scheduledExecutor.....none
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : schema.....none
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : threadFactory.....internal
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [main]
com.zaxxer.hikari.HikariConfig : transactionIsolation.....default

```

2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.HikariConfig      : username....."ADMIN"
2026-05-19T15:08:31.598-04:00 DEBUG 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.HikariConfig      : validationTimeout.....5000
2026-05-19T15:08:31.598-04:00 INFO 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.HikariDataSource   : HikariPool-1 - Starting...
2026-05-19T15:08:31.599-04:00 DEBUG 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.pool.PoolBase      : HikariPool-1 - Attempting to create/setup new
connection (b7ac47cf-b2e0-4a95-a022-40a06c87fdc9)
2026-05-19T15:08:31.602-04:00 DEBUG 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.pool.PoolBase      : HikariPool-1 - Failed to create/setup connection
(b7ac47cf-b2e0-4a95-a022-40a06c87fdc9): ORA-12263: Fallo al acceder a tnsnames.ora en
el directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
2026-05-19T15:08:31.602-04:00 DEBUG 2588 --- [ms-regiones] [      main]
com.zaxxer.hikari.pool.HikariPool    : HikariPool-1 - Cannot acquire connection from data
source

```

java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio
 configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos.
 El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

```

    at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]
    at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]

```

```
        at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]
        at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnectio
n(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcCo
nnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.
getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.
getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:37)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.internal.exec.ImprovedExtractionContextImpl.getJdbcConnection(
ImprovedExtractionContextImpl.java:61) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.spi.ExtractionContext.getQueryResults(ExtractionContext.j
ava:41) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.internal.SequenceInformationExtractorLegacyImpl.extract
Metadata(SequenceInformationExtractorLegacyImpl.java:36)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.initializeSequences(Dat
abaseInformationImpl.java:73) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.<init>(DatabaseInformat
ionImpl.java:63) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.internal.Helper.buildDatabaseInformation(Helper.java:174)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.internal.AbstractSchemaValidator.doValidation(AbstractSchemaV
alidator.java:66) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.performDatabaseAction(
SchemaManagementToolCoordinator.java:278)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
```

at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.lambda\$process\$1(SchemaManagementToolCoordinator.java:101) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at java.base/java.util.HashMap.forEach(HashMap.java:1429) ~[na:na]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.process(SchemaManagementToolCoordinator.java:100) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryObserverForSchemaExport.sessionFactoryCreated(SessionFactoryObserverForSchemaExport.java:35)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryObserverChain.sessionFactoryCreated(SessionFactoryObserverChain.java:33) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at org.hibernate.internal.SessionFactoryImpl.<init>(SessionFactoryImpl.java:323)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryRegistry.instantiateSessionFactory(SessionFactoryRegistry.java:64) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryBuilderImpl.build(SessionFactoryBuilderImpl.java:437) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactoryBuilderImpl.java:1456) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContainerEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntityManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManagerFactory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(AbstractEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]

```
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreate
Bean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBea
n(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda$doGetBean$0(Abs
tractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defa
ultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanF
actory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFact
ory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:621) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.r
efresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]
    at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
    at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
            at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
                at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
                    at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:1
2) ~[classes/:na]
Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
```

```
at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
  at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
      at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
          at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
            at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
              at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
                ... 54 common frames omitted
                Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
https://docs.oracle.com/error-help/db/ora-17866/
```

```
at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    ... 61 common frames omitted
```

```
2026-05-19T15:08:32.611-04:00 WARN 2588 --- [ms-regiones] [      main]
org.hibernate.orm.jdbc.error      : HHH000247: ErrorCode: 12263, SQLState: 66000
2026-05-19T15:08:32.611-04:00 WARN 2588 --- [ms-regiones] [      main]
org.hibernate.orm.jdbc.error      : ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
2026-05-19T15:08:32.611-04:00 DEBUG 2588 --- [ms-regiones] [      main]
org.hibernate.orm.jdbc.error      : Unable to open JDBC Connection for DDL execution
[n/a]
```

```
java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio
configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos.
El archivo no existe o no se puede acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
```

```
at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
```

```
        at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]
        at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]
        at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnection(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator$ConnectionProviderJdbcConnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:37)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.internal.exec.ImprovedExtractionContextImpl.getJdbcConnection(ImprovedExtractionContextImpl.java:61) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.spi.ExtractionContext.getQueryResults(ExtractionContext.java:41) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
        at
org.hibernate.tool.schema.extract.internal.SequenceInformationExtractorLegacyImpl.extract
```

Metadata(SequenceInformationExtractorLegacyImpl.java:36)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.initializeSequences(DatabaseInformationImpl.java:73) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.<init>(DatabaseInformationImpl.java:63) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.internal.Helper.buildDatabaseInformation(Helper.java:174)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.internal.AbstractSchemaValidator.doValidation(AbstractSchemaValidator.java:66) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.performDatabaseAction(SchemaManagementToolCoordinator.java:278)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.lambda\$process\$1(SchemaManagementToolCoordinator.java:101) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at java.base/java.util.HashMap.forEach(HashMap.java:1429) ~[na:na]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.process(SchemaManagementToolCoordinator.java:100) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryObserverForSchemaExport.sessionFactoryCreated(SessionFactoryObserverForSchemaExport.java:35)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryObserverChain.sessionFactoryCreated(SessionFactoryObserverChain.java:33) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at org.hibernate.internal.SessionFactoryImpl.<init>(SessionFactoryImpl.java:323)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryRegistry.instantiateSessionFactory(SessionFactoryRegistry.java:64) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryBuilderImpl.build(SessionFactoryBuilderImpl.java:437) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactoryBuilderImpl.java:1456) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContainerEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]

at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntity
ManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManager
Factory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(Abstrac
tEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(
LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInit
Methods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeB
ean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreate
Bean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBea
n(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(Abs
tractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defa
ultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanF
actory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFact
ory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:621) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.r
efresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]

```

        at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
        at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
        at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:1
2) ~[classes/:na]
Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
        at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        ... 54 common frames omitted
        Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
https://docs.oracle.com/error-help/db/ora-17866/
        at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
        ... 61 common frames omitted

2026-05-19T15:08:32.613-04:00 DEBUG 2588 --- [ms-regiones] [      main]
org.hibernate.orm.factory          : HHH90020005: Closing factory
[0142de7a-4d32-44e8-a155-2c70bf29402d]

```

2026-05-19T15:08:32.615-04:00 ERROR 2588 --- [ms-regiones] [main]
j.LocalContainerEntityManagerFactoryBean : Failed to initialize JPA EntityManagerFactory:
Unable to build Hibernate SessionFactory [persistence unit: default] ; nested exception is
org.hibernate.exception.GenericJDBCException: Unable to open JDBC Connection for DDL
execution [ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como
administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no
existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/> [n/a]

2026-05-19T15:08:32.616-04:00 WARN 2588 --- [ms-regiones] [main]
ConfigServletWebServerApplicationContext : Exception encountered during context
initialization - cancelling refresh attempt:
org.springframework.beans.factory.BeanCreationException: Error creating bean with name
'entityManagerFactory' defined in class path resource
[org.springframework.boot.hibernate.autoconfigure.HibernateJpaConfiguration.class]:
Unable to build Hibernate SessionFactory [persistence unit: default] ; nested exception is
org.hibernate.exception.GenericJDBCException: Unable to open JDBC Connection for DDL
execution [ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como
administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no
existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/> [n/a]

2026-05-19T15:08:32.619-04:00 INFO 2588 --- [ms-regiones] [main]
o.apache.catalina.core.StandardService : Stopping service [Tomcat]

2026-05-19T15:08:32.630-04:00 INFO 2588 --- [ms-regiones] [main]
.s.b.a.l.ConditionEvaluationReportLogger :

Error starting ApplicationContext. To display the condition evaluation report re-run your
application with 'debug' enabled.

2026-05-19T15:08:32.644-04:00 ERROR 2588 --- [ms-regiones] [main]
o.s.boot.SpringApplication : Application run failed

org.springframework.beans.factory.BeanCreationException: Error creating bean with name
'entityManagerFactory' defined in class path resource
[org.springframework.boot.hibernate.autoconfigure.HibernateJpaConfiguration.class]:
Unable to build Hibernate SessionFactory [persistence unit: default] ; nested exception is
org.hibernate.exception.GenericJDBCException: Unable to open JDBC Connection for DDL
execution [ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como
administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no
existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/> [n/a]

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeB
ean(AbstractAutowireCapableBeanFactory.java:1817) ~[spring-beans-7.0.7.jar:7.0.7]

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreate
Bean(AbstractAutowireCapableBeanFactory.java:603) ~[spring-beans-7.0.7.jar:7.0.7]

at

org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBea
n(AbstractAutowireCapableBeanFactory.java:525) ~[spring-beans-7.0.7.jar:7.0.7]

at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:333) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:371) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.doGetBean(AbstractBeanFactory.java:331) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:201) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:977) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:621) ~[spring-context-7.0.7.jar:7.0.7]
at
org.springframework.boot.web.server.servlet.context.ServletWebServerApplicationContext.refresh(ServletWebServerApplicationContext.java:143)
~[spring-boot-web-server-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:756)
~[spring-boot-4.0.6.jar:4.0.6]
at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:445)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:321)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:1365)
~[spring-boot-4.0.6.jar:4.0.6]
at org.springframework.boot.SpringApplication.run(SpringApplication.java:1354)
~[spring-boot-4.0.6.jar:4.0.6]
at
com.e_commerce.ms_regiones.MsRegionesApplication.main(MsRegionesApplication.java:12) ~[classes/:na]
Caused by: jakarta.persistence.PersistenceException: Unable to build Hibernate SessionFactory [persistence unit: default] ; nested exception is
org.hibernate.exception.GenericJDBCException: Unable to open JDBC Connection for DDL execution [ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.
<https://docs.oracle.com/error-help/db/ora-12263/>] [n/a]
at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManagerFactory(AbstractEntityManagerFactoryBean.java:448) ~[spring-orm-7.0.7.jar:7.0.7]

at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.afterPropertiesSet(AbstractEntityManagerFactoryBean.java:411) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.afterPropertiesSet(LocalContainerEntityManagerFactoryBean.java:419) ~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.invokeInitMethods(AbstractAutowireCapableBeanFactory.java:1864) ~[spring-beans-7.0.7.jar:7.0.7]
at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.initializeBean(AbstractAutowireCapableBeanFactory.java:1813) ~[spring-beans-7.0.7.jar:7.0.7]
... 15 common frames omitted
Caused by: org.hibernate.exception.GenericJDBCException: Unable to open JDBC Connection for DDL execution [ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS: C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.
<https://docs.oracle.com/error-help/db/ora-12263/>] [n/a]
at
org.hibernate.exception.internal.StandardSQLExceptionConverter.convert(StandardSQLExceptionConverter.java:39) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:115) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.engine.jdbc.spi.SqlExceptionHelper.convert(SqlExceptionHelper.java:101) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:71) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:37) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.internal.exec.ImprovedExtractionContextImpl.getJdbcConnection(ImprovedExtractionContextImpl.java:61) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.extract.spi.ExtractionContext.getQueryResults(ExtractionContext.java:41) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.extract.internal.SequenceInformationExtractorLegacyImpl.extractMetadata(SequenceInformationExtractorLegacyImpl.java:36) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.initializeSequences(DatabaseInformationImpl.java:73) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]

at
org.hibernate.tool.schema.extract.internal.DatabaseInformationImpl.<init>(DatabaseInformationImpl.java:63) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.internal.Helper.buildDatabaseInformation(Helper.java:174)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.internal.AbstractSchemaValidator.doValidation(AbstractSchemaValidator.java:66) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.performDatabaseAction(SchemaManagementToolCoordinator.java:278)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.lambda\$process\$1(SchemaManagementToolCoordinator.java:101) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at java.base/java.util.HashMap.forEach(HashMap.java:1429) ~[na:na]
at
org.hibernate.tool.schema.spi.SchemaManagementToolCoordinator.process(SchemaManagementToolCoordinator.java:100) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryObserverForSchemaExport.sessionFactoryCreated(SessionFactoryObserverForSchemaExport.java:35)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryObserverChain.sessionFactoryCreated(SessionFactoryObserverChain.java:33) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at org.hibernate.internal.SessionFactoryImpl.<init>(SessionFactoryImpl.java:323)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.internal.SessionFactoryRegistry.instantiateSessionFactory(SessionFactoryRegistry.java:64) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.boot.internal.SessionFactoryBuilderImpl.build(SessionFactoryBuilderImpl.java:437) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.hibernate.jpa.boot.internal.EntityManagerFactoryBuilderImpl.build(EntityManagerFactoryBuilderImpl.java:1456) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
at
org.springframework.orm.jpa.vendor.SpringHibernateJpaPersistenceProvider.createContainerEntityManagerFactory(SpringHibernateJpaPersistenceProvider.java:93)
~[spring-orm-7.0.7.jar:7.0.7]
at
org.springframework.orm.jpa.LocalContainerEntityManagerFactoryBean.createNativeEntityManagerFactory(LocalContainerEntityManagerFactoryBean.java:443)
~[spring-orm-7.0.7.jar:7.0.7]

at
org.springframework.orm.jpa.AbstractEntityManagerFactoryBean.buildNativeEntityManagerFactory(AbstractEntityManagerFactoryBean.java:436) ~[spring-orm-7.0.7.jar:7.0.7]

... 19 common frames omitted

Caused by: java.sql.SQLException: ORA-12263: Fallo al acceder a tnsnames.ora en el directorio configurado como administrador de TNS:

C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede acceder a él.

<https://docs.oracle.com/error-help/db/ora-12263/>

at
oracle.jdbc.driver.T4CConnection.handleLogonNetException(T4CConnection.java:1912)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1228)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at oracle.jdbc.driver.PhysicalConnection.connect(PhysicalConnection.java:1210)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at
oracle.jdbc.driver.T4CDriverExtension.getConnection(T4CDriverExtension.java:106)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:887)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at oracle.jdbc.driver.OracleDriver.connect(OracleDriver.java:694)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]

at
com.zaxxer.hikari.util.DriverDataSource.getConnection(DriverDataSource.java:144)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.pool.PoolBase.newConnection(PoolBase.java:373)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.pool.PoolBase.newPoolEntry(PoolBase.java:210)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.pool.HikariPool.createPoolEntry(HikariPool.java:488)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.pool.HikariPool.checkFailFast(HikariPool.java:576)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.pool.HikariPool.<init>(HikariPool.java:97)
~[HikariCP-7.0.2.jar:na]

at com.zaxxer.hikari.HikariDataSource.getConnection(HikariDataSource.java:111)
~[HikariCP-7.0.2.jar:na]

at
org.hibernate.engine.jdbc.connections.internal.DataSourceConnectionProvider.getConnection(DataSourceConnectionProvider.java:137) ~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]

at
org.hibernate.engine.jdbc.env.internal.JdbcEnvironmentInitiator\$ConnectionProviderJdbcConnectionAccess.obtainConnection(JdbcEnvironmentInitiator.java:508)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]

at
org.hibernate.resource.transaction.backend.jdbc.internal.DdlTransactionIsolatorNonJtaImpl.

```
getIsolatedConnection(DdlTransactionIsolatorNonJtaImpl.java:44)
~[hibernate-core-7.2.12.Final.jar:7.2.12.Final]
... 40 common frames omitted
Caused by: oracle.net.ns.NetException: ORA-12263: Fallo al acceder a tnsnames.ora en el
directorio configurado como administrador de TNS:
C:/Users/Gamer/Desktop/WalletDeBaseDeDatos. El archivo no existe o no se puede
acceder a él.
https://docs.oracle.com/error-help/db/ora-12263/
    at
oracle.net.resolver.TNSNamesNamingAdapter.resolve(TNSNamesNamingAdapter.java:143)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.NameResolver.resolveName(NameResolver.java:178)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.resolveTNSAddress(AddrResolution.java:920)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.initConnStrategy(AddrResolution.java:649)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.resolver.AddrResolution.<init>(AddrResolution.java:464)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.ns.NSProtocol.<init>(NSProtocol.java:260)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.net.ns.NSProtocolNIO.<init>(NSProtocolNIO.java:162)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
    at oracle.jdbc.driver.T4CConnection.logon(T4CConnection.java:1080)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 54 common frames omitted
    Suppressed: oracle.net.ns.NetException: ORA-17866: Formato numérico no válido
para el número de puerto
https://docs.oracle.com/error-help/db/ora-17866/
    at
oracle.net.resolver.HostnameNamingAdapter.resolve(HostnameNamingAdapter.java:192)
~[ojdbc11-23.9.0.25.07.jar:23.9.0.25.07]
... 61 common frames omitted
```

Process finished with exit code 1