

How to Do with the Miribel dataset

A1) Matlab

A2.1. Download the Matlab runtime (select the Windows R2018b (9.5) 64-bits installer): <https://fr.mathworks.com/products/compiler/matlab-runtime.html>

A2.2. Launch MCR_R2018b_win64_installer.exe



A2) OPALE

A2.1. Download OPALE executables and test files from : <https://github.com/TipTop-PSDR/OPALE>




Click Code ; Click Download ZIP


A2.2. Unzip OPALE-master.zip. Run Install.exe. If necessary hold up the windows protection




A2.3. Create an Installation folder where you want for testing OPALE




A2.4 Name it .../OPALETEST (for example)




A2.5 At step OPALE Setup 5/6, Gama is launched. It requires a Workspace Root. Browse and select the .../OPALETEST/GamaOpaleWksp folder.



A2.6 Right click on User models, New, Gama Project. Create a project named OPALE (all capital letters required, strictly observe the spelling). Uncheck Create a model file, Finish.




A2.7 Wait until the OPALE project is created under User Models



A1.6. Close Gama

A1.7. Ok on Message box.



B) Run OPALE


B1) LULCC Programs

B1.1. launch .../OPALETEST/OPALE.exe

B1.2. Select the push button « EN »




B1.3. Select Crop/Vegetables in the list box



B1.4. Select the « New Project » button of the central workflow




B1.5. Click the Exec button



B1.6. Select the input data file .../OPALETEST/MyInputFile.txt.txt


B1.7. Accept messages and Wait for the automatic launch of the Gama Platform. After the the first launch, wait a while until the copying of Opale User models is finished



B1.8. Execute the Gama_I_Crops program




B1.9. Close the experiment. Select the the Gama_F_english tab and launch the Gama_F_Crop_Vegetables experiment



B1.10. Wait during the instantiating of agents. Run the experiment when ready



B1.11. Exit the gama Platform after completion. (When the message “Recording achieved” is printed)



B1.12. Select the G=>M button in the central workflow of OPALE gui to transfer data to the matlab environment


B1.13. Click the Exec button

B1.14. Save results in ...OPALETEST/workspace/MyFile


B2) WMWL Programs

B2.1. Contextual optimization.

B2.1.1. Select the Contextual button




B2.1.2. Enter parameter values k_m (depth imp.), c_1 (Horton delay), c_2 (VSA delay), c_3 (Wat tab losses), λ (Wat tab delay), b (b DD) and API max (API lim).




B2.1.3. Click Exec, select .../OPALETEST/workspace/MyFile.mat


B2.1.4. Click the Pause/Continue button to zoom in/out and examine the plot data with top tools



B2.1.5. Check obs,cal or t(F2,F3) to change plots



B2.1.6. Run Computations until completion. Click OK




B2.2. Automatic optimization.

B2.2.1. Select the Automatic button



B2.2.2 Choose the set of optimized parametres and define the calibration period (Julian date J_1=50, J_n=90)

A panel titled 'Automatic optimization' with several checkboxes and input fields. The checkboxes are: 'Imp. prof' (unchecked), 'Hor del.' (unchecked), 'VSA del.' (unchecked), 'W tab. del' (checked), 'W tab. loss' (checked), and 'b DD' (unchecked). To the right are two input fields: 'J_1' with the value '50' and 'J_n' with the value '90'.

B2.2.3 Click the Exec button, select the .../workspace/MyFile.mat file.

B2.2.4 wait until the lowering of $f(x)$ is less than the tolerance limit. Click OK to close the pop up menu.

```
4      15      0.26781      0.0080422      0.00092223
5      18      0.2678      0.0024147      0.00031071
6      21      0.2678      0.00075839      9.9724e-05
Optimization stopped because the relative sum of squares (r) is changing
by less than options.FunctionTolerance = 1.0000000e-06.
```

B2.2.5 Open the .../OPALETEST/workspace/Temp/YYYYDDMMHhmm_optimX.csv file where optimized parameters values are saved

B2.3. Changes landscape Interfaces.



B2.3.1. Select the Interfaces button. Select the FS check box. Click the Exec button. Select the .../workspace/Myfile.mat file



B2.3.2. Select the new FS file

.../OPALETEST/TestFiles/bois/nouvelles_bandes_enherbees/bandes_enherbees40.shp.

B2.3.3. Verify there is no error messages with SAGA libraries runs in the command windows. Close the command window to pursue the OPALE treatment. Ok on No Errors message box.




B2.3.4. Note the address of the matfile results

.../OPALETEST/workspace/New_Infra_GRASS_MyFile.mat

B2.4. Changes farming systems or Cultural practices.

B2.4.1. Select the Systems button and click the Exec Button



B2.4.2. Select the original project
.../OPALETEST/workspace/Myfile.mat file or the
project modified in B2.3

B2.4.3. Modify the % of agricultural systems or the
% of no till or the % hoeing or the two/three of
them.

Agricultural systems => Landscape


Simulations			
Sys.	Litt. Veg. (%)	Larg. Veg. (%)	Cereals (%)
Specia. Veg.	5	27	68
Mixed.	1	27	71
Specia. Cer.	1	5	94

Annual crops


% no till

% hoeing

B2.4.4. Click the OK button to pursue
the OPALE treatments



B2.4.5. Give a new name to the project :
MyFileModified.mat. This latter is saved
in .../OPALETEST/workspace and can be
treated as before in B2.1, B2.2, B2.3.




B3) SSMT Programs Surface and Subsurface transfer functions (SSTFs)

B3.1 Transfer functions for suspensions

B3.1.1 Verify parameter values (§ B2.1.1 & B2.1.2)

B3.1.2. Select the M=>G button. Click The Exec
Button




B3.1.3. Enter the date of the beginning of the
transfer period to be studied

J_ex


B3.1.4. Click the Exec button. Choose the
.../workspace/MyFile.mat file

B3.1.5. Accept the opening of the Gama platform

B3.1.6. Load the Tmes.gaml model (SM transfer)
(for suspended matter)



B3.1.7. Run the Tmes.gaml model



B3.1.8. Alternatively run the TMic.gaml model (for
suspended microorganisms)

B3.1.9. Open the .../MyGamaWorkspace/OPALE/results/Suspended Matter.csv file in an excel sheet (With MS Office2016: Navigate to the "Data" tab. Click on the "From Text" button, Click "Import.")

Note the eta value, the tau days, the number of particles reaching the outlet and the SSTF function


eta	0.04495606	
day	nb part	FT
1	401.7182989	0.78144281
2	112.3542525	0.21855719
3	0	0
4	0	0
5	0	0

B3.1.10 Enter the date of the beginning of a new transfer period to be studied

J_ex 262

B3.1.11. Repeat §B3.1.4 (if needed §B3.1.5, §B3.1.6.)

B3.1.12 Verify there is no error messages with SAGA libraries run in the command windows. Close the command window to pursue the GAMA treatment.




B3.1.13. Run the TMes.gaml (idem §B3.1.7)

B3.2 Transfer functions for solutes


B3.2.1 Repeat steps §B3.1.1, §B3.1.2, §B3.1.3, §B3.1.4 (and §B3.1.5 if the Gama platform is closed)

B3.2.2. Select the M=>G button. Click the Exec button.

B3.2.3 Load the TN.gaml model (solute transfer for Nitrogen)



B3.2.4 Run the TN.gaml model



B3.2.5 Alternatively Run the TPsol model (Soluble P transfer)

B4) Groundwater Transfer functions (GTFs)

B4.1. Note the power-law parameter for deep water transfer

Wat. tab. delay [0.01 - 5] 2.58

C) SSMT Validation

C1. Open the .../OPALETEST/convolution_stock_miribel.xlsx file

	η	0.029			d	0.00004		τ	1	2	3	4	5	
	k	7835		obs(ntu)	ntu mg/L	u	0.135161	3.9528179	FTESS(τ)	0.78144281	0.21855719	0	0	0
SURF (m³.s ⁻¹)	S(t)	M(t)	ηS(t)M(t)		2.04104589	flowntu	cal(ntu Tonnes/jour)							
0.0067457	0.1973	0.02107072	0.9445902	1	5.03202185	0.159498507	0.099768	0.00356768	0.74	0.21	0.00	0.00	0.00	0.00

C2. Copy the SSTF values from the imported Suspended Matter.csv file (\$3.1.9)

C3. Transpose and Paste the copied values in cells M2..AA2

C4. Copy the eta value from the imported Suspended Matter.csv file in cell E1

C4. Use the solver to optimize the unit conversion factor u