



204 Motor Carrier Load Tender

X12/V4010/204 : 204 Motor Carrier Load Tender

Version: 1.2

Publication:

1/12/2024

Notes:

**This Document Spec details
the EDI 204 Transaction
Segments/Elements used by
MODE Global**

Table of Contents

204	Motor Carrier Load Tender	1
ST	Transaction Set Header	3
B2	Beginning Segment for Shipment Information Transaction	4
B2A	Set Purpose	5
L11	Business Instructions and Reference Number	6
G62	Date/Time	8
MS3	Interline Information	9
AT5	Bill of Lading Handling Requirements	10
NTE	Note/Special Instruction	11
0100	Loop Name	12
N1	Name	13
N3	Address Information	14
N4	Geographic Location	15
G61	Contact	16
0200	Loop Equipment Details	17
N7	Equipment Details	18
0300	Loop Stop Off Details	19
S5	Stop Off Details	20
L11	Business Instructions and Reference Number	21
G62	Date/Time	22
NTE	Note/Special Instruction	23
0310	Loop Name	24
N1	Name	25
N3	Address Information	26
N4	Geographic Location	27
G61	Contact	28
0320	Loop Description, Marks and Numbers	29
L5	Description, Marks and Numbers	30
AT8	Shipment Weight, Packaging and Quantity Data	31
0325	Loop Contact	32
G61	Contact	33
0330	Loop Hazardous Identification Information	34
LH1	Hazardous Identification Information	35
LH2	Hazardous Classification Information	36
LH3	Hazardous Material Shipping Name	37
L3	Total Weight and Charges	38
SE	Transaction Set Trailer	40

204

Motor Carrier Load Tender

Functional Group=SM

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Motor Carrier Load Tender Transaction Set (204) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to allow shippers or other interested parties to offer (tender) a shipment to a full load (truckload) motor carrier including detailed scheduling, equipment requirements, commodities, and shipping instructions pertinent to a load tender. It is not to be used to provide a motor carrier with data relative to a Less-than-Truckload bill of lading, pick-up notification, or manifest.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	B2	Beginning Segment for Shipment Information Transaction	M	1			Must use
030	B2A	Set Purpose	M	1			Must use
080	L11	Business Instructions and Reference Number	O	50			Used
090	G62	Date/Time	O	1		N1/090	Used
100	MS3	Interline Information	O	1			Used
110	AT5	Bill of Lading Handling Requirements	O	6			Used
130	NTE	Note/Special Instruction	O	10			Used
LOOP ID - 0100					5	N1/140L	
140	N1	Name	O	1			Used
160	N3	Address Information	O	2			Used
170	N4	Geographic Location	O	1			Used
190	G61	Contact	O	3			Used
LOOP ID - 0200					10		
200	N7	Equipment Details	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - 0300					999		
010	S5	Stop Off Details	M	1			Must use
020	L11	Business Instructions and Reference Number	O	50			Used
030	G62	Date/Time	O	2		N2/030	Used
065	NTE	Note/Special Instruction	O	20			Used
LOOP ID - 0310					1		
070	N1	Name	M	1			Used
090	N3	Address Information	M	2			Used
100	N4	Geographic Location	M	1			Used
120	G61	Contact	O	3			Used
LOOP ID - 0320					99		
130	L5	Description, Marks and Numbers	O	1			Used

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
135	AT8	Shipment Weight, Packaging and Quantity Data	O	1			Used
LOOP ID - 0325					99	N2/140L	
140	G61	Contact	O	1			Used
LOOP ID - 0330					25		
143	LH1	Hazardous Identification Information	O	1			Used
144	LH2	Hazardous Classification Information	O	4			Used
145	LH3	Hazardous Material Shipping Name	O	10			Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	L3	Total Weight and Charges	O	1			Used
020	SE	Transaction Set Trailer	M	1			Must use

Notes:

- 1/090 Segment G62 in header is used to convey the must-respond-by date and time when responding to a 204 transaction.
- 1/140L Loop 0100 is used to convey name and address detail relative to bill-to, party controlling freight, or other shipment level name and address information. It is not used to convey ship from or ship to detail which should be handled within loop 0300 in table 2.
- 2/030 Use G62 segment either in loop 0300 or loop 0350, but not both.
- 2/140L The G61 segment contains the person or company to be contacted by the carrier in case of emergency.

ST Transaction Set Header

Pos: 010

Max: 1

Heading - Mandatory

Loop: N/A

Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
Description: Code uniquely identifying a Transaction Set						
All valid standard codes are used. (Total Codes: 298)						
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

B2 Beginning Segment for Shipment Information Transaction

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 5

User Option (Usage): Must use

Purpose: To transmit basic data relating to shipment information

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
B201	375	Tariff Service Code	O	ID	2/2	Not used
Description: Code specifying the types of services for rating purposes						
All valid standard codes are used. (Total Codes: 79)						
B202	140	Standard Carrier Alpha Code	M	ID	2/4	Used
Description: Standard Carrier Alpha Code						
MODE Global NOTE:						
Standard Carrier Alpha Code (SCAC) of the carrier being offered the load.						
This value should be sent back in the 990 (B1.01), 214 (B10.03) and 210 (B3.11)						
B203	154	Standard Point Location Code	O	ID	6/9	Not used
Description: Code (Standard Point Location) defined by NMFTA point development group as the official code assigned to a city or point (for ratemaking purposes) within a city						
B204	145	Shipment Identification Number	M	AN	1/30	Used
Description: Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)						
MODE Global NOTE:						
Unique Reference Number - This value should be sent back in the 990 (B1.02), 214 (B10.02) and 210 (B3.03)						
B206	146	Shipment Method of Payment	M	ID	2/2	Must use
Description: Code identifying payment terms for transportation charges						
Code List Summary (Total Codes: 28, Included: 3)						
Code Name						
CC Collect						
PP Prepaid (by Seller)						
TP Third Party Pay						

Semantics:

1. B202 contains the Standard Carrier Alpha Code (SCAC) of the carrier that will receive the bill of lading.
2. If B211 is used, B206 will indicate the party or parties responsible for payment of the transportation terms identified in B211.

B2A

Set Purpose

Pos: 030

Max: 1

Heading - Mandatory

Loop: N/A

Elements: 2

User Option (Usage): Must use

Purpose: To allow for positive identification of transaction set purpose

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
B2A01	353	Transaction Set Purpose Code	M	ID	2/2	Must use										
Description: Code identifying purpose of transaction set																
Code List Summary (Total Codes: 65, Included: 4)																
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>00</td><td>Original</td></tr><tr><td>01</td><td>Cancellation</td></tr><tr><td>04</td><td>Change</td></tr><tr><td>05</td><td>Replace</td></tr></table>							<u>Code</u>	<u>Name</u>	00	Original	01	Cancellation	04	Change	05	Replace
<u>Code</u>	<u>Name</u>															
00	Original															
01	Cancellation															
04	Change															
05	Replace															
B2A02	346	Application Type	O	ID	2/2	Used										
Description: Code identifying an application																
Code List Summary (Total Codes: 84, Included: 1)																
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>LT</td><td>Load Tender - Truckload (TL) Carrier Only</td></tr></table>							<u>Code</u>	<u>Name</u>	LT	Load Tender - Truckload (TL) Carrier Only						
<u>Code</u>	<u>Name</u>															
LT	Load Tender - Truckload (TL) Carrier Only															

L11 Business Instructions and Reference Number

Pos: 080	Max: 50
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify instructions in this business relationship or a reference number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L1101	127	Reference Identification	X	AN	1/30	Used
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						
L1102	128	Reference Identification Qualifier	X	ID	2/3	Used

Description: Code qualifying the Reference Identification

Code List Summary (Total Codes: 1503, Included: 21)

Code Name

19 Division Identifier

MODE Global NOTE:

REQUIRED to return back on the 210 (N9)

MTLE Mode Transportation
 AVGD Avenger Logistics
 HATI HA Logistics
 SNKS Sunteck
 TODL TTS

3J Office Number
 4B Shipment Origin Code
 BB Authorization Number
 BM Bill of Lading Number
 BN Booking Number
 CO Customer Order Number
 CR Customer Reference Number
 DO Delivery Order Number
 EQ Equipment Number
 P8 Pickup Reference Number
 PO Purchase Order Number
 RE Release Number
 SN Seal Number
 SO Shipper's Order (Invoice Number)
 SP Scan Line
 TH Transportation Account Code (TAC)

MODE Global NOTE:

REQUIRED to return back on the 990 (K1), 214 (L11) and 210 (N9)

TT Terminal Code
 VN Vendor Order Number
 DOA Department of Agriculture Acquisition Regulation (AGAR)
 RSN Reservation Number

Syntax Rules:

1. R0103 - At least one of L1101 or L1103 is required.
2. P0102 - If either L1101 or L1102 is present, then the other is required.

G62 Date/Time

Pos: 090	Max: 1
Heading - Optional	
Loop: N/A	Elements: 5

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Used
Description: Code specifying type of date						
Code List Summary (Total Codes: 137, Included: 1)						
<u>Code</u> <u>Name</u>						
64 Must Respond By						
G6202	373	Date	X	DT	8/8	Used
Description: Date expressed as CCYYMMDD						
G6203	176	Time Qualifier	X	ID	1/2	Used
Description: Code specifying the reported time						
Code List Summary (Total Codes: 42, Included: 1)						
<u>Code</u> <u>Name</u>						
1 Must Respond By						
G6204	337	Time	X	TM	4/8	Used
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)						
G6205	623	Time Code	X	ID	2/2	Used
Description: Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow						
Code List Summary (Total Codes: 51, Included: 1)						
<u>Code</u> <u>Name</u>						
ET Eastern Time						

Syntax Rules:

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

MS3 Interline Information

Pos: 100	Max: 1
Heading - Optional	
Loop: N/A	Elements: 5

User Option (Usage): Used

Purpose: To identify the interline carrier and relevant data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MS301	140	Standard Carrier Alpha Code	M	ID	2/4	Must use
		Description: Standard Carrier Alpha Code				
MS302	133	Routing Sequence Code	M	ID	1/2	Must use
		Description: Code describing the relationship of a carrier to a specific shipment movement				
		Code List Summary (Total Codes: 23, Included: 2)				
		<u>Code</u>	<u>Name</u>			
		JD	Junction Settlement Carrier Following (Destination carrier receiving revenues resulting from junction contract)			
		JO	Junction Settlement Carrier Predecessor (Origin carrier receiving revenues resulting from junction contract)			
MS303	19	City Name	M	AN	2/30	Used
		Description: Free-form text for city name				
MS304	91	Transportation Method/Type Code	M	ID	1/2	Used
		Description: Code specifying the method or type of transportation for the shipment				
		Code List Summary (Total Codes: 71, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		X	Intermodal (Piggyback)			
MS305	156	State or Province Code	M	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				

Syntax Rules:

1. C0503 - If MS305 is present, then MS303 is required.

Semantics:

1. MS301 is the Standard Carrier Alpha Code (SCAC) of the interline carrier.
2. MS303 is the city where the interline was performed.

MODE Global NOTE:

The MS3 will only be used for Intermodal moves

AT5 Bill of Lading Handling Requirements

Pos: 110

Max: 6

Heading - Optional

Loop: N/A

Elements: 2

User Option (Usage): Used

Purpose: To identify Bill of Lading handling and service requirements

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
AT501	152	Special Handling Code	X	ID	2/3	Not used
Description: Code specifying special transportation handling instructions						
All valid standard codes are used. (Total Codes: 526)						
AT503	153	Special Handling Description	X	AN	2/30	Used
Description: Free-form additional description of special handling instructions to appear on printed bill if special handling code is not adequate						
MODE Global NOTE: <i>Identifies the type of service: LTL, Truckload, Intermodal, Drayage.</i>						

Syntax Rules:

- 1. E0103 - Only one of AT501 or AT503 may be present.
- 2. E0203 - Only one of AT502 or AT503 may be present.

NTE

Note/Special Instruction

Pos: 130

Max: 10

Heading - Optional

Loop: N/A

Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage						
NTE01	363	Note Reference Code	X	ID	3/3	Used						
Description: Code identifying the functional area or purpose for which the note applies												
Code List Summary (Total Codes: 241, Included: 2)												
<table><tr><th>Code</th><th>Name</th></tr><tr><td>OTH</td><td>Other Instructions</td></tr><tr><td>ZZZ</td><td>Mutually Defined</td></tr></table>							Code	Name	OTH	Other Instructions	ZZZ	Mutually Defined
Code	Name											
OTH	Other Instructions											
ZZZ	Mutually Defined											
NTE02	352	Description	M	AN	1/80	Must use						
Description: A free-form description to clarify the related data elements and their content												

Loop Name

Pos: 140	Repeat: 5
Optional	
Loop: 0100	Elements: N/A

User Option (Usage): Used
Purpose: To identify a party by type of organization, name, and code

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
140	N1	Name	O	1		Used
160	N3	Address Information	O	2		Used
170	N4	Geographic Location	O	1		Used
190	G61	Contact	O	3		Used

N1

Name

Pos: 140

Max: 1

Heading - Optional

Loop: 0100

Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage														
N101	98	Entity Identifier Code	M	ID	2/3	Must use														
Description: Code identifying an organizational entity, a physical location, property or an individual																				
Code List Summary (Total Codes: 1312, Included: 6)																				
<table><tr><th>Code</th><th>Name</th></tr><tr><td>BT</td><td>Bill-to-Party</td></tr><tr><td>LW</td><td>Customer</td></tr><tr><td>RD</td><td>Destination Intermodal Ramp</td></tr><tr><td>RO</td><td>Original Intermodal Ramp</td></tr><tr><td>SF</td><td>Ship From</td></tr><tr><td>ST</td><td>Ship To</td></tr></table>							Code	Name	BT	Bill-to-Party	LW	Customer	RD	Destination Intermodal Ramp	RO	Original Intermodal Ramp	SF	Ship From	ST	Ship To
Code	Name																			
BT	Bill-to-Party																			
LW	Customer																			
RD	Destination Intermodal Ramp																			
RO	Original Intermodal Ramp																			
SF	Ship From																			
ST	Ship To																			
N102	93	Name	X	AN	1/60	Used														
Description: Free-form name																				
N103	66	Identification Code Qualifier	X	ID	1/2	Used														
Description: Code designating the system/method of code structure used for Identification Code (67)																				
All valid standard codes are used. (Total Codes: 215)																				
N104	67	Identification Code	X	AN	2/80	Used														
Description: Code identifying a party or other code																				

Syntax Rules:

- 1. R0203 - At least one of N102 or N103 is required.
- 2. P0304 - If either N103 or N104 is present, then the other is required.

N3 Address Information

Pos: 160	Max: 2
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Used
Purpose: To specify the location of the named party

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4

Geographic Location

Pos: 170

Max: 1

Heading - Optional

Loop: 0100

Elements: 4

User Option (Usage): Used
Purpose: To specify the geographic place of the named party

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	O	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				

Syntax Rules:

- 1. C0605 - If N406 is present, then N405 is required.

G61 Contact

Pos: 190	Max: 3
Heading - Optional	
Loop: 0100	Elements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6101	366	Contact Function Code	M	ID	2/2	Must use
Description: Code identifying the major duty or responsibility of the person or group named						
Code List Summary (Total Codes: 230, Included: 4)						
<u>Code</u> <u>Name</u>						
AL Alternate Contact						
CN General Contact						
IC Information Contact						
OC Order Contact						
G6102	93	Name	M	AN	1/60	Must use
Description: Free-form name						
G6103	365	Communication Number Qualifier	X	ID	2/2	Used
Description: Code identifying the type of communication number						
Code List Summary (Total Codes: 40, Included: 3)						
<u>Code</u> <u>Name</u>						
EM Electronic Mail						
FX Facsimile						
TE Telephone						
G6104	364	Communication Number	X	AN	1/80	Used
Description: Complete communications number including country or area code when applicable						

Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

Loop Equipment Details

Pos: 200	Repeat: 10
Optional	
Loop: 0200	Elements: N/A

User Option (Usage): Used
Purpose: To identify the equipment

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
200	N7	Equipment Details	O	1		Used

N7 Equipment Details

Pos: 200	Max: 1
Heading - Optional	
Loop: 0200	Elements: 6

User Option (Usage): Used

Purpose: To identify the equipment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N701	206	Equipment Initial	M	AN	1/4	Used
		Description: Prefix or alphabetic part of an equipment unit's identifying number				
N702	207	Equipment Number	M	AN	1/10	Must use
		Description: Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)				
N711	40	Equipment Description Code	O	ID	2/2	Used
		Description: Code identifying type of equipment used for shipment				
		All valid standard codes are used. (Total Codes: 134)				
N712	140	Standard Carrier Alpha Code	O	ID	2/4	Used
		Description: Standard Carrier Alpha Code				
N713	319	Temperature Control	O	AN	3/6	Used
		Description: Free-form abbreviation of temperature range or flash-point temperature				
N715	567	Equipment Length	O	N0	4/5	Used
		Description: Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11)				

Syntax Rules:

1. P0304 - If either N703 or N704 is present, then the other is required.
2. P0516 - If either N705 or N716 is present, then the other is required.
3. P0809 - If either N708 or N709 is present, then the other is required.

Semantics:

1. N712 is the owner of the equipment.
2. N723 is the operator or carrier of the rights of the equipment.

Loop Stop Off Details

Pos: 010Repeat: 999

Mandatory

Loop: 0300Elements: N/A

User Option (Usage): Must use

Purpose: To specify stop-off detail reference numbers and stop reason

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
010	S5	Stop Off Details	M	1		Must use
020	L11	Business Instructions and Reference Number	O	50		Used
030	G62	Date/Time	O	2		Used
065	NTE	Note/Special Instruction	O	20		Used
070		Loop 0310	O		1	Used
130		Loop 0320	O		99	Used

S5 Stop Off Details

Pos: 010	Max: 1
Detail - Mandatory	
Loop: 0300	Elements: 5

User Option (Usage): Must use

Purpose: To specify stop-off detail reference numbers and stop reason

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>												
S501	165	Stop Sequence Number	M	N0	1/3	Must use												
Description: Identifying number for the specific stop and the sequence in which the stop is to be performed																		
S502	163	Stop Reason Code	M	ID	2/2	Must use												
Description: Code specifying the reason for the stop																		
Code List Summary (Total Codes: 19, Included: 5)																		
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>CL</td><td>Complete</td></tr><tr><td>CU</td><td>Complete Unload</td></tr><tr><td>DT</td><td>Drop Trailer</td></tr><tr><td>PL</td><td>Part Load</td></tr><tr><td>PU</td><td>Part Unload</td></tr></table>							<u>Code</u>	<u>Name</u>	CL	Complete	CU	Complete Unload	DT	Drop Trailer	PL	Part Load	PU	Part Unload
<u>Code</u>	<u>Name</u>																	
CL	Complete																	
CU	Complete Unload																	
DT	Drop Trailer																	
PL	Part Load																	
PU	Part Unload																	
S503	81	Weight	X	R	1/10	Used												
Description: Numeric value of weight																		
S504	188	Weight Unit Code	X	ID	1/1	Used												
Description: Code specifying the weight unit																		
Code List Summary (Total Codes: 8, Included: 1)																		
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>L</td><td>Pounds</td></tr></table>							<u>Code</u>	<u>Name</u>	L	Pounds								
<u>Code</u>	<u>Name</u>																	
L	Pounds																	
S510	154	Standard Point Location Code	O	ID	6/9	Used												
Description: Code (Standard Point Location) defined by NMFTA point development group as the official code assigned to a city or point (for ratemaking purposes) within a city																		

Syntax Rules:

1. P0304 - If either S503 or S504 is present, then the other is required.
2. P0506 - If either S505 or S506 is present, then the other is required.
3. P0708 - If either S507 or S508 is present, then the other is required.

Semantics:

1. S509 is the stop reason description.

L11 Business Instructions and Reference Number

Pos: 020	Max: 50
Detail - Optional	
Loop: 0300	Elements: 2

User Option (Usage): Used

Purpose: To specify instructions in this business relationship or a reference number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L1101	127	Reference Identification	X	AN	1/30	Used
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						
L1102	128	Reference Identification Qualifier	X	ID	2/3	Used
Description: Code qualifying the Reference Identification						
Code List Summary (Total Codes: 1503, Included: 21)						
<u>Code</u> <u>Name</u>						
01	American Bankers Assoc. (ABA) Transit/Routing Number (Including Check Digit, 9 Digits)					
02	Society for Worldwide Interbank Financial Telecommunication (S.W.I.F.T.) Identification (8 or 11 Characters)					
3J	Office Number					
4B	Shipment Origin Code					
BB	Authorization Number					
BM	Bill of Lading Number					
BN	Booking Number					
CO	Customer Order Number					
CR	Customer Reference Number					
DO	Delivery Order Number					
EQ	Equipment Number					
P8	Pickup Reference Number					
PO	Purchase Order Number					
RE	Release Number					
SN	Seal Number					
SO	Shipper's Order (Invoice Number)					
TH	Transportation Account Code (TAC)					
TT	Terminal Code					
VN	Vendor Order Number					
DOA	Department of Agriculture Acquisition Regulation (AGAR)					
RSN	Reservation Number					

Syntax Rules:

1. R0103 - At least one of L1101 or L1103 is required.
2. P0102 - If either L1101 or L1102 is present, then the other is required.

G62 Date/Time

Pos: 030	Max: 2
Detail - Optional	
Loop: 0300	Elements: 4

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Used

Description: Code specifying type of date

Code List Summary (Total Codes: 137, Included: 8)

Code Name

10	Requested Ship Date/Pick-up Date
37	Ship Not Before Date
38	Ship Not Later Than Date
53	Deliver Not Before Date
54	Deliver No Later Than Date
68	Requested Delivery Date
69	Scheduled Pick-Up Date
70	Scheduled Delivery Date

G6202	373	Date	X	DT	8/8	Used
-------	-----	------	---	----	-----	------

Description: Date expressed as CCYYMMDD

G6203	176	Time Qualifier	X	ID	1/2	Used
-------	-----	----------------	---	----	-----	------

Description: Code specifying the reported time

Code List Summary (Total Codes: 42, Included: 7)

Code Name

G	Earliest Requested Deliver Time
I	Earliest Requested Pick Up Time
K	Latest Requested Pick Up Time
L	Latest Requested Delivery Time
P	Actual Placement
Y	Requested Pick Up Time
Z	Requested Delivery Time

G6204	337	Time	X	TM	4/8	Used
-------	-----	------	---	----	-----	------

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

Syntax Rules:

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

NTE

Note/Special Instruction

Pos: 065

Max: 20

Detail - Optional

Loop: 0300

Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
NTE01	363	Note Reference Code	X	ID	3/3	Used						
Description: Code identifying the functional area or purpose for which the note applies												
Code List Summary (Total Codes: 241, Included: 2)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>OTH</td><td>Other Instructions</td></tr><tr><td>ZZZ</td><td>Mutually Defined</td></tr></table>							<u>Code</u>	<u>Name</u>	OTH	Other Instructions	ZZZ	Mutually Defined
<u>Code</u>	<u>Name</u>											
OTH	Other Instructions											
ZZZ	Mutually Defined											
NTE02	352	Description	M	AN	1/80	Must use						
Description: A free-form description to clarify the related data elements and their content												

Loop Name

Pos: 070	Repeat: 1
Optional	
Loop: 0310	Elements: N/A

User Option (Usage): Used
Purpose: To identify a party by type of organization, name, and code

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
070	N1	Name	M	1		Used
090	N3	Address Information	M	2		Used
100	N4	Geographic Location	M	1		Used
120	G61	Contact	O	3		Used

N1

Name

Pos: 070

Max: 1

Detail - Mandatory

Loop: 0310

Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage										
N101	98	Entity Identifier Code	M	ID	2/3	Must use										
Description: Code identifying an organizational entity, a physical location, property or an individual																
Code List Summary (Total Codes: 1312, Included: 4)																
<table><tr><th>Code</th><th>Name</th></tr><tr><td>RD</td><td>Destination Intermodal Ramp</td></tr><tr><td>RO</td><td>Original Intermodal Ramp</td></tr><tr><td>SF</td><td>Ship From</td></tr><tr><td>ST</td><td>Ship To</td></tr></table>							Code	Name	RD	Destination Intermodal Ramp	RO	Original Intermodal Ramp	SF	Ship From	ST	Ship To
Code	Name															
RD	Destination Intermodal Ramp															
RO	Original Intermodal Ramp															
SF	Ship From															
ST	Ship To															
N102	93	Name	M	AN	1/60	Used										
Description: Free-form name																
N103	66	Identification Code Qualifier	M	ID	1/2	Used										
Description: Code designating the system/method of code structure used for Identification Code (67)																
All valid standard codes are used. (Total Codes: 215)																
N104	67	Identification Code	M	AN	2/80	Used										
Description: Code identifying a party or other code																

Syntax Rules:

- 1. R0203 - At least one of N102 or N103 is required.
- 2. P0304 - If either N103 or N104 is present, then the other is required.

N3 Address Information

Pos: 090	Max: 2
Detail - Mandatory	
Loop: 0310	Elements: 2

User Option (Usage): Used
Purpose: To specify the location of the named party

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N301	166	Address Information	M	AN	1/55	Must use
		Description: Address information				
N302	166	Address Information	O	AN	1/55	Used
		Description: Address information				

N4

Geographic Location

Pos: 100

Max: 1

Detail - Mandatory

Loop: 0310

Elements: 4

User Option (Usage): Used
Purpose: To specify the geographic place of the named party

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
N401	19	City Name	M	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	M	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	M	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	M	ID	2/3	Used
		Description: Code identifying the country				

Syntax Rules:

- 1. C0605 - If N406 is present, then N405 is required.

G61 Contact

Pos: 120	Max: 3
Detail - Optional	
Loop: 0310	Elements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6101	366	Contact Function Code	M	ID	2/2	Must use

Description: Code identifying the major duty or responsibility of the person or group named

Code List Summary (Total Codes: 230, Included: 4)

Code Name

AL Alternate Contact
CN General Contact
IC Information Contact
OC Order Contact

G6102	93	Name	M	AN	1/60	Must use
-------	----	------	---	----	------	----------

Description: Free-form name

G6103	365	Communication Number Qualifier	X	ID	2/2	Used
-------	-----	--------------------------------	---	----	-----	------

Description: Code identifying the type of communication number

Code List Summary (Total Codes: 40, Included: 3)

Code Name

EM Electronic Mail
FX Facsimile
TE Telephone

G6104	364	Communication Number	X	AN	1/80	Used
-------	-----	----------------------	---	----	------	------

Description: Complete communications number including country or area code when applicable

Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

Loop Description, Marks and Numbers

Pos: 130	Repeat: 99
Optional	
Loop: 0320	Elements: N/A

User Option (Usage): Used

Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
130	L5	Description, Marks and Numbers	O	1		Used
135	AT8	Shipment Weight, Packaging and Quantity Data	O	1		Used
140		Loop 0325	O		99	Used

L5 Description, Marks and Numbers

Pos: 130	Max: 1
Detail - Optional	
Loop: 0320	Elements: 4

User Option (Usage): Used

Purpose: To specify the line item in terms of description, quantity, packaging, and marks and numbers

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L502	79	Lading Description	O	AN	1/50	Used
		Description: Description of an item as required for rating and billing purposes				
L503	22	Commodity Code	X	AN	1/30	Used
		Description: Code describing a commodity or group of commodities				
L504	23	Commodity Code Qualifier	X	ID	1/1	Used
		Description: Code identifying the commodity coding system used for Commodity Code				
		Code List Summary (Total Codes: 23, Included: 2)				
		<u>Code</u>	<u>Name</u>			
		N	National Motor Freight Classification (NMFC)			
		T	Standard Transportation Commodity Code (STCC)			
L505	103	Packaging Code	O	AN	3/5	Used
		Description: Code identifying the type of packaging; Part 1: Packaging Form, Part 2: Packaging Material; if the Data Element is used, then Part 1 is always required				
		All valid standard codes are used. (Total Codes: 203)				

Syntax Rules:

1. P0304 - If either L503 or L504 is present, then the other is required.
2. C0706 - If L507 is present, then L506 is required.
3. P0809 - If either L508 or L509 is present, then the other is required.

AT8 Shipment Weight, Packaging and Quantity Data

Pos: 135	Max: 1
Detail - Optional	
Loop: 0320	Elements: 4

User Option (Usage): Used

Purpose: To specify shipment details in terms of weight, and quantity of handling units

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>						
AT801	187	Weight Qualifier	X	ID	1/2	Used						
Description: Code defining the type of weight												
Code List Summary (Total Codes: 51, Included: 1)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>G</td><td>Gross Weight</td></tr></table>							<u>Code</u>	<u>Name</u>	G	Gross Weight		
<u>Code</u>	<u>Name</u>											
G	Gross Weight											
AT802	188	Weight Unit Code	X	ID	1/1	Used						
Description: Code specifying the weight unit												
Code List Summary (Total Codes: 8, Included: 2)												
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>K</td><td>Kilograms</td></tr><tr><td>L</td><td>Pounds</td></tr></table>							<u>Code</u>	<u>Name</u>	K	Kilograms	L	Pounds
<u>Code</u>	<u>Name</u>											
K	Kilograms											
L	Pounds											
AT803	81	Weight	X	R	1/10	Used						
Description: Numeric value of weight												
AT804	80	Lading Quantity	O	N0	1/7	Used						
Description: Number of units (pieces) of the lading commodity												

Syntax Rules:

1. P010203 - If either AT801, AT802 or AT803 are present, then the others are required.
2. P0607 - If either AT806 or AT807 is present, then the other is required.

Semantics:

1. AT804 is the quantity of handling units that are not unitized (for example a carton). When added to the quantity in AT805, it is the total quantity of handling units in the shipment.
2. AT805 is the quantity of handling units that are unitized (for example on a pallet or slip sheet). When added to the quantity in AT804 it is the total quantity of handling units for the shipment.

Loop Contact

Pos: 140	Repeat: 99
Optional	
Loop: 0325	Elements: N/A

User Option (Usage): Used
Purpose: To identify a person or office to whom communications should be directed

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
140	G61	Contact	O	1		Used
143		Loop 0330	O		25	Used

G61 Contact

Pos: 140	Max: 1
Detail - Optional	
Loop: 0325	Elements: 4

User Option (Usage): Used

Purpose: To identify a person or office to whom communications should be directed

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>										
G6101	366	Contact Function Code	M	ID	2/2	Must use										
Description: Code identifying the major duty or responsibility of the person or group named																
Code List Summary (Total Codes: 230, Included: 4)																
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>AL</td><td>Alternate Contact</td></tr><tr><td>CN</td><td>General Contact</td></tr><tr><td>IC</td><td>Information Contact</td></tr><tr><td>OC</td><td>Order Contact</td></tr></table>							<u>Code</u>	<u>Name</u>	AL	Alternate Contact	CN	General Contact	IC	Information Contact	OC	Order Contact
<u>Code</u>	<u>Name</u>															
AL	Alternate Contact															
CN	General Contact															
IC	Information Contact															
OC	Order Contact															
G6102	93	Name	M	AN	1/60	Must use										
Description: Free-form name																
G6103	365	Communication Number Qualifier	X	ID	2/2	Used										
Description: Code identifying the type of communication number																
Code List Summary (Total Codes: 40, Included: 3)																
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>EM</td><td>Electronic Mail</td></tr><tr><td>FX</td><td>Facsimile</td></tr><tr><td>TE</td><td>Telephone</td></tr></table>							<u>Code</u>	<u>Name</u>	EM	Electronic Mail	FX	Facsimile	TE	Telephone		
<u>Code</u>	<u>Name</u>															
EM	Electronic Mail															
FX	Facsimile															
TE	Telephone															
G6104	364	Communication Number	X	AN	1/80	Used										
Description: Complete communications number including country or area code when applicable																

Syntax Rules:

1. P0304 - If either G6103 or G6104 is present, then the other is required.

Loop Hazardous Identification Information

Pos: 143Repeat: 25Optional
Loop: 0330Elements: N/A

User Option (Usage): Used
Purpose: To specify the hazardous commodity identification reference number and quantity

Loop Summary:

Pos	Id	Segment Name	Req	Max Use	Repeat	Usage
143	LH1	Hazardous Identification Information	O	1		Used
144	LH2	Hazardous Classification Information	O	4		Used
145	LH3	Hazardous Material Shipping Name	O	10		Used

LH1

Hazardous Identification Information

Pos: 143

Max: 1

Detail - Optional

Loop: 0330

Elements: 5

User Option (Usage): Used

Purpose: To specify the hazardous commodity identification reference number and quantity

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage
LH101	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		All valid standard codes are used. (Total Codes: 794)				
LH102	80	Lading Quantity	M	NO	1/7	Must use
		Description: Number of units (pieces) of the lading commodity				
LH103	277	UN/NA Identification Code	O	ID	6/6	Used
		Description: Code identifying the hazardous material identification number as required by Title 49 of the code of Federal Regulations; UN/NA stands for United Nations/North America				
LH105	22	Commodity Code	O	AN	1/30	Used
		Description: Code describing a commodity or group of commodities				
LH110	254	Packing Group Code	O	ID	1/3	Used
		Description: Code indicating degree of danger in terms of Roman number I, II or III				

LH2 Hazardous Classification Information

Pos: 144	Max: 4
Detail - Optional	
Loop: 0330	Elements: 2

User Option (Usage): Used

Purpose: To specify the hazardous notation and endorsement information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
LH201	215	Hazardous Classification	O	ID	1/30	Used				
Description: The hazardous classification corresponding to the shipping name of the hazardous commodity										
LH202	983	Hazardous Class Qualifier	O	ID	1/1	Used				
Description: Code qualifying hazardous class										
Code List Summary (Total Codes: 2, Included: 1)										
<table><tr><th><u>Code</u></th><th><u>Name</u></th></tr><tr><td>P</td><td>Primary</td></tr></table>							<u>Code</u>	<u>Name</u>	P	Primary
<u>Code</u>	<u>Name</u>									
P	Primary									

Syntax Rules:

1. P0607 - If either LH206 or LH207 is present, then the other is required.
2. P0809 - If either LH208 or LH209 is present, then the other is required.
3. P1011 - If either LH210 or LH211 is present, then the other is required.

Semantics:

1. LH206 and LH207 indicate the flashpoint temperature.
2. LH208 and LH209 indicate the control temperature.
3. LH210 and LH211 indicate the emergency temperature.

LH3 Hazardous Material Shipping Name

Pos: 145	Max: 10
Detail - Optional	
Loop: 0330	Elements: 2

User Option (Usage): Used

Purpose: To specify the hazardous material shipping name and additional descriptive requirements

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LH301	224	Hazardous Material Shipping Name	X	AN	1/25	Used
Description: The proper shipping name of the hazardous commodity as specified by the Code of Federal Regulations, Title 49						
LH302	984	Hazardous Material Shipping Name Qualifier	X	ID	1/1	Used
Description: Qualifier indicating the source (regulatory) of the proper shipping name						
All valid standard codes are used. (Total Codes: 3)						

Syntax Rules:

1. P0102 - If either LH301 or LH302 is present, then the other is required.

Semantics:

1. If LH304 is "Y", then this is an Association of American Railroads Operations and Transportation Bulletin 55 commodity. If "N", it is not an Association of American Railroads Operations and Transportation Bulletin 55 commodity.

L3 Total Weight and Charges

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 8

User Option (Usage): Used

Purpose: To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L301	81	Weight	X	R	1/10	Used
		Description: Numeric value of weight				
L302	187	Weight Qualifier	X	ID	1/2	Used
		Description: Code defining the type of weight				
		Code List Summary (Total Codes: 51, Included: 1)				
		<u>Code</u>		<u>Name</u>		
		G		Gross Weight		
L303	60	Freight Rate	X	R	1/9	Used
		Description: Rate that applies to the specific commodity				
L304	122	Rate/Value Qualifier	X	ID	2/2	Used
		Description: Code qualifying how to extend charges or interpret value				
		All valid standard codes are used. (Total Codes: 163)				
L305	58	Charge	O	N2	1/12	Used
		Description: For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified				
L306	191	Advances	O	N2	1/9	Used
		Description: Incidental charges occurring during transportation which are not generally considered to be freight charges (examples - stop charges, diversion and reconsignment, icing) expressed in the standard monetary denomination for the currency specified				
L311	80	Lading Quantity	O	N0	1/7	Used
		Description: Number of units (pieces) of the lading commodity				
L312	188	Weight Unit Code	O	ID	1/1	Used
		Description: Code specifying the weight unit				
		Code List Summary (Total Codes: 8, Included: 2)				
		<u>Code</u>		<u>Name</u>		
		K		Kilograms		
		L		Pounds		

Syntax Rules:

1. P0102 - If either L301 or L302 is present, then the other is required.
2. P0304 - If either L303 or L304 is present, then the other is required.
3. P0910 - If either L309 or L310 is present, then the other is required.

4. C1201 - If L312 is present, then L301 is required.
5. P1415 - If either L314 or L315 is present, then the other is required.

Semantics:

1. L305 is the total charges.

SE Transaction Set Trailer

Pos: 020

Max: 1

Summary - Mandatory

Loop: N/A

Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
Description: Total number of segments included in a transaction set including ST and SE segments						
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						