


NAMA : TIRTA RIZKI RAMADHAN

NPM : 22312163

Membuat label dan folder forgot password pada admin login



The screenshot shows a VS Code editor with a project named 'BBC2'. The Explorer sidebar on the left shows a file tree with folders like 'admin', 'dashboard', 'orders', 'products', 'settings', 'testimonials', and 'forgot_password'. The 'forgot_password' folder is selected, showing a 'page.tsx' file. The main editor area displays the code for 'page.tsx' in the 'forgot_password' folder. The code includes imports for React, lucide-react, and useState. It defines a 'ForgotPassword' component with a 'handleSubmit' function and a JSX element. The JSX element is a form with a text input for email and a submit button. The form is styled with Tailwind CSS classes. The bottom status bar shows 'Spaces: 4', 'UTF-8', 'CRLF', and 'TypeScript JSX'.

```
1 'use client';
2
3 import React from 'react';
4 import { Mail, ArrowLeft, CheckCircle } from 'lucide-react';
5
6 const ForgotPassword = () => {
7   const [email, setEmail] = React.useState('');
8   const [submitted, setSubmitted] = React.useState(false);
9
10  const handleSubmit = (e: { preventDefault: () => void; }) => {
11    e.preventDefault();
12    setSubmitted(true);
13  };
14
15  return (
16    <div className="min-h-screen bg-gray-50 flex items-center justify-center px-4">
17      <div className="max-w-md w-full"></div>
18
19      <div className="bg-white rounded-xl shadow-lg p-8">
20        <div className="text-center">
21          <h2>Forgot Password</h2>
22          <p>Enter your email to receive a password reset link.</p>
23          <input type="text" value={email} onChange={setEmail} />
24          <button type="button" onClick={handleSubmit} className="mt-4">Reset Password</button>
25        </div>
26      </div>
27    </div>
28  );
29
30 }
```

