

All DMLs

-- Insert data into Signin

```
INSERT INTO TaxiManagement.Signin (LoginID, Username, Password) VALUES  
(1, 'user1', 'pass1'),  
(2, 'user2', 'pass2'),  
(3, 'user3', 'pass3'),  
(4, 'user4', 'pass4'),  
(5, 'user5', 'pass5'),  
(6, 'user6', 'pass6'),  
(7, 'user7', 'pass7'),  
(8, 'user8', 'pass8'),  
(9, 'user9', 'pass9'),  
(10, 'user10', 'pass10');
```

-- Insert data into Driver

```
INSERT INTO TaxiManagement.Driver (DriverId, Name, PhoneNo, Email, AvlStatus) VALUES  
(101, 'Driver A', '1234567890', 'driverA@example.com', TRUE),  
(102, 'Driver B', '1234567891', 'driverB@example.com', FALSE),  
(103, 'Driver C', '1234567892', 'driverC@example.com', TRUE),  
(104, 'Driver D', '1234567893', 'driverD@example.com', TRUE),  
(105, 'Driver E', '1234567894', 'driverE@example.com', TRUE),  
(106, 'Driver F', '1234567895', 'driverF@example.com', TRUE),  
(107, 'Driver G', '1234567896', 'driverG@example.com', FALSE),  
(108, 'Driver H', '1234567897', 'driverH@example.com', TRUE),  
(109, 'Driver I', '1234567898', 'driverI@example.com', FALSE),  
(110, 'Driver J', '1234567899', 'driverJ@example.com', FALSE);
```

-- Insert data into Customer

```
INSERT INTO TaxiManagement.Customer (CustomerID, Name, PhoneNo, Email) VALUES  
(201, 'Customer A', '2345678901', 'customerA@example.com'),
```

```
(202, 'Customer B', '2345678902', 'customerB@example.com'),  
(203, 'Customer C', '2345678903', 'customerC@example.com'),  
(204, 'Customer D', '2345678904', 'customerD@example.com'),  
(205, 'Customer E', '2345678905', 'customerE@example.com'),  
(206, 'Customer F', '2345678906', 'customerF@example.com'),  
(207, 'Customer G', '2345678907', 'customerG@example.com'),  
(208, 'Customer H', '2345678908', 'customerH@example.com'),  
(209, 'Customer I', '2345678909', 'customerI@example.com'),  
(210, 'Customer J', '2345678910', 'customerJ@example.com');
```

-- Insert data into Administrator

```
INSERT INTO TaxiManagement.DriverTaxiCoordinator (AdID, Name, PhoneNo, Email) VALUES
```

```
(301, 'Admin A', '3456789011', 'adminA@example.com'),  
(302, 'Admin B', '3456789012', 'adminB@example.com'),  
(303, 'Admin C', '3456789013', 'adminC@example.com'),  
(304, 'Admin D', '3456789014', 'adminD@example.com'),  
(305, 'Admin E', '3456789015', 'adminE@example.com'),  
(306, 'Admin F', '3456789016', 'adminF@example.com'),  
(307, 'Admin G', '3456789017', 'adminG@example.com'),  
(308, 'Admin H', '3456789018', 'adminH@example.com'),  
(309, 'Admin I', '3456789019', 'adminI@example.com'),  
(310, 'Admin J', '3456789020', 'adminJ@example.com');
```

-- Insert data into Taxi

```
INSERT INTO TaxiManagement.Taxi (PlateNumber, Model, AdID) VALUES
```

```
('ABC123', 'Model A', 301),  
( 'ABC124', 'Model B', 301),  
( 'ABC125', 'Model C', 302),  
( 'ABC126', 'Model D', 302),  
( 'ABC127', 'Model E', 302),  
( 'ABC128', 'Model F', 306),
```

```
('ABC129', 'Model G', 307),  
('ABC130', 'Model H', 308),  
('ABC131', 'Model I', 309),  
('ABC132', 'Model J', 310);
```

```
-- Insert data into RideBooking
```

```
INSERT INTO TaxiManagement.RideBooking (Fare, DriverID, CustomerID, Status, CurrentLocation,  
Destination,RideDate) VALUES
```

```
(200.00, 101, 201, 'completed', 'Location A', 'Destination A','2024-10-01'),  
(199.00, 101, 202, 'completed', 'Location F', 'Destination I','2024-10-02'),  
(150.00, 102, 202, 'completed', 'Location B', 'Destination F','2024-10-01'),  
(150.00, 102, 206, 'completed', 'Location C', 'Destination D','2024-10-03'),  
(150.00, 102, 209, 'completed', 'Location C', 'Destination Z','2024-10-02'),  
(150.00, 102, 208, 'completed', 'Location C', 'Destination E','2024-10-03'),  
(150.00, 103, 206, 'completed', 'Location E', 'Destination H','2024-10-01'),  
(250.00, 103, 203, 'completed', 'Location C', 'Destination D','2024-10-05'),  
(250.00, 103, 209, 'completed', 'Location E', 'Destination A','2024-10-03'),  
(150.00, 104, 206, 'completed', 'Location D', 'Destination I','2024-10-02'),  
(300.00, 104, 204, 'completed', 'Location D', 'Destination D','2024-10-01'),  
(175.00, 105, 205, 'completed', 'Location E', 'Destination E','2024-10-01'),  
(125.00, 106, 206, 'completed', 'Location F', 'Destination I','2024-10-01'),  
(350.00, 107, 207, 'completed', 'Location G', 'Destination G','2024-10-01'),  
(400.00, 108, 208, 'completed', 'Location F', 'Destination I','2024-10-01');  
-- (180.00, 109, 209, 'completed', 'Location I', 'Destination I','2024-10-02'),  
-- (220.00, 110, 210, 'canceled', 'Location J', 'Destination J','2024-10-02');
```

```
-- Insert data into Payment
```

```
INSERT INTO TaxiManagement.Payment (Fare, RideID) VALUES
```

```
(200.00, 1),  
(150.00, 2),
```

(250.00, 3),
(300.00, 4),
(175.00, 5),
(125.00, 6),
(350.00, 7),
(400.00, 8),
(180.00, 9),
(220.00, 10);

-- Insert data into Feedback

INSERT INTO TaxiManagement.Feedback (Rating, CustomerID, Comment) VALUES

(5, 201, 'Great service!'),
(4, 202, 'Good experience!'),
(3, 203, 'Average ride.'),
(5, 204, 'Fantastic!'),
(4, 206, 'Good value for money.'),
(2, 208, 'Loved it!'),
-- (4, 209, 'Very nice!'),
(5, 210, 'Excellent service!');

-- Insert data into Shift

INSERT INTO TaxiManagement.Shift (DriverId, Shiftstart, Shiftend,Hours) VALUES

(101, '2024-10-01 08:00:00', '2024-10-01 13:00:00',5),
(102, '2024-10-01 09:00:00', '2024-10-01 15:00:00',6),
(103, '2024-10-01 10:00:00', '2024-10-01 14:00:00',4),
(104, '2024-10-01 11:00:00', '2024-10-01 18:00:00',7),
(105, '2024-10-01 12:00:00', '2024-10-01 20:00:00',8),
(106, '2024-10-01 13:00:00', '2024-10-01 20:00:00',7),
(107, '2024-10-01 14:00:00', '2024-10-01 22:00:00',8),
(108, '2024-10-01 15:00:00', '2024-10-01 21:00:00',6),
(109, '2024-10-01 16:00:00', '2024-10-02 21:00:00',5),

(110, '2024-10-01 17:00:00', '2024-10-02 00:00:00',7);