GANPAT UNIVERSITY U.V. PATEL COLLEGE OF ENGINEERING

B.Tech 6th Semester CE/IT 2CEIT6PE1: Web Technology

Practical-8

Aim: Perform following programs of PHP with database. Exercise-1:

Create Login module for Student with registration page, login page, welcome page, change password page and logout page.

[Note: Student's registration fields Enrollment, Name, Branch, Password, Photo]

Code:

Config.php

```
<?php
session start();
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "student login system";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
  die("Connection failed: " . $conn->connect_error);
}
function hashPassword($password) {
  return password hash($password, PASSWORD DEFAULT);
}
function verifyPassword($password, $hash) {
  return password verify($password, $hash);
?>
```

register.php:

```
<?php
include 'config.php';</pre>
```

```
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $enrollment = $ POST['enrollment'];
  $name = $ POST['name'];
  $branch = $ POST['branch'];
  $password = hashPassword($ POST['password']);
  $photo = $ FILES['photo']['name'];
  $target = "uploads/" . basename($photo);
  if (move uploaded file($ FILES['photo']['tmp name'], $target)) {
    $sql = "INSERT INTO students (enrollment, name, branch, password, photo) VALUES
('$enrollment', '$name', '$branch', '$password', '$target')";
    if ($conn->query($sql) === TRUE) {
       $ SESSION['message'] = "Registration successful! Please log in.";
       header('Location: login.php');
    } else {
       $_SESSION['error'] = "Error: " . $sql . "<br>" . $conn->error;
  } else {
    $_SESSION['error'] = "Failed to upload photo.";
?>
<?php include 'templates/header.php'; ?>
<div class="container mt-5">
  <h2 class="text-center">Register</h2>
  <div class="card">
    <div class="card-body">
       <form method="POST" enctype="multipart/form-data" class="mt-4">
         <div class="mb-3">
            <label for="enrollment" class="form-label">Enrollment</label>
           <input type="text" class="form-control" id="enrollment" name="enrollment"</pre>
required>
         </div>
         <div class="mb-3">
           <label for="name" class="form-label">Name</label>
           <input type="text" class="form-control" id="name" name="name" required>
         </div>
         <div class="mb-3">
            <label for="branch" class="form-label">Branch</label>
           <input type="text" class="form-control" id="branch" name="branch" required>
         </div>
         <div class="mb-3">
           <label for="password" class="form-label">Password</label>
           <input type="password" class="form-control" id="password" name="password"</pre>
required>
         </div>
         <div class="mb-3">
           <label for="photo" class="form-label">Photo</label>
           <input type="file" class="form-control" id="photo" name="photo" required>
```

```
</div>
         <button type="submit" class="btn btn-primary btn-block">Register</button>
    </div>
  </div>
</div>
<?php include 'templates/footer.php'; ?>
Login.php:
<?php
include 'config.php';
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $enrollment = $ POST['enrollment'];
  $password = $ POST['password'];
  $sql = "SELECT * FROM students WHERE enrollment = '$enrollment'";
  $result = $conn->query($sql);
  if (\frac{\text{sresult->num rows}}{1}) {
    $student = $result->fetch assoc();
    if (verifyPassword($password, $student['password'])) {
       $ SESSION['student id'] = $student['id'];
       $ SESSION['enrollment'] = $student['enrollment'];
       $ SESSION['name'] = $student['name'];
       $ SESSION['photo'] = $student['photo'];
       header('Location: welcome.php');
    } else {
       $ SESSION['error'] = "Invalid password.";
  } else {
    $_SESSION['error'] = "Invalid enrollment number.";
<?php include 'templates/header.php'; ?>
<div class="container mt-5">
  <h2 class="text-center">Login</h2>
  <div class="card">
    <div class="card-body">
       <form method="POST" class="mt-4">
         <div class="mb-3">
            <label for="enrollment" class="form-label">Enrollment</label>
            <input type="text" class="form-control" id="enrollment" name="enrollment"</pre>
required>
         </div>
         <div class="mb-3">
            <label for="password" class="form-label">Password</label>
```

```
<input type="password" class="form-control" id="password" name="password"</pre>
required>
         </div>
         <button type="submit" class="btn btn-primary btn-block">Login</button>
       </form>
    </div>
  </div>
</div>
<?php include 'templates/footer.php'; ?>
Logout.php:
<?php
session start();
session unset();
session destroy();
header('Location: login.php');
?>
Welcome.php:
<?php
include 'config.php';
if (!isset($ SESSION['student id'])) {
  header('Location: login.php');
  exit;
?>
<?php include 'templates/header.php'; ?>
<div class="container mt-5 text-center">
  <h2>Welcome, <?php echo $ SESSION['name']; ?>!</h2>
  <img src="<?php echo $_SESSION['photo']; ?>" alt="Profile Photo" class="img-
thumbnail rounded-circle img-center">
  This is the welcome page.
  <div class="welcome-buttons mt-3">
    <a href="change password.php" class="btn btn-secondary">Change Password</a>
    <a href="logout.php" class="btn btn-danger">Logout</a>
  </div>
</div>
<?php include 'templates/footer.php'; ?>
Change password.php:
<?php
include 'config.php';
if (!isset($ SESSION['student id'])) {
  header('Location: login.php');
  exit;
 21012011107 TIRTH PATEL
```

```
}
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $current password = $ POST['current password'];
  $new password = $ POST['new password'];
  $student id = $ SESSION['student id'];
  $sql = "SELECT password FROM students WHERE id = '$student_id'";
  \text{serv} = \text{conn->query($sql)};
  $student = $result->fetch assoc();
  if (verifyPassword($current password, $student['password'])) {
    $new password hashed = hashPassword($new password);
    $sql = "UPDATE students SET password = '$new password hashed' WHERE id =
'$student id'";
    if (\text{sql}) === TRUE) {
       $ SESSION['message'] = "Password changed successfully!";
       $ SESSION['error'] = "Error updating password: " . $conn->error;
  } else {
    $ SESSION['error'] = "Current password is incorrect.";
?>
<?php include 'templates/header.php'; ?>
<div class="container mt-5">
  <h2 class="text-center">Change Password</h2>
  <div class="card">
    <div class="card-body">
       <form method="POST" class="mt-4">
         <div class="mb-3">
           <label for="current password" class="form-label">Current Password</label>
           <input type="password" class="form-control" id="current password"</pre>
name="current password" required>
         </div>
         <div class="mb-3">
           <label for="new password" class="form-label">New Password</label>
           <input type="password" class="form-control" id="new password"</pre>
name="new password" required>
         </div>
         <button type="submit" class="btn btn-primary btn-block">Change
Password</button>
       </form>
    </div>
  </div>
</div>
<?php include 'templates/footer.php'; ?>
```

Header.php:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Student Login System</title>
  <!-- <li>!-- !-- stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/5.1.3/css/bootstrap.min.css"> -->
  link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU9OFeRpok6YctnYmDr5pNlyT2bRjXh0JMhjY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="../static/css/styles.css">
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-light bg-light">
  <div class="container-fluid">
    <a class="navbar-brand" href="#">Student Login System</a>
    <button class="navbar-toggler" type="button" data-bs-toggle="collapse" data-bs-</pre>
target="#navbarNav" aria-controls="navbarNav" aria-expanded="false" aria-label="Toggle
navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse justify-content-center" id="navbarNav">
      ul class="navbar-nav">
         <a class="nav-link"</pre>
href="../welcome.php">Welcome</a>
         <a class="nav-link" href="../change password.php">Change
Password</a>
         class="nav-item"><a class="nav-link" href="../logout.php">Logout</a>
         <a class="nav-link" href="index.php">Admin Panel</a>
      </div>
  </div>
</nav>
<div class="container mt-4">
  <?php if (isset($ SESSION['message'])): ?>
    <div class="alert alert-success"><?php echo $ SESSION['message'];</pre>
unset($ SESSION['message']); ?></div>
  <?php endif; ?>
  <?php if (isset($ SESSION['error'])): ?>
    <div class="alert alert-danger"><?php echo $ SESSION['error'];</pre>
unset($ SESSION['error']); ?></div>
  <?php endif; ?>
```

Footer.php:

</div>

<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-</pre>

YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz" crossorigin="anonymous"></script>

<script


src="https://cdn.jsdelivr.net/npm/@popperjs/core@2.10.2/dist/umd/popper.min.js"></script> <script

src="https://stackpath.bootstrapcdn.com/bootstrap/5.1.3/js/bootstrap.min.js"></script>
<script src="../static/js/scripts.js"></script></script></script>


</body>


</html>

Output:



Login Enrollment 21012011107 Password ... Login Student Login System Welcome Change Password Logout Admin Panel





Exercise-2:

Create Admin module to perform update, delete, display records with order by and search operation with Student table. [Note: Same as grid view design]

Code:

Config.php:

```
<?php
session_start();
$servername = "localhost";
$username = "root";
$password = "";
$dbname = "student login system";
$conn = new mysqli($servername, $username, $password, $dbname);
if ($conn->connect error) {
  die("Connection failed: " . $conn->connect_error);
}
function hashPassword($password) {
  return password hash($password, PASSWORD DEFAULT);
}
function verifyPassword($password, $hash) {
  return password verify($password, $hash);
?>
```

Index.php:

<?php

```
include 'config.php';
$order = $ GET['order'] ?? 'name';
$search = $ GET['search'] ?? ";
$sql = "SELECT * FROM students WHERE name LIKE '%$search%' OR enrollment LIKE
'%$search%' ORDER BY $order";
$result = $conn->query($sql);
<?php include '../templates/header.php'; ?>
<div class="container mt-5">
  <h2 class="text-center">Student Records</h2>
  <div class="text-center mb-4">
    <form method="GET" class="form-inline justify-content-center">
      <input type="text" class="form-control mr-2" name="search" placeholder="Search by</pre>
name or enrollment" value="<?php echo $search; ?>">
      <button type="submit" class="btn btn-primary">Search</button>
    </form>
  </div>
  <thead>
      <a href="?order=enrollment">Enrollment</a>
        <a href=""?order=name">Name</a>
        <a href="?order=branch">Branch</a>
        Photo
        Actions
      </thead>
    <?php while($row = $result->fetch assoc()): ?>
        <?php echo $row['enrollment']; ?>
          <?php echo $row['name']; ?>
          <?php echo $row['branch']; ?>
          <img src="../<?php echo $row['photo']; ?>" alt="Profile Photo" class="img-
thumbnail" width="100">
            <a href="update.php?id=<?php echo $row['id']; ?>" class="btn btn-
warning">Edit</a>
            <a href="delete.php?id=<?php echo $row['id']; ?>" class="btn btn-danger"
onclick="return confirm('Are you sure you want to delete this record?');">Delete</a>
          <?php endwhile; ?>
    </div>
<?php include '../templates/footer.php'; ?>
```

Update.php:

```
<?php
include 'config.php';
if ($ SERVER["REQUEST METHOD"] == "POST") {
  $id = $ POST['id'];
  $enrollment = $ POST['enrollment'];
  $name = $ POST['name'];
  $branch = $ POST['branch'];
  $photo = $ FILES['photo']['name'];
  $target = "../uploads/" . basename($photo);
  if ($photo) {
    move uploaded file($ FILES['photo']['tmp name'], $target);
    $sql = "UPDATE students SET enrollment='$enrollment', name='$name',
branch='$branch', photo='$target' WHERE id='$id'";
  } else {
    $sql = "UPDATE students SET enrollment='$enrollment', name='$name',
branch='$branch' WHERE id='$id'";
  if (\text{sql}) === \text{TRUE} {
    $ SESSION['message'] = "Record updated successfully!";
    header('Location: index.php');
  } else {
    $ SESSION['error'] = "Error updating record: " . $conn->error;
} else {
  $id = $ GET['id'];
  $sql = "SELECT * FROM students WHERE id='$id'";
  $result = $conn->query($sql);
  $student = $result->fetch assoc();
?>
<?php include '../templates/header.php'; ?>
<div class="container mt-5">
  <h2 class="text-center">Update Student Record</h2>
  <div class="card">
    <div class="card-body">
       <form method="POST" enctype="multipart/form-data" class="mt-4">
         <input type="hidden" name="id" value="<?php echo $student['id']; ?>">
         <div class="mb-3">
           <label for="enrollment" class="form-label">Enrollment</label>
           <input type="text" class="form-control" id="enrollment" name="enrollment"</pre>
value="<?php echo $student['enrollment']; ?>" required>
         </div>
         <div class="mb-3">
           <label for="name" class="form-label">Name</label>
```

```
<input type="text" class="form-control" id="name" name="name" value="<?php</pre>
echo $student['name']; ?>" required>
         </div>
         <div class="mb-3">
           <label for="branch" class="form-label">Branch</label>
           <input type="text" class="form-control" id="branch" name="branch"</pre>
value="<?php echo $student['branch']; ?>" required>
         </div>
         <div class="mb-3">
           <label for="photo" class="form-label">Photo</label>
           <input type="file" class="custom-file-input" id="photo" name="photo">
           <label class="custom-file-label" for="photo">Choose file</label>
         <button type="submit" class="btn btn-primary btn-block">Update</button>
       </form>
    </div>
  </div>
</div>
<?php include '../templates/footer.php'; ?>
Delete.php:
<?php
include 'config.php';
$id = $ GET['id'];
$sql = "DELETE FROM students WHERE id='$id'";
if ($conn->query($sql) === TRUE) {
  $ SESSION['message'] = "Record deleted successfully!";
} else {
  $ SESSION['error'] = "Error deleting record: " . $conn->error;
header('Location: index.php');
Search.php:
<?php
include 'config.php';
$search = $ GET['search'] ?? ";
$sql = "SELECT * FROM students WHERE name LIKE '%$search%' OR enrollment LIKE
'%$search%' ORDER BY name";
$result = $conn->query($sql);
include 'index.php';
?>
```

Output:

