


GitHub Temporary Setup & Credential Cleanup Guide

This document explains how to temporarily configure Git and GitHub, upload a project, and then safely remove credentials afterward. The guide is written for beginners with simple explanations for every command.



1. Set Project Directory

```
cd "C:\\Users\\YourName\\Desktop\\Project"
```

Moves PowerShell to your project folder.

2. Remove Existing Remote

```
git remote remove origin
```

Removes old GitHub repository connection.

3. Check Current Remotes

```
git remote -v
```

Shows connected GitHub repositories.

4. Initialize Git

```
git init
```

Starts Git tracking in the project folder.

5. Set Temporary Username

```
git config user.name "Your Name"
```

Sets temporary Git username for this project.

6. Set Temporary Email

```
git config user.email "yourmail@example.com"
```

Sets temporary Git email for this project.

7. Add Files

```
git add .
```

Stages all project files for commit.

8. Commit Changes

```
git commit -m "Initial Commit"
```

Creates a snapshot of the project.

9. Rename Branch

```
git branch -M main
```

Renames branch to main.

10. Add GitHub Repository

```
git remote add origin https://github.com/username/repository.git
```

Connects local project to GitHub repository.

11. Push Code to GitHub

```
git push -u origin main
```

Uploads project files to GitHub.

12. Open Credential Manager

```
control keymgr.dll
```

Opens Windows Credential Manager.

13. Remove Username

```
git config --unset user.name
```

Deletes temporary Git username.

14. Remove Email

```
git config --unset user.email
```

Deletes temporary Git email.

15. Remove GitHub Remote

```
git remote remove origin
```

Disconnects GitHub repository from project.

16. Verify Settings

```
git config --list
```

Checks remaining Git configuration.

Beginner Tips

- Always verify the repository URL before pushing code.
- Use Personal Access Tokens instead of passwords for GitHub login.
- Do not share GitHub credentials publicly.
- Clean credentials after temporary usage for security.
- Write meaningful commit messages.

This workflow is useful when working on shared systems, internships, labs, or temporary development environments.