

```
Started by GitHub push by Tirthankar17
Obtained Jenkinsfile from git https://github.com/Tirthankar17/BootCampCaseStudy.git
Running in Durability level: MAX_SURVIVABILITY
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/CICD Pipeline Job
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Preparing environment)
[Pipeline] tool
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Code checkout from Git)
[Pipeline] echo
Checking out the code
[Pipeline] git
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
No credentials specified
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/CICD Pipeline Job/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Tirthankar17/BootCampCaseStudy.git # timeout=10
Fetching upstream changes from https://github.com/Tirthankar17/BootCampCaseStudy.git
> git --version # timeout=10
> git --version # 'git version 2.17.1'
> git fetch --tags --progress -- https://github.com/Tirthankar17/BootCampCaseStudy.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/master^{commit} # timeout=10
Checking out Revision a496550d96e88a154833efae232269ba84a340fa (refs/remotes/origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f a496550d96e88a154833efae232269ba84a340fa # timeout=10
> git branch -a -v --no-abbrev # timeout=10
> git branch -D master # timeout=10
> git checkout -b master a496550d96e88a154833efae232269ba84a340fa # timeout=10
Commit message: "Update Jenkinsfile"
> git rev-list --no-walk 2bbf2ab3f69573f38061135031cd8f47616bf5ff # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Sonar Check)
[Pipeline] withSonarQubeEnv
Injecting SonarQube environment variables using the configuration: sonarqubeserver
[Pipeline] {
[Pipeline] sh
+ /var/lib/jenkins/tools/hudson.tasks.Maven_MavenInstallation/Maven_3.8.1/bin/mvn clean package
sonar:sonar
[INFO] Scanning for projects...
[WARNING] The POM for org.eclipse.m2e:lifecycle-mapping:jar:1.0.0 is missing, no dependency
information available
[WARNING] Failed to retrieve plugin descriptor for org.eclipse.m2e:lifecycle-mapping:1.0.0: Plugin
org.eclipse.m2e:lifecycle-mapping:1.0.0 or one of its dependencies could not be resolved:
org.eclipse.m2e:lifecycle-mapping:jar:1.0.0 was not found in https://repo.maven.apache.org/maven2
during a previous attempt. This failure was cached in the local repository and resolution is not
reattempted until the update interval of central has elapsed or updates are forced
[INFO]
[INFO] -----< com.casestudy:bootcamp >-----
[INFO] Building bootcamp 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[INFO]
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ bootcamp ---
[INFO] Deleting /var/lib/jenkins/workspace/CICD Pipeline Job/target
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ bootcamp ---
```

```
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 1 resource
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 2 source files to /var/lib/jenkins/workspace/CICD Pipeline Job/target/classes
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ bootcamp ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/lib/jenkins/workspace/CICD Pipeline
Job/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to /var/lib/jenkins/workspace/CICD Pipeline Job/target/test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ bootcamp ---
[INFO]
[INFO] -----
[INFO]  T E S T S
[INFO] -----
[INFO] Running com.TestMessageController
18:20:51.173 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
18:20:51.210 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframework.
test.context.CacheAwareContextLoaderDelegate)]
18:20:51.234 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
TestContextBootstrapper for test class [com.TestMessageController] from class
[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
18:20:51.243 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Neither @ContextConfiguration nor @ContextHierarchy found for test class [com.TestMessageController],
using SpringBootTestContextLoader
18:20:51.247 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
detect default resource location for test class [com.TestMessageController]: class path resource
[com/TestMessageController-context.xml] does not exist
18:20:51.247 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
detect default resource location for test class [com.TestMessageController]: class path resource
[com/TestMessageControllerContext.groovy] does not exist
18:20:51.248 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not
detect default resource locations for test class [com.TestMessageController]: no resource found for
suffixes {-context.xml, Context.groovy}.
18:20:51.248 [main] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils
- Could not detect default configuration classes for test class [com.TestMessageController]:
TestMessageController does not declare any static, non-private, non-final, nested classes annotated
with @Configuration.
18:20:51.285 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not
find an 'annotation declaring class' for annotation type
[org.springframework.test.context.ActiveProfiles] and class [com.TestMessageController]
18:20:51.369 [main] DEBUG
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified
candidate component class: file [/var/lib/jenkins/workspace/CICD Pipeline
Job/target/classes/com/Application.class]
18:20:51.374 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Found @SpringBootTestConfiguration com.Application for test class com.TestMessageController
18:20:51.468 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
@TestExecutionListeners is not present for class [com.TestMessageController]: using defaults.
18:20:51.469 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
```

```

org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListene
r,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListene
r, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener]
18:20:51.480 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Skipping candidate TestExecutionListener
[org.springframework.test.context.transaction.TransactionalTestExecutionListener] due to a missing
dependency. Specify custom listener classes or make the default listener classes and their required
dependencies available. Offending class:
[org.springframework.transaction.interceptor.TransactionAttributeSource]
18:20:51.480 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Skipping candidate TestExecutionListener
[org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener] due to a missing dependency.
Specify custom listener classes or make the default listener classes and their required dependencies
available. Offending class: [org.springframework.transaction.interceptor.TransactionAttribute]
18:20:51.481 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@24c1b2d2,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@7dc19a70,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@508dec2b,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@1e4f4a
5c, org.springframework.test.context.support DirtiesContextTestExecutionListener@37313c65,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@465232e9,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@798162bc,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListene
r@1df8da7a,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListene
r@23941fb4,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@7486b455]
18:20:51.485 [main] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test
class: context [DefaultTestContext@49b2a47d testClass = TestMessageController, testInstance = [null],
testMethod = [null], testException = [null], mergedContextConfiguration =
[WebMergedContextConfiguration@5be1d0a4 testClass = TestMessageController, locations = '{}', classes
= '{class com.Application}', contextInitializerClasses = '[]', activeProfiles = '{}',
propertySourceLocations = '{}', propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers
= set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@1bb5a082,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectCon
textCustomizer@3590fc5b, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@75d4a5c2,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@
3fc2959f], resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true]],
class annotated with @DirtiesContext [false] with mode [null].
18:20:51.512 [main] DEBUG org.springframework.test.context.support.TestPropertySourceUtils - Adding
inlined properties to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true, server.port=-1}

```

```

  ____
 /  __ \
(  )  /
 \  __/
  ____
:: Spring Boot ::
                (v2.1.7.RELEASE)

```

```
2021-06-03 18:20:52.056 INFO 24847 --- [main] com.TestMessageController :
Starting TestMessageController on ansible-master with PID 24847 (started by jenkins in
/var/lib/jenkins/workspace/CICD Pipeline Job)
2021-06-03 18:20:52.058 INFO 24847 --- [main] com.TestMessageController :
No active profile set, falling back to default profiles: default
2021-06-03 18:20:54.277 INFO 24847 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor :
Initializing ExecutorService 'applicationTaskExecutor'
2021-06-03 18:20:54.384 INFO 24847 --- [main] o.s.b.a.w.s.WelcomePageHandlerMapping :
Adding welcome page: class path resource [static/index.html]
2021-06-03 18:20:54.599 INFO 24847 --- [main] com.TestMessageController :
Started TestMessageController in 3.08 seconds (JVM running for 4.172)
2021-06-03 18:20:54.956 INFO 24847 --- [main] com.MessageController :
hello, its an info
2021-06-03 18:20:54.967 INFO 24847 --- [main] com.MessageController :
hello from test app1
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 3.919 s - in
com.TestMessageController
2021-06-03 18:20:55.008 INFO 24847 --- [Thread-1] o.s.s.concurrent.ThreadPoolTaskExecutor :
Shutting down ExecutorService 'applicationTaskExecutor'
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-jar-plugin:3.1.2:jar (default-jar) @ bootcamp ---
[INFO] Building jar: /var/lib/jenkins/workspace/CICD Pipeline Job/target/bootcamp-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot-maven-plugin:2.1.7.RELEASE:repackage (repackage) @ bootcamp ---
[INFO] Replacing main artifact with repackaged archive
[INFO]
[INFO] --- spring-boot-maven-plugin:2.1.7.RELEASE:repackage (default) @ bootcamp ---
[INFO] Replacing main artifact with repackaged archive
[INFO]
[INFO] -----< com.casestudy:bootcamp >-----
[INFO] Building bootcamp 0.0.1-SNAPSHOT
[INFO] -----[ jar ]-----
[WARNING] The POM for org.eclipse.m2e:lifecycle-mapping:jar:1.0.0 is missing, no dependency
information available
[WARNING] Failed to retrieve plugin descriptor for org.eclipse.m2e:lifecycle-mapping:1.0.0: Plugin
org.eclipse.m2e:lifecycle-mapping:1.0.0 or one of its dependencies could not be resolved:
org.eclipse.m2e:lifecycle-mapping:jar:1.0.0 was not found in https://repo.maven.apache.org/maven2
during a previous attempt. This failure was cached in the local repository and resolution is not
reattempted until the update interval of central has elapsed or updates are forced
[INFO]
[INFO] --- sonar-maven-plugin:3.9.0.2155:sonar (default-cli) @ bootcamp ---
[INFO] User cache: /var/lib/jenkins/.sonar/cache
[INFO] SonarQube version: 8.9.0
[INFO] Default locale: "en", source code encoding: "UTF-8"
[INFO] Load global settings
[INFO] Load global settings (done) | time=223ms
[INFO] Server id: BF41A1F2-AXnR73Ahi-pYgknuTb4B
[INFO] User cache: /var/lib/jenkins/.sonar/cache
[INFO] Load/download plugins
[INFO] Load plugins index
[INFO] Load plugins index (done) | time=123ms
[INFO] Load/download plugins (done) | time=183ms
[INFO] Process project properties
[INFO] Process project properties (done) | time=14ms
[INFO] Execute project builders
[INFO] Execute project builders (done) | time=2ms
[INFO] Project key: com.casestudy:bootcamp
[INFO] Base dir: /var/lib/jenkins/workspace/CICD Pipeline Job
[INFO] Working dir: /var/lib/jenkins/workspace/CICD Pipeline Job/target/sonar
[INFO] Load project settings for component key: 'com.casestudy:bootcamp'
```

[INFO] Load project settings for component key: 'com.casestudy:bootcamp' (done) | time=80ms
[INFO] Auto-configuring with CI 'Jenkins'
[INFO] Load quality profiles
[INFO] Load quality profiles (done) | time=110ms
[INFO] Auto-configuring with CI 'Jenkins'
[INFO] Load active rules
[INFO] Load active rules (done) | time=2585ms
[INFO] Indexing files...
[INFO] Project configuration:
[INFO] 4 files indexed
[INFO] 0 files ignored because of scm ignore settings
[INFO] Quality profile for java: Sonar way
[INFO] Quality profile for xml: Sonar way
[INFO] ----- Run sensors on module bootcamp
[INFO] Load metrics repository
[INFO] Load metrics repository (done) | time=82ms
[INFO] Sensor JavaSquidSensor [java]
[INFO] Configured Java source version (sonar.java.source): 8
[INFO] JavaClasspath initialization
[INFO] JavaClasspath initialization (done) | time=9ms
[INFO] JavaTestClasspath initialization
[INFO] JavaTestClasspath initialization (done) | time=1ms
[INFO] Java Main Files AST scan
[INFO] 2 source files to be analyzed
[INFO] Load project repositories
[INFO] Load project repositories (done) | time=78ms
[INFO] 2/2 source files have been analyzed
[INFO] Java Main Files AST scan (done) | time=1174ms
[INFO] Java Test Files AST scan
[INFO] 1 source file to be analyzed
[INFO] 1/1 source file has been analyzed
[INFO] Java Test Files AST scan (done) | time=79ms
[INFO] Java Generated Files AST scan
[INFO] 0 source files to be analyzed
[INFO] 0/0 source files have been analyzed
[INFO] Java Generated Files AST scan (done) | time=1ms
[INFO] Sensor JavaSquidSensor [java] (done) | time=1582ms
[INFO] Sensor CSS Rules [cssfamily]
[INFO] No CSS, PHP, HTML or VueJS files are found in the project. CSS analysis is skipped.
[INFO] Sensor CSS Rules [cssfamily] (done) | time=1ms
[INFO] Sensor JaCoCo XML Report Importer [jacoco]
[INFO] 'sonar.coverage.jacoco.xmlReportPaths' is not defined. Using default locations:
target/site/jacoco/jacoco.xml,target/site/jacoco-
it/jacoco.xml,build/reports/jacoco/test/jacocoTestReport.xml
[INFO] No report imported, no coverage information will be imported by JaCoCo XML Report Importer
[INFO] Sensor JaCoCo XML Report Importer [jacoco] (done) | time=5ms
[INFO] Sensor C# Project Type Information [csharp]
[INFO] Sensor C# Project Type Information [csharp] (done) | time=1ms
[INFO] Sensor C# Properties [csharp]
[INFO] Sensor C# Properties [csharp] (done) | time=1ms
[INFO] Sensor SurefireSensor [java]
[INFO] parsing [/var/lib/jenkins/workspace/CICD Pipeline Job/target/surefire-reports]
[INFO] Sensor SurefireSensor [java] (done) | time=82ms
[INFO] Sensor JavaXmlSensor [java]
[INFO] 1 source file to be analyzed
[INFO] 1/1 source file has been analyzed
[INFO] Sensor JavaXmlSensor [java] (done) | time=175ms
[INFO] Sensor HTML [web]
[INFO] Sensor HTML [web] (done) | time=4ms
[INFO] Sensor XML Sensor [xml]
[INFO] 1 source file to be analyzed
[INFO] 1/1 source file has been analyzed
[INFO] Sensor XML Sensor [xml] (done) | time=146ms
[INFO] Sensor VB.NET Project Type Information [vbnet]
[INFO] Sensor VB.NET Project Type Information [vbnet] (done) | time=1ms

```
[INFO] Sensor VB.NET Properties [vbnet]
[INFO] Sensor VB.NET Properties [vbnet] (done) | time=1ms
[INFO] ----- Run sensors on project
[INFO] Sensor Zero Coverage Sensor
[INFO] Sensor Zero Coverage Sensor (done) | time=11ms
[INFO] Sensor Java CPD Block Indexer
[INFO] Sensor Java CPD Block Indexer (done) | time=20ms
[INFO] CPD Executor 1 file had no CPD blocks
[INFO] CPD Executor Calculating CPD for 1 file
[INFO] CPD Executor CPD calculation finished (done) | time=9ms
[INFO] Analysis report generated in 103ms, dir size=106 KB
[INFO] Analysis report compressed in 25ms, zip size=19 KB
[INFO] Analysis report uploaded in 141ms
[INFO] ANALYSIS SUCCESSFUL, you can browse http://34.126.179.1:9000/dashboard?
id=com.casestudy%3Abootcamp
[INFO] Note that you will be able to access the updated dashboard once the server has processed the
submitted analysis report
[INFO] More about the report processing at http://34.126.179.1:9000/api/ce/task?id=AXnTG3zbi-
pYgknuTgpc
[INFO] Analysis total time: 6.907 s
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 16.945 s
[INFO] Finished at: 2021-06-03T18:21:04Z
[INFO] -----
[Pipeline] }
[Pipeline] // withSonarQubeEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (AppScan Test)
[Pipeline] appscan
Preparing the IRX file using SAClientUtil version 8.0.1436...
Discovering targets...
Target added: CICD Pipeline Job
Validating...
Validating CICD Pipeline Job...
Staging bootcamp-0.0.1-SNAPSHOT.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-starter-web-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-starter-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-autoconfigure-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-starter-logging-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/logback-classic-1.2.3.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/logback-core-1.2.3.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/log4j-to-slf4j-2.11.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/log4j-api-2.11.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jul-to-slf4j-1.7.26.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/javax.annotation-api-1.3.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/snakeyaml-1.23.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-starter-json-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-databind-2.9.9.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-annotations-2.9.0.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-core-2.9.9.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-datatype-jdk8-2.9.9.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-datatype-jsr310-2.9.9.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jackson-module-parameter-names-2.9.9.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-boot-starter-tomcat-2.1.7.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/tomcat-embed-core-9.0.22.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/tomcat-embed-el-9.0.22.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/tomcat-embed-websocket-9.0.22.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/hibernate-validator-6.0.17.Final.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/validation-api-2.0.1.Final.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/jboss-logging-3.3.2.Final.jar
```

Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/classmate-1.4.0.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-web-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-beans-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-webmvc-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-aop-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-context-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-expression-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/slf4j-api-1.7.26.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-core-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/spring-jcl-5.1.9.RELEASE.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/junit-jupiter-api-5.3.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/apiguardian-api-1.0.0.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/opentest4j-1.1.1.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/junit-platform-commons-1.3.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/junit-jupiter-engine-5.3.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/junit-platform-engine-1.3.2.jar
Staging bootcamp-0.0.1-SNAPSHOT.jar.child/BOOT-INF/lib/junit-platform-launcher-1.3.2.jar
Duplicate jar entry com.Application. Using the one already present.
Duplicate jar entry com.MessageController. Using the one already present.
Starting waf1 gen process
Waf1 gen took 4,455ms for /var/lib/jenkins/workspace/CICD Pipeline Job/_18-21-04_1/stage/2/Java/waf1/_frameworksCLI.waf1
Beginning IR threaded generation
Processed class org.opentest4j.MultipleFailuresError (1 of 11)
Processed: (9%)
Processed class org.opentest4j.IncompleteExecutionException (2 of 11)
Processed: (18%)
Processed class com.Application (3 of 11)
Processed: (27%)
Processed class org.opentest4j.TestAbortedException (4 of 11)
Processed: (36%)
Processed class com.MessageController (5 of 11)
Processed: (45%)
Processed class com.TestMessageController (6 of 11)
Processed: (54%)
Processed class org.opentest4j.ValueWrapper (7 of 11)
Processed: (63%)
Processed class org.opentest4j.AssertionFailedError (8 of 11)
Processed: (72%)
Processed class org.apiguardian.api.API (9 of 11)
Processed: (81%)
Processed class org.apiguardian.api.API\$Status (10 of 11)
Processed: (90%)
Processed class org.opentest4j.TestSkippedException (11 of 11)
Processed: (100%)
Completed IR threaded generation. Process took 1,360ms to complete.
0%
Validating CICD Pipeline Job...
14%
Validating CICD Pipeline Job...
28%
Validating CICD Pipeline Job...
42%
Validating CICD Pipeline Job...
57%
Validating CICD Pipeline Job...
71%
Validating analyze...
85%
Validating analyze...
100%
Validation complete.
Generating IRX file...
Processing target analyze (1 of 2)
Processing file index.html (1 of 1)

Processed: (5%)
Processing target CICD Pipeline Job (2 of 2)
Processing file index.html (1 of 3)
Processed: (11%)
Processing file deployapp.yml (2 of 3)
Processed: (17%)
Processing file index.html (3 of 3)
Processed: (23%)
Processing target CICD Pipeline Job (1 of 2)
Processing file index.html (1 of 2)
Processed: (29%)
Processing file index.html (2 of 2)
Processed: (35%)
Processing target analyze (2 of 2)
Processing file index.html (1 of 1)
Processed: (41%)
Processing target CICD Pipeline Job (1 of 1)
Processing file inputFiles.lst (1 of 4)
Processed: (47%)
Processing file createdFiles.lst (2 of 4)
Processed: (52%)
Processing file inputFiles.lst (3 of 4)
Processed: (58%)
Processing file createdFiles.lst (4 of 4)
Processed: (64%)
Processing target CICD Pipeline Job (1 of 1)
Processing file inputFiles.lst (1 of 4)
Processed: (70%)
Processing file createdFiles.lst (2 of 4)
Processed: (76%)
Processing file inputFiles.lst (3 of 4)
Processed: (82%)
Processing file createdFiles.lst (4 of 4)
Processed: (88%)
Processing target CICD Pipeline Job (1 of 1)
Processing file Dockerfile (1 of 2)
Processed: (94%)
Processing file deployapp.yml (2 of 2)
Processed: (100%)
IRX file generation successful.

Uploading /var/lib/jenkins/workspace/CICD Pipeline Job/AppScanTest_2021-06-03_18-21-04.irx to the analysis service...

Creating and executing scan...

Successfully submitted scan for analysis.

[Pipeline] }

[Pipeline] // stage

[Pipeline] stage

[Pipeline] { (Build and Package)

[Pipeline] echo

Building the code

[Pipeline] sh

+ /var/lib/jenkins/tools/hudson.tasks.Maven_MavenInstallation/Maven_3.8.1/bin/mvn clean test package

[INFO] Scanning for projects...

[INFO]

[INFO] -----< com.casestudy:bootcamp >-----

[INFO] Building bootcamp 0.0.1-SNAPSHOT

[INFO] -----[jar]-----

[INFO]

[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ bootcamp ---

[INFO] Deleting /var/lib/jenkins/workspace/CICD Pipeline Job/target

[INFO]

[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ bootcamp ---

[INFO] Using 'UTF-8' encoding to copy filtered resources.

[INFO] Copying 1 resource


```
[INFO] Copying 1 resource
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 2 source files to /var/lib/jenkins/workspace/CICD Pipeline Job/target/classes
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ bootcamp ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/lib/jenkins/workspace/CICD Pipeline
Job/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to /var/lib/jenkins/workspace/CICD Pipeline Job/target/test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ bootcamp ---
[INFO]
[INFO] -----
[INFO] T E S T S
[INFO] -----
[INFO] Running com.TestMessageController
18:21:27.925 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
18:21:27.955 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
BootstrapContext using constructor [public
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframework.
test.context.CacheAwareContextLoaderDelegate)]
18:21:27.975 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
TestContextBootstrapper for test class [com.TestMessageController] from class
[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]
18:21:27.986 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Neither @ContextConfiguration nor @ContextHierarchy found for test class [com.TestMessageController],
using SpringBootTestContextLoader
18:21:27.990 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
detect default resource location for test class [com.TestMessageController]: class path resource
[com/TestMessageController-context.xml] does not exist
18:21:27.991 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not
detect default resource location for test class [com.TestMessageController]: class path resource
[com/TestMessageControllerContext.groovy] does not exist
18:21:27.991 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not
detect default resource locations for test class [com.TestMessageController]: no resource found for
suffixes {-context.xml, Context.groovy}.
18:21:27.992 [main] INFO org.springframework.test.context.support.AnnotationConfigContextLoaderUtils
- Could not detect default configuration classes for test class [com.TestMessageController]:
TestMessageController does not declare any static, non-private, non-final, nested classes annotated
with @Configuration.
18:21:28.034 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not
find an 'annotation declaring class' for annotation type
[org.springframework.test.context.ActiveProfiles] and class [com.TestMessageController]
18:21:28.116 [main] DEBUG
org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified
candidate component class: file [/var/lib/jenkins/workspace/CICD Pipeline
Job/target/classes/com/Application.class]
18:21:28.120 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Found @SpringBootTestConfiguration com.Application for test class com.TestMessageController
18:21:28.203 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
@TestExecutionListeners is not present for class [com.TestMessageController]: using defaults.
18:21:28.204 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:
[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListene
r,
```

```
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListene
r, org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,
org.springframework.test.context.web.ServletTestExecutionListener,
org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener,
org.springframework.test.context.support.DependencyInjectionTestExecutionListener,
org.springframework.test.context.support.DirtiesContextTestExecutionListener,
org.springframework.test.context.transaction.TransactionalTestExecutionListener,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener]
18:21:28.214 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Skipping candidate TestExecutionListener
[org.springframework.test.context.transaction.TransactionalTestExecutionListener] due to a missing
dependency. Specify custom listener classes or make the default listener classes and their required
dependencies available. Offending class:
[org.springframework.transaction.interceptor.TransactionAttributeSource]
18:21:28.215 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Skipping candidate TestExecutionListener
[org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener] due to a missing dependency.
Specify custom listener classes or make the default listener classes and their required dependencies
available. Offending class: [org.springframework.transaction.interceptor.TransactionAttribute]
18:21:28.215 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@24c1b2d2,
org.springframework.test.context.support.DirtiesContextBeforeModesTestExecutionListener@7dc19a70,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@508dec2b,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@1e4f4a
5c, org.springframework.test.context.support.DirtiesContextTestExecutionListener@37313c65,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@465232e9,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@798162bc,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListene
r@1df8da7a,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListene
r@23941fb4,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@7486b455]
18:21:28.219 [main] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test
class: context [DefaultTestContext@49b2a47d testClass = TestMessageController, testInstance = [null],
testMethod = [null], testException = [null], mergedContextConfiguration =
[WebMergedContextConfiguration@5be1d0a4 testClass = TestMessageController, locations = '{}', classes
= '{class com.Application}', contextInitializerClasses = '[]', activeProfiles = '{}',
propertySourceLocations = '{}', propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}', contextCustomizers
= set[org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@1bb5a082,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObjectCon
textCustomizer@3590fc5b, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@75d4a5c2,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@0,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customizer@
3fc2959f], resourceBasePath = 'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' -> true]],
class annotated with @DirtiesContext [false] with mode [null].
18:21:28.244 [main] DEBUG org.springframework.boot.test.context.support.TestPropertySourceUtils - Adding
inlined properties to environment: {spring.jmx.enabled=false,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true, server.port=-1}
```

[illegible]

```
2021-06-03 18:21:28.829 INFO 25141 --- [           main] com.TestMessageController :
Starting TestMessageController on ansible-master with PID 25141 (started by jenkins in
```

```
/var/lib/jenkins/workspace/CICD Pipeline Job)
2021-06-03 18:21:28.830 INFO 25141 --- [main] com.TestMessageController :
No active profile set, falling back to default profiles: default
2021-06-03 18:21:31.292 INFO 25141 --- [main] o.s.s.concurrent.ThreadPoolTaskExecutor :
Initializing ExecutorService 'applicationTaskExecutor'
2021-06-03 18:21:31.410 INFO 25141 --- [main] o.s.b.a.w.s.WelcomePageHandlerMapping :
Adding welcome page: class path resource [static/index.html]
2021-06-03 18:21:31.611 INFO 25141 --- [main] com.TestMessageController :
Started TestMessageController in 3.356 seconds (JVM running for 4.36)
2021-06-03 18:21:31.943 INFO 25141 --- [main] com.MessageController :
hello, its an info
2021-06-03 18:21:31.955 INFO 25141 --- [main] com.MessageController :
hello from test app1
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 4.119 s - in
com.TestMessageController
2021-06-03 18:21:32.001 INFO 25141 --- [Thread-1] o.s.s.concurrent.ThreadPoolTaskExecutor :
Shutting down ExecutorService 'applicationTaskExecutor'
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:resources (default-resources) @ bootcamp ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] Copying 1 resource
[INFO] Copying 1 resource
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 2 source files to /var/lib/jenkins/workspace/CICD Pipeline Job/target/classes
[INFO]
[INFO] --- maven-resources-plugin:3.1.0:testResources (default-testResources) @ bootcamp ---
[INFO] Using 'UTF-8' encoding to copy filtered resources.
[INFO] skip non existing resourceDirectory /var/lib/jenkins/workspace/CICD Pipeline
Job/src/test/resources
[INFO]
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ bootcamp ---
[INFO] Changes detected - recompiling the module!
[INFO] Compiling 1 source file to /var/lib/jenkins/workspace/CICD Pipeline Job/target/test-classes
[INFO]
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ bootcamp ---
[INFO] Skipping execution of surefire because it has already been run for this configuration
[INFO]
[INFO] --- maven-jar-plugin:3.1.2:jar (default-jar) @ bootcamp ---
[INFO] Building jar: /var/lib/jenkins/workspace/CICD Pipeline Job/target/bootcamp-0.0.1-SNAPSHOT.jar
[INFO]
[INFO] --- spring-boot-maven-plugin:2.1.7.RELEASE:repackage (repackage) @ bootcamp ---
[INFO] Replacing main artifact with repackaged archive
[INFO]
[INFO] --- spring-boot-maven-plugin:2.1.7.RELEASE:repackage (default) @ bootcamp ---
[INFO] Replacing main artifact with repackaged archive
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 8.735 s
[INFO] Finished at: 2021-06-03T18:21:33Z
[INFO] -----
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Publish HTML Report)
[Pipeline] publishHTML
[htmlpublisher] Archiving HTML reports...
[htmlpublisher] Archiving at BUILD level /var/lib/jenkins/workspace/CICD Pipeline Job to
```

```
/var/lib/jenkins/jobs/CICD Pipeline Job/builds/88/htmlreports/HTML_20Report
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Building docker Image)
[Pipeline] tool
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withEnv
[Pipeline] {
[Pipeline] withDockerRegistry
$ /var/lib/jenkins/tools/org.jenkinsci.plugins.docker.common.tools.DockerTool/Docker/bin/docker
login -u tirthankar17 -p ***** https://registry.hub.docker.com/
Login Succeeded
[Pipeline] {
[Pipeline] echo
Successfully logged in Docker Hub
[Pipeline] isUnix
[Pipeline] sh
+ docker build -t tirthankar17/bootcamp-case-study:latest .
Sending build context to Docker daemon 17.97MB

Step 1/4 : FROM openjdk:8
----> eca41db787bd
Step 2/4 : ADD target/bootcamp-0.0.1-SNAPSHOT.jar bootcamp-0.0.1-SNAPSHOT.jar
----> dd4974d53239
Step 3/4 : EXPOSE 8888
----> Running in 9dec53f9568c
Removing intermediate container 9dec53f9568c
----> ac7ce1701bb1
Step 4/4 : ENTRYPOINT ["java","-jar","/bootcamp-0.0.1-SNAPSHOT.jar"]
----> Running in 653b33635dab
Removing intermediate container 653b33635dab
----> aea1a2d92450
Successfully built aea1a2d92450
Successfully tagged tirthankar17/bootcamp-case-study:latest
[Pipeline] echo
Image built successfully
[Pipeline] isUnix
[Pipeline] sh
+ docker tag tirthankar17/bootcamp-case-study:latest registry.hub.docker.com/tirthankar17/bootcamp-
case-study:latest
[Pipeline] isUnix
[Pipeline] sh
+ docker push registry.hub.docker.com/tirthankar17/bootcamp-case-study:latest
The push refers to repository [registry.hub.docker.com/tirthankar17/bootcamp-case-study]
d5a4639cab7e: Preparing
bd87f5884754: Preparing
4a64f1e3a7a1: Preparing
3fc095fab4a2: Preparing
685934357c89: Preparing
ccb9b68523fd: Preparing
00bcea93703b: Preparing
688e187d6c79: Preparing
ccb9b68523fd: Waiting
00bcea93703b: Waiting
688e187d6c79: Waiting
4a64f1e3a7a1: Layer already exists
685934357c89: Layer already exists
3fc095fab4a2: Layer already exists
bd87f5884754: Layer already exists
ccb9b68523fd: Layer already exists
00bcea93703b: Layer already exists
688e187d6c79: Layer already exists
d5a4639cab7e: Pushed
```

```
latest: digest: sha256:bb073ab247951f38350b9ae61fc0b63e016f5afe28d194973bd8ec4cc3523619 size: 2006
[Pipeline] }
[Pipeline] // withDockerRegistry
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Deploying app to slave node via Ansible)
[Pipeline] ansiblePlaybook
[CICD Pipeline Job] $ /usr/bin/ansible-playbook deployapp.yml -i /etc/ansible/hosts -b --become-user
root --private-key "/var/lib/jenkins/workspace/CICD Pipeline Job/ssh6735065469175014847.key" -u
gcptirtha
```

```
PLAY [all] *****
```

```
TASK [Gathering Facts] *****
ok: [ansible-slave]
```

```
TASK [Install docker] *****
ok: [ansible-slave]
```

```
TASK [Install pip3 for Python dependency] *****
changed: [ansible-slave]
```

```
TASK [Installing dependency for using Docker Ansible module] *****
changed: [ansible-slave]
```

```
TASK [Start Docker] *****
ok: [ansible-slave]
```

```
TASK [Checking docker version] *****
changed: [ansible-slave]
```

```
TASK [debug] *****
ok: [ansible-slave] => {
  "msg": [
    "Docker version 20.10.2, build 20.10.2-0ubuntu1~18.04.2"
  ]
}
```

```
TASK [Run Docker container] *****
changed: [ansible-slave]
```

```
TASK [debug] *****
ok: [ansible-slave] => {
  "msg": "Container started successfully on ansible-slave"
}
```

```
PLAY RECAP *****
ansible-slave      : ok=9    changed=4    unreachable=0    failed=0    skipped=0    rescued=0
ignored=0
```

```
[Pipeline] echo
App deployed successfully on hosts
[Pipeline] mail
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Clean up)
[Pipeline] echo
Cleaning up the Workspace
[Pipeline] cleanWs
```

```
[WS-CLEANUP] Deleting project workspace...
[WS-CLEANUP] Deferred wipeout is used...
[WS-CLEANUP] done
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] echo
Code build number 88 has completed successfully.
[Pipeline] End of Pipeline
Finished: SUCCESS
```