



TISCHLER UND SOHN

Tischler und Sohn (U.S.A.) Limited

Six Suburban Avenue
Stamford, CT 06901 USA

Tel.: (203) 674-0600


Fax: (203) 674-0601

e-mail: info@tischlerwindows.com

Website: www.tischlerwindows.com

Tischler Glass Type #31

Dade County Insulated Solar Control
SGG XTREME 61_29 II



Glazing From External To Internal:

Pane 1

- ① 5 mm (3/16") Clear Heat Strengthened Glass
- ② 2.28 mm interlayer (0.09") Saflex RB (2.28mm) or Saflex VS02 (1.9mm)
- ③ 6 mm (1/4") Clear Heat Strengthened Glass with Solar Control Coating SGG XTREME 61-29 II

Spacer

- ④ 12 mm (1/2") Air Space, 90% Argon Filled

Pane 2

- ⑤ 6 mm (1/4") Clear Annealed or Tempered Glass

Results:

Visible Light (NFRC 100-2010)

Daylight Transmittance $T_V = 59\%$

Thermal Properties (NFRC 100-2010)

U-Value = 0.23

R-value = 4.37

Solar Energy (NFRC 100-2010)

Shading Coefficient [g/0.87] = 0.30

SHGC = 0.26

Sound Reduction

STC = 40