```
package email_Client;
abstract class Recipient {
       private String type;
       private String name;
       private String email;
       private static int objectCount;
       String getType() {
             return type;
       }
       void setType(String type) {
             this.type = type;
       String getName() {
             return name;
       }
       void setName(String name) {
             this.name = name;
       }
       String getEmail() {
             return email;
       }
       void setEmail(String email) {
             this.email = email;
       }
       static int getObjectCount() {
             return objectCount;
       static void setObjectCount(int objectCount) {
             Recipient.objectCount = objectCount;
       }
       Recipient(String name, String email) {
             this.name = name;
             this.email = email;
              objectCount++;
       }
}
package email_Client;
interface BirthdayGreeting {
       String getBirthdayWish();
       String getBirthday();
```

```
package email Client;
class OfficeRecipient extends Recipient {
       private String designation;
       String getDesgnation() {
              return designation;
       }
       void setDesgnation(String desgnation) {
             this.designation = desgnation;
       }
       OfficeRecipient(String name, String email, String designation) {
              super(name, email);
             this.designation = designation;
       }
}
package email_Client;
class Office_friend extends OfficeRecipient implements BirthdayGreeting{
       private String birthday;
       Office_friend(String name, String email, String designation, String
birthday) {
              super(name, email, designation);
             this.birthday = birthday;
       }
       @Override
       String getBirthday() {
              return birthday;
       }
       @Override
       String getBirthdayWish() {
              return "Wish you a Happy Birthday. " + getName();
              }
}
package email_Client;
```

```
class PersonalRecipient extends Recipient implements BirthdayGreeting{
       private String nickname;
       private String birthday;
        String getNickname() {
               return nickname;
       }
        void setNickname(String nickname) {
               this.nickname = nickname;
       @Override
        String getBirthday() {
               return birthday;
       }
        void setBirthday(String birthday) {
               this.birthday = birthday;
       }
        PersonalRecipient(String name, String nickname, String email, String
birthday){
               super(name, email);
               this.nickname = nickname;
               this.birthday = birthday;
       }
       @Override
        String getBirthdayWish() {
               return "Wish you a Happy Birthday and hugs and love on your
birthday.
          " + getName();
               }
}
package email_Client;
import javax.mail.*;
import javax.mail.internet.InternetAddress;
import javax.mail.internet.MimeMessage;
import java.util.Properties;
class SendMail {
    static void sendMail(String email, String subject, String content) {
       final String username = "assignmentoop530@gmail.com";
```

```
final String password = "jejwfqlkooiudjdj";
        Properties prop = new Properties();
       prop.put("mail.smtp.host", "smtp.gmail.com");
prop.put("mail.smtp.port", "587");
       prop.put("mail.smtp.auth", "true");
        prop.put("mail.smtp.starttls.enable", "true"); //TLS
        Session session = Session.getInstance(prop,
               new javax.mail.Authenticator() {
                   protected PasswordAuthentication getPasswordAuthentication() {
                       return new PasswordAuthentication(username, password);
                   }
               });
       try {
           Message message = new MimeMessage(session);
           message.setFrom(new InternetAddress("assignmentoop530@gmail.com"));
           message.setRecipients(
                   Message.RecipientType.TO,
                   InternetAddress.parse(email)
            );
           message.setSubject(subject);
           message.setText("Hello,"
                   + "\n\n" + content);
           Transport.send(message);
           //System.out.println("Email sent by sendMail");
        } catch (MessagingException e) {
            e.printStackTrace();
   }
}
package email_Client;
import java.io.FileWriter;
import java.io.IOException;
import java.io.PrintWriter;
class UpdateSentMailList {
        static void updateSentMail(String subject, String emailAddress, String
name,String date, String filePath) {
```

```
try {
                       //Create an object of PrintWriter
                       PrintWriter print_writer = new PrintWriter(new
FileWriter(filePath, true));
                       //Write details to text file
                       print_writer.write("\n" + subject + "," + emailAddress + ","
+ name + "," + date);
                       //Close PrintWriter Object
                       print_writer.close();
               }
               // Catch if exceptions occurs
       catch (IOException e) {
           // Print the exception
           // using getMessage() method
           System.out.print(e.getMessage());
       }
       }
}
package email_Client;
import java.io.BufferedReader;
import java.io.File;
import java.io.FileReader;
import java.io.IOException;
import java.text.SimpleDateFormat;
import java.util.ArrayList;
import java.util.Date;
class RequireEmailClient {
       private ArrayList<Recipient> clientList = new ArrayList<>();
       private ArrayList<BirthdayGreeting> BirthdayGreetingList = new
ArrayList<>();
       private String currentDate;
       //create recipient objects
               private Recipient createRecipientObjects (String data) {
                       String[] clientList = data.split(":",2);
                              String[] dataList = clientList[1].split(",");
                              Recipient recipientObj;
```

```
switch(clientList[0]) {
                                case "Official":
                                         recipientObj = new
OfficeRecipient(dataList[0],dataList[1],dataList[2]);
                                         //System.out.println("Object Created");
                                         return recipientObj;
                                case "Office friend":
                                         recipientObj = new
Office friend(dataList[0],dataList[1],dataList[2],dataList[3]);
BirthdayGreetingList.add((BirthdayGreeting)recipientObj);
                                        //System.out.println("Object Created");
                                         return recipientObj;
                                case "Personal":
                                         recipientObj = new
PersonalRecipient(dataList[0],dataList[1],dataList[2],dataList[3]);
BirthdayGreetingList.add((BirthdayGreeting)recipientObj);
                                         //System.out.println("Object Created");
                                         return recipientObj;
                                default:
                                         System.out.println("Invalid entry found");
                                         return null;
                                }
     void readClientFile(String file_name) {
         try {
                        File clientFile = new File(file_name);
                        FileReader fileReader = new FileReader(clientFile);
                        BufferedReader bufferedReader = new
BufferedReader(fileReader);
                        String data;
                        while ((data = bufferedReader.readLine()) != null) {
                                if (!data.equals("")) {
                                        //System.out.println(data);
clientList.add(createRecipientObjects(data));
                        bufferedReader.close();
                } catch (IOException e) {
                }
    }
```

```
//method to send birthday greeting on the correct day for recipient who has
birthday on current day
        private void sendGreetingEmail() {
                for(BirthdayGreeting birthdayObj: BirthdayGreetingList ) {
                        SimpleDateFormat formatDate = new
SimpleDateFormat("yyyy/MM/dd");
                        currentDate = formatDate.format(new Date());
                        //System.out.println(curentDate.substring(5));
(birthdayObj.getBirthday().substring(5).equals(currentDate.substring(5))) {
                                Recipient recip = (Recipient)birthdayObj;
                                SendMail.sendMail(recip.getEmail(), ("Happy
Birthday"), birthdayObj.getBirthdayWish());
                                UpdateSentMailList.updateSentMail("Happy Birthday",
recip.getEmail(), recip.getName(), currentDate, "D:\\UoM\\CSE\\Semester02\\CS1040
Program Construction\\Email Client Assignment\\sentEmailsList.txt");
                System.out.println("Birthday wishes are sent who has birthday
Today!\n");
     void startEmailClient() {
                System.out.println("Email Client is Running..!!\n"
                                + "Please wait...");
                try {
                                sendGreetingEmail();
                }catch(NullPointerException e) {
                }
        }
        //print who has birthday on entered day
         void findWhoHaveBday(String Enter_day) {
                boolean haveBirthday = false;
                for(BirthdayGreeting birthdayObj: BirthdayGreetingList ) {
(birthdayObj.getBirthday().substring(5).equals(Enter_day.substring(5))) {
                                Recipient recipient1 = (Recipient)birthdayObj;
                                System.out.println(recipient1.getName());
                                haveBirthday = true;
                        }
                if (!haveBirthday) {
                        System.out.println("No birthdays on "+ Enter_day + "\n");
                }
        }
```

```
}
package email_Client;
import java.io.FileWriter;
import java.io.IOException;
import java.io.PrintWriter;
class UpdateClientList {
        void updateClientList(String new_recipient_details, String filePath) {
              //System.out.println(new_recipient_details);
              //System.out.println(filePath);
              try {
                     //Create an object of PrintWriter
                     PrintWriter print_writer = new PrintWriter(new
FileWriter(filePath, true));
                     //Write details to text file
                     print_writer.write("\n" + new_recipient_details);
                     //Close PrintWriter Object
                     print_writer.close();
              }
              // Catch if exceptions occurs
       catch (IOException e) {
          // Print the exception
          // using getMessage() method
          System.out.print(e.getMessage());
       }
       }
}
package email_Client;
import java.io.BufferedReader;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileOutputStream;
import java.io.FileReader;
import java.io.IOException;
```

```
import java.io.ObjectInputStream;
import java.io.ObjectOutputStream;
import java.util.ArrayList;
 class FindSentMail {
        private static ArrayList<String> sentMailClientList = new ArrayList<>();
        //Finding is there any mails have sent on entered day by reading sentMail
file
         static void findSendMail(String date, String file_name) {
                try {
                        File clientFile = new File(file_name);
                        FileReader fileReader = new FileReader(clientFile);
                        BufferedReader bufferedReader = new
BufferedReader(fileReader);
                        String data;
                        boolean foundSentMail = false;
                        while ((data = bufferedReader.readLine()) != null) {
                                if (!data.equals("")) {
                                         //System.out.println(data);
                                         sentMailClientList.add(data);
                                         String[] clientList = data.split(",",0);
((clientList[clientList.length-1]).equals(date)) {
                                                 foundSentMail = true;
                                                 System.out.println(clientList[0]+
"," + clientList[1]+ "," + clientList[2]);
                                         }
                                }
                        }
                        if (!foundSentMail) {
                                System.out.println("No Emails Found on given date");
                        }
                        bufferedReader.close();
                } catch (IOException e) {
                }
        }
```

```
//serialization sentMailClientList
        void saveSentMailListToHardDisk() {
               try {
                              FileOutputStream fileOutputStream = new
FileOutputStream("sentEmailListFile.ser");
                              ObjectOutputStream objectOutputStream = new
ObjectOutputStream(fileOutputStream);
                              objectOutputStream.writeObject(sentMailClientList);
                              objectOutputStream.close();
                              fileOutputStream.close();
                       }catch (IOException e){
                              e.printStackTrace();
                       }
       // deserialization sentMailClientList
       @SuppressWarnings({ "unchecked", "unused" })
       private void retrieveSentEmailList() {
               try {
                              FileInputStream fileInputStream = new
FileInputStream("sentEmailListFile.ser");
                              ObjectInputStream objectInputStream = new
ObjectInputStream(fileInputStream);
                              sentMailClientList = (ArrayList<String>)
objectInputStream.readObject();
                              objectInputStream.close();
                       }catch(IOException | ClassNotFoundException e) {
                              e.printStackTrace();
                              }
                       }
}
package email_Client;
//index number - 200530D
//import libraries
import java.util.Scanner;
import java.text.SimpleDateFormat;
import java.util.Arrays;
import java.util.Date;
import java.util.List;
class Email_Client {
```

```
static void main(String[] args) {
                RequireEmailClient requireEmailClientObj = new RequireEmailClient();
                requireEmailClientObj.readClientFile("clientList.txt");
                // call method to send birthday greeting on the correct day for
recipient who has birthday on current day
                //requireEmailClientObj.startEmailClient();
                String sentMailPath = "D:\\UoM\\CSE\\Semester02\\CS1040 Program
Construction\\Email Client Assignment\\sentEmailsList.txt";
                String clientPath= "D:\\UoM\\CSE\\Semester02\\CS1040 Program
Construction\\Email_Client_Assignment\\clientList.txt";
       try (Scanner scanner = new Scanner(System.in)) {
                        System.out.println("Enter option type: \n"
                               + "1 - Adding a new recipient\n"
                               + "2 - Sending an email\n"
                               + "3 - Printing out all the recipients who have
birthdays\n"
                               + "4 - Printing out details of all the emails sent\n"
                               + "5 - Printing out the number of recipient objects
in the application");
                         int option = scanner.nextInt();
                         switch(option){
                               case 1:
                                   // input format - Official:
nimal, nimal@gmail.com, ceo
                                   // Use a single input to get all the details of a
recipient
                                   // code to add a new recipient
                                   // store details in clientList.txt file
                                   // Hint: use methods for reading and writing
files
                                   System.out.println("Input Format :\n"
"Official:<name>,<email>,<designation>\n"
"Office friend:<name>,<email>,<designation>,<birthday>\n"
"Personal:<name>,<nickname>,<email>,<birthday>\n"
                                                  + "Example inputs:
                                                                        Official:
nimal, nimal@gmail.com, ceo\n"
Office friend: kamal,kamal@gmail.com,clerk,2000/12/12\n"
                                                  + "
```

```
Personal: sunil, <nick-name>, sunil@gmail.com, 2000/10/10\n\n"
                                                  + "Enter details of the new
recipient ....: ");
                                   UpdateClientList new_recipient = new
UpdateClientList();
                                   Scanner input1 = new Scanner(System.in);
                                   String new recipient details = input1.nextLine();
new recipient.updateClientList(new recipient details, clientPath );
                                   break;
                               case 2:
                                   // input format - email, subject, content
                                   // code to send an email
                                   System.out.println("Input Format : "
                                                  + "<email>,<subject>,<content>\n"
                                                  + "Enter Email details....:\n");
                                   Scanner input2 = new Scanner(System.in);
                                   String email_details = input2.nextLine();
                                   // split input and store in list
                                   List<String> emailDataList =
Arrays.asList(email_details.split(","));
                                   System.out.println("Email is sending...Please
Wait...");
                                   //call sendMail method in SendMail class
SendMail.sendMail(emailDataList.get(0),emailDataList.get(1),emailDataList.get(2));
                                   System.out.println("Email sent\n");
                                   //save sent mail details to text file
                                   SimpleDateFormat formatDate = new
SimpleDateFormat("yyyy/MM/dd");
                                   String curentDate = formatDate.format(new
Date());
UpdateSentMailList.updateSentMail(emailDataList.get(1), emailDataList.get(0), "No
name entered", curentDate, sentMailPath);
                                   break;
                               case 3:
                                   // input format - yyyy/MM/dd (ex: 2018/09/17)
                                   // code to print recipients who have birthdays on
the given date
                                   System.out.println("Input Format : "
                                                  + "yyyy/MM/dd (ex: 2018/09/17)\n"
                                                  + "Enter Date...:\n");
```

```
Scanner input3 = new Scanner(System.in);
                                 String input date = input3.nextLine();
while(!input_date.matches("\\d\\d\\d\\d\\\d\\\d\\\d\\\d\\\d\\d\\)
                                                      System.out.println("Wrong
Date Format..!!! Enter Again:");
                                              input date = input3.nextLine();
requireEmailClientObj.findWhoHaveBday(input date);
                                 break;
                              case 4:
                                 // input format - yyyy/MM/dd (ex: 2018/09/17)
                                 // code to print the details of all the emails
sent on the input date
                                 System.out.println("Input Format : "
                                                 + "yyyy/MM/dd (ex: 2018/09/17)\n"
                                                 + "Enter Date...:\n");
                                 Scanner input4 = new Scanner(System.in);
                                 String date_email = input4.nextLine();
System.out.println("Wrong
Date Format..!!! Enter Again:");
                                                      date email =
input4.nextLine();
                                 FindSentMail.findSendMail(date email,
sentMailPath);
                                 break;
                              case 5:
                                 // code to print the number of recipient objects
in the application
                                 System.out.println("Number of recipient objects
in the application : " + Recipient.getObjectCount()+"\n");
                                 break:
                              default:
                                 System.out.println("Invalid Input.!!!\n");
                              }
       }
}
      // start email client
      // code to create objects for each recipient in clientList.txt
      // use necessary variables, methods and classes
```

```
}
//create more classes needed for the implementation (remove the public access
modifier from classes when you submit your code)
```