NAME

md2roff - converts markdown documents to roff (man, mdoc, mm, mom).

SYNOPSIS

md2roff [*OPTION*]...[*FILE*]...

DESCRIPTION

md2roff converts the input files to groff (with man package) format and prints the result to *stdout*. If the *FILE* is '−' then it reads from *stdin*.

OPTIONS

-h, --help

displays a short-help text and exits

-v, --version

displays the program version, copyright and license information and exists.

-n, --man

use man package (linux man pages, default), see **groff_man**(7)

-m, --mm

use mm package, see **groff_mm**(7)

-d, --mdoc

use mdoc package (BSD man pages), see **groff_mdoc**(7)

-o, --mom

use mom package, see **groff_mom**(7)

NOTES

1. If the documents starts with '#' then creates the TH command with this; otherwise there will be a default TH with the file-name. Actually only the title (name) and section are required.

```
# title section date source manual
```

2. If you write man page, use '####' for each option to automatically convert the section to '.TP' as in GNU's manuals.

3. Use special link type (man) to link man pages.

BUGS

A lot. Fix and send.

EXAMPLE

View a markdown as console man page:

```
$ md2roff mytext.md | groff -Tutf8 -man | $PAGER
```

View a markdown as postscript man page:

```
$ md2roff mytext.md | groff -Tps -man | okular -
```

This document is example, its written in markdown and produce a nice man page.

COPYRIGHT

Copyright (C) 2017 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later (http://gnu.org/licenses/gpl.html). This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

AUTHOR

Written by Nicholas Christopoulos (nereus@freemail.gr).

SEE ALSO
　　　　groff_man(7) , **man-pages**(7) , **groff_man**(7) , **groff_mdoc**(7) , **groff_mm**(7) , **groff_mom**(7)