





Surname

Given Name


Male 41 year(s) (12 Feb 1977)


Show Contact Info ▼


Patient ID Y2CLM7


HIVEMR-V1 Add

Dossier Number Add



























Dave, test

Male 41 year(s) (12 Feb 1977)









Show Contact Info ▼



CHEMOTHERAPY CHANGE DOSAGE EDIT DELETE **MEDICATION** ROUTE **INSTRUCTIONS** DOSE Prednisone Push over 1-2 + Pt given prescription for IV home doses Doxorubicin Push over 15 min 50mg/m2 IV *Vesicant* Maximum liftetime dose 450-550 mg/m2 Push over 15 minutes IV 750mg/m2 Cyclophosphamid

ADD

Physician Note:

CANCEL

NEXT












Dave, test

Male 41 year(s) (12 Feb 1977)
















Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼







Dave, test Given Name Surname

Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼

Patient ID Y2CLM7 HIVEMR-V1 Add Dossier Number Add

Review

CHOP Protocol for Non Hodking Lymphome

Every 3 weeks of 6 cycles 35

3	6

MEDICATION	DOSE	ROUTE	INSTRUCTIONS
0.9% Normal Saline	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior to chemotherapy

CHEMOTHERAPY 37				
MEDICATION		DOSE	ROUTE	INSTRUCTIONS
Prednisone	-10%	100mg	IV	Push over 1-2
Doxorubicin	- 10%	50mg/m2	IV	Push over 15 min
Cyclophosphamid	- 10%	750mg/m2	IV	Push over 15 minutes

Physician Note: 39

Patient has a weak heart so be careful.







Show Contact Info ▼


Patient ID (Y2CLM7)

HIVEMR-V1 Add

Dossier Number Add

















Show Contact Info ▼


Patient ID (Y2CLM7)

HIVEMR-V1 Add

Dossier Number Add










Show Contact Info ▼

Patient ID Y2CLM7 HIVEMR-V1 Add Dossier Number Add



REMEDICATIONS			
1EDICATION	DOSE	ROUTE	INSTRUCTION
0.9% Normal	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior to
HEMOTHERAPY MEDICATION	DOSE	ROUT	INSTRUCTION
Prednisone + Pt given prescription for home doses		IV	Push over 1-2
Doxorubicin *Vesicant* Maximum liftetime dose 450-550	50mg/m2	IV	Push over 15 min
Cyclophospha -10	750mg/m2	IV	Push over 15 minutes














Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼

Patient ID (Y2CLM7)

HIVEMR-V1 Add

Dossier Number Add



55 CHOP. Protocol for Non Hodgkin Lymphome Cycle 3 of 6 **56**

Please record the dosage given to the patient.

Prednisone mg: 100mg (Home doses) Doxorubicin ml: mg: 50 mg/m2 ml: Vincristine mg: 1.4mg/m2

*Add cycle summary note

*Was the cycle completed? O Yes O No











Show Contact Info ▼







Cycle 3 of 6	gkin	ADMINISTER	MODIFY ORDER
PREMEDICATIONS			
MEDICATION	DOSE	ROUTE	INSTRUCTION
0.9% Normal	1000mg	IV	Push over 1-2
Ondasetron	8mg	РО	Once 1 hour prior
CHEMOTHERAPY MEDICATION	DOSE	ROUT	INSTRUCTION
Prednisone + Pt given prescription for		IV	Push over 1-2
home doses		IV	Push over 15 min
Doxorubicin	50mg/m2		





Show Contact Info ▼





Cycle completed 66



69 EDIT

CHOP. Protocol for Non Hodgkin Cycle 3 of 6

PREMEDICATIONS

 MEDICATION	DOSE	ROUTE	INSTRUCTION
0.9% Normal	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior to

CHEMOTHERAPY

MEDICATION	DOSE	GIVEN	ROUT	INSTRUCTION
Prednisone + Pt given prescription for home doses		68	IV	Push over 1-2
Doxorubicin *Vesicant* Maximum liftetime dose 450-550	50mg/m2	mg: ml: 0.234 0.23	IV 34	Push over 15 min
Cyclophospha -10	750mg/m2	mg: ml: 0.234 0.23	IV 34	Push over 15 minutes


Cycle summary

Patient responding well to the medication.











Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼

Patient ID Y2CLM7

HIVEMR-V1 Add


Dossier Number Add




Regimen: CHOP Protocol for Non Hodking Lymphome

71 Cycle: 4 of totally 6 cycles

Medications





78 nysician Note:

CHEMO CALCULATIONS