







Show Contact Info ▼

Patient ID Y2CLM7

HIVEMR-V1 Add

Dossier Number Add






### **Order New Chemo**


The patient is already on an active regimen.


To order a new one, you need to cancel the current and continue.

CANCEL CURRENT AND CONTIUNE

CLOSE








CANCEL

Physician Note:

NEXT












Dave, test

Male 41 year(s) (12 Feb 1977)









Show Contact Info ▼



**CHEMOTHERAPY CHANGE DOSAGE** EDIT DELETE **MEDICATION INSTRUCTIONS** DOSE **ROUTE** Prednisone Push over 1-2 + Pt given prescription for IV home doses Doxorubicin Push over 15 min IV 50mg/m2 - 10% \*Vesicant\* Maximum liftetime dose 450-550 mg/m2 Push over 15 minutes IV 750mg/m2 Cyclophosphamid ADD

Physician Note:

**CANCEL** 

NEXT












Dave, test

Male 41 year(s) (12 Feb 1977)





ddesimone








> Dave, test



Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼





Show Contact Info ▼



## Review

CHOP Protocol for Non Hodking Lymphome

Every 3 weeks of 6 cycles

PREMEDICATIONS			
MEDICATION	DOSE	ROUTE	INSTRUCTIONS
0.9% Normal Saline	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior to chemotherapy

CHEMOTHERAPY				
MEDICATION		DOSE	ROUTE	INSTRUCTIONS
Prednisone	-10%	100mg	IV	Push over 1-2
Doxorubicin	- 10%	50mg/m2	IV	Push over 15 min
Cyclophosphamid	- 10%	750mg/m2	IV	Push over 15 minutes

# Physician Note:

Patient has a weak heart so be careful.

CANCEL

BACK

SUBMIT






Show Contact Info ▼


X


Patient ID (Y2CLM7)

HIVEMR-V1 Add

Dossier Number Add















Show Contact Info ▼


Patient ID Y2CLM7

HIVEMR-V1 Add

Dossier Number Add












Show Contact Info ▼



### **ACTIVE REGIMEN** CHOP Protocol for Non Hodgkin Lymphome ^ **C3** Cycle 3 of 6 active Cycle 2 of 6 08/01/18 Cycle 2 of 6 07/15/18 Cycle disrupted Cycle 1 of 6 06/15/18 PREVIOUS REGIMENS AC - Regimen for Non - Metastatic, Locally - Advanced $\wedge$ **Breast Cancer** Cycle 3 of 6 04/15/17 Cycle 2 of 6 03/31/17 C1 Cycle 1 of 6 08/01/18

OP. Protocol for Non Hodgkin cle 3 of 6		ADMINISTER	MODIFY ORDER
PREMEDICATIONS			
MEDICATION	DOSE	ROUTE	INSTRUCTION
0.9% Normal	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior
MEDICATION	DOSE	ROUT	INSTRUCTION
CHEMOTHERAPY	D005	DOLLT	INOTELIOTION
Prednisone + Pt given prescription for		IV	Push over 1-2
home doses  Doxorubicin  *Vesicant* Maximum liftetime dose 450-550	50mg/m2	IV	Push over 15 min
Cyclophospha -10	750mg/m2	IV	Push over 15 minutes
cle summary			













Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼

Patient ID Y2CLM7

HIVEMR-V1 Add

Dossier Number Add

The field "Add cycle summary note" is required

X

### CHOP. Protocol for Non Hodgkin Lymphome Cycle 3 of 6

Please record the dosage given to the patient.

Prednisone	mg:	ml:
100mg (Home doses)	-	
Doxorubicin	mg:	ml:
50 mg/m2	-	-
Vincristine	mg:	ml:
1.4mg/m2	-	

\*Add cycle summary note

\*Was the cycle completed?





O No


CANCEL


SUBMIT





Show Contact Info ▼





n	ADMINISTER	MODIFY ORDER
DOSE	ROUTE	INSTRUCTION
1000mg	IV	Push over 1-2
8mg	PO	Once 1 hour prior
DOSE	ROUT	INSTRUCTION
	IV	Push over 1-2
50mg/m2	IV	Push over 15 min
750mg/m2	IV	Push over 15 minutes
	1000mg 8mg  DOSE  50mg/m2	DOSE ROUTE  1000mg IV  8mg PO  DOSE ROUT  IV


Given Name

Surname

Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼





# Cycle completed

08/01/18

CHOP: Protocol for Non Hodgkin Cycle 3 of 6

### **PREMEDICATIONS**

MED	ICATION	DOSE	ROUTE	INSTRUCTION
0.9	% Normal	1000mg	IV	Push over 1-2
On	dasetron	8mg	PO	Once 1 hour prior to

#### **CHEMOTHERAPY**

MEDICATION	DOSE	GIVEN		ROUT	INSTRUCTION
Prednisone + Pt given prescription for home doses				IV	Push over 1-2
Doxorubicin *Vesicant* Maximum liftetime dose 450-550	50mg/m2	mg: 0.234	ml: 0.234	IV	Push over 15 min
Cyclophospha -10	750mg/m2	mg: 0.234	ml: 0.234	IV	Push over 15 minutes

#### Cycle summary

Patient responding well to the medication.



Dave, test
Surname Given Name

Male 41 year(s) (12 Feb 1977)

Show Contact Info ▼

Patient ID Y2CLM7

HIVEMR-V1 Add

Dossier Number Add

Regimen: CHOP Protocol for Non Hodking Lymphome

Cycle: 4 of totally 6 cycles

## Medications

PREMEDICATIONS	CH	HANGE DOSAGE	EDIT DELETE
MEDICATION	DOSE	ROUTE	INSTRUCTIONS
0.9% Normal	1000mg	IV	Push over 1-2
Ondasetron	8mg	PO	Once 1 hour prior to chemotherapy
	ADD		

CHEMOTHERAPY	СНА	ANGE DOSAGE	EDIT DELETE
MEDICATION	DOSE	ROUTE	INSTRUCTIONS
Prednisone + Pt given prescription for home doses	-	IV	Push over 1-2
Doxorubicin  *Vesicant* Maximum liftetime  dose 450-550 mg/m2	50mg/m2	IV	Push over 15 min
Cyclophosphamid	750mg/m2	IV	Push over 15 minutes
	ADD		

Physician Note:

INACTIVATE ORDER

CANCEL

SAVE