



Tarlac State University  
**COLLEGE OF COMPUTER STUDIES**



# Case Study in Integrative Programming Technology 2

Submitted By:  
**Jay Mark B. Melivo**  
**Ma. Virgie D. Petchalin**  
**Mark Joseph P. Fabicon**  
**Lucielle Joy L. Razon**

Submitted To:  
**Axel Millet**


Date: []

# Table of Contents

- A. Definition.....3
- B. Case Analysis #1.....4
  - B.1 Problem ..... **Error! Bookmark not defined.**
  - B.2 Solution/Implementation ..... **Error! Bookmark not defined.**
  - B.3 Explanation ..... **Error! Bookmark not defined.**
- C. Case Analysis #2..... **Error! Bookmark not defined.**
  - C.1 Problem..... **Error! Bookmark not defined.**
  - C.2 Solution/Implementation ..... **Error! Bookmark not defined.**
  - C.3 Explanation ..... **Error! Bookmark not defined.**
- D. References..... **Error! Bookmark not defined.**

# A. Definition

The Lab Quiz#2 you did (Static Website) upload the documentation and files in your GitHub repository and add a minimum of 3 more webpages to add in your repository during the development use Git and GitHub and create a documentation of all.



## Requirements:

- Each member in your group will need to upload a **webpage**
- Create a **Pull Request** for each member in Github with comments.
- Create an **Issue** for each member in Github and comment.
- Create a **Milestone** for the group in Github.
- Create a branch for each member and merge it with your master in Github.

Define and describe how you use of each command with screenshot in your case study.

- ~~Git clone~~
- ~~Git Pull~~
- ~~Git Push~~
- ~~Git Fetch~~
- ~~Git Merge~~
- ~~Issue~~
- Pull Request
- ~~Milestone~~
- ~~Branch~~

Note: List the contributions of your group members


MEMBERS	CONTRIBUTION
Melivo, Jay Mark B.	Webpage, landing page, Documentation
Fabicon, Mark Joseph P.	Webpage
Petchalin, Ma. Virgie D.	Webpage
Razon, Lucielle Joy L.	Webpage

# B. Case Analysis (Git and GitHub Workflow)


## B.1 Documentation

Remote Repository (GitHub) **Creating a Milestone**

Delegated task: to keep on tract with the HTML from collaborators



Before the case study runs to its development cycle, the group decided to agree whenever the deadlines are. I am delegated to keep on tract the HTML files of my groupmates and the other elements of a webpage such as PHP, JavaScript and CSS are delegated to them as well. Using GitHub’s Milestone feature, it makes the progress to be tracked, it also tracks all pull request and issues that the collaborators had made [1].



<div>JS CODE</div> <div>No due date  Last updated less than a minute ago</div> <div><div>0% complete</div><div>0 open</div><div>0 closed</div></div> <div><a href="#">Edit</a> <a href="#">Close</a> <a href="#">Delete</a></div>
<div>CCS CODE</div> <div>No due date  Last updated less than a minute ago</div> <div><div>0% complete</div><div>0 open</div><div>0 closed</div></div> <div><a href="#">Edit</a> <a href="#">Close</a> <a href="#">Delete</a></div>
<div>HTML CODE</div> <div>No due date  Last updated less than a minute ago</div> <div><div>0% complete</div><div>0 open</div><div>0 closed</div></div> <div><a href="#">Edit</a> <a href="#">Close</a> <a href="#">Delete</a></div>
<div>FINAL WEB</div> <div>No due date  Last updated 1 minute ago</div> <div><div>0% complete</div><div>0 open</div><div>0 closed</div></div> <div><a href="#">Edit</a> <a href="#">Close</a> <a href="#">Delete</a></div> <div>The first push contains the homepage</div>
<div>drafts</div> <div>No due date  Last updated 1 minute ago</div> <div><div>0% complete</div><div>0 open</div><div>0 closed</div></div> <div><a href="#">Edit</a> <a href="#">Close</a> <a href="#">Delete</a></div>

As we can see here, there are different milestone that are created.

### Local Repository (Git)

#### Setting Email and Username for Author

```
meliv@JayMarkpc19 MINGW64 ~ (master)
$ git config --global user.name "Jay Mark Melivo"

meliv@JayMarkpc19 MINGW64 ~ (master)
$ git config --global user.email "melivojaymark61@gmail.com"
```

### Creating the profile’s HTML file



Ma.Virgie Fernando Petchalin

"Knowing others is intelligence; knowing yourself is true wisdom."  
-by Lao Tzu.

#### MY INFORMATION

EDUCATION:  
TERTIARY: Tarlac State University  
-3rd Year Bachelor of Science and Information Technology  
major in Technical Service Management  
  
SECONDARY: O'Donnell High School  
-Humanities and Social Science

#### Welcome to My Website

[About](#) [Personality](#) [Hobbies](#) [Reflection](#) [Educational Background](#)

##### About Me

###### Personality

- [Sensitivity](#)
- [Lack of Confidence](#)
- [Shyness](#)
- [Shyness](#)

###### Personality in Working Things

- [Integrity](#)
- [Creativity](#)
- [Initiative](#)
- [Flexibility](#)
- [Time Management](#)

##### My Hobbies

- [Playing Basketball](#)
- [Listening to Music](#)
- [A Play with my pet Dog](#)

##### Educational Background

Educational: Tertiary - Tarlac State University 3rd year BSIT TSM  
Secondary: Tarlac National High School  
Primary: Sto. Cristo Elementary School  
  
Personal Info: Address: Lazatin Subd. Ligtarna Tarlac City  
Place of Birth: Tarlac City

This is my html profile; no other designs are implemented yet and basic information about are added.

### Creating and initializing local repository

```
meliv@JayMarkpc19 MINGW64 ~ (master)
$ git config --global user.name "Jay Mark Melivo"

meliv@JayMarkpc19 MINGW64 ~ (master)
$ git config --global user.email "melivojaymark61@gmail.com"

meliv@JayMarkpc19 MINGW64 ~ (master)
$ cd OneDrive

meliv@JayMarkpc19 MINGW64 ~/OneDrive (master)
$ cd Documents

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents (master)
$ mkdir IPT2-CaseStudy


meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents (master)
$ cd IPT2-CaseStudy

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git init
Initialized empty Git repository in C:/Users/meliv/OneDrive/Documents/IPT2-CaseStudy/.git/

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
```

Creation of local working directory and initializing at as git directory.

### Cloning the repository from GitHub to local repository using bash terminal



Cloning can be achieved by accessing the github repository by clicking the Code and under HTTPS copy the link.

On the bash terminal type git clone and paste the link from github. Git clone command copies an existing repository and clones it to new repository or another location [2]. Accessing the repo by \$cd folder-name in our case study it will be cd IPT2-CaseStudy.

```
meliv@JayMarkpc19 MINGW64 ~
$ cd OneDrive

meliv@JayMarkpc19 MINGW64 ~/OneDrive
$ cd Documents

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents
$ mkdir IPT2-CaseStudy

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents
$ cd IPT2-CaseStudy

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy
$ git clone https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4.git
Cloning into 'BSIT-TSM-3B-IPT2CS-G4'...
remote: Enumerating objects: 101, done.
remote: Counting objects: 100% (101/101), done.
remote: Compressing objects: 100% (85/85), done.
remote: Total 101 (delta 25), reused 81 (delta 14), pack-reused 0
Receiving objects: 100% (101/101), 4.02 MiB | 3.02 MiB/s, done.
Resolving deltas: 100% (25/25), done.
```

Working on local-repo and creating a local-branch

```
meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git checkout -b Jaymark-Branch
Switched to a new branch 'Jaymark-Branch'

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (Jaymark-Branch)
```

On this part of the study, I created a new branch under clone local repository and named it as axel-branch. Branches are made for new features to add or simply not to interfere with the main branch that can be merge to the main later on [3].

```
meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2--Casestudy (Jaymark1-branch)
$ git add .

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2--Casestudy (Jaymark1-branch)
$ git commit -m "initial commit"
[Jaymark1-branch dc1e421] initial commit
5 files changed, 954 insertions(+)
create mode 100644 OneDrive/Documents/IPT2--Casestudy/JayMark.html
create mode 100644 OneDrive/Documents/IPT2--Casestudy/STATICWEB.html
create mode 100644 OneDrive/Documents/IPT2--Casestudy/index.html
create mode 100644 OneDrive/Documents/IPT2--Casestudy/indexRazon.html
create mode 100644 OneDrive/Documents/IPT2--Casestudy/petchalin.html

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2--Casestudy (Jaymark1-branch)
$ git checkout master
Switched to branch 'master'

meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2--Casestudy (master)
$
```

The created html file was then pasted on the local-repo folder, this makes the files as untracked and by using the git command “git add .” , the files are now tracked, using the git commit -m “message” then takes a snapshot of the current code and leaves a message for later documentation, git checkout main then moves us to the main branch.


```
meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git push origin HEAD:Jaymark-Branch
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 11.02 KiB | 11.02 MiB/s, done.
Total 7 (delta 1), reused 5 (delta 1), pack-reused 0
remote: Resolving deltas: 100% (1/1), done.
remote:
remote: Create a pull request for 'Jaymark-Branch' on GitHub by visiting:
remote:   https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4/pull/new/Jaymark-Branch
remote:
To https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4.git
 * [new branch]      HEAD -> Jaymark-Branch
```

Merging from local branch to local main.

Merging through the command git merge --no-ff branchname -m “message” integrates the changes that was made from the other branches to main [4].


```
meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2--Casestudy (master)
$ git push origin HEAD:Jaymark1-branch
Enumerating objects: 15, done.
Counting objects: 100% (15/15), done.
Delta compression using up to 16 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (15/15), 11.54 KiB | 5.77 MiB/s, done.
Total 15 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
remote:
remote: Create a pull request for 'Jaymark1-branch' on GitHub by visiting:
remote:   https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4/pull/new/jaymark1-branch
remote:
To https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4.git
 * [new branch]      HEAD -> Jaymark1-branch
```

Pushing the local main to github branch, the command git push origin HEAD:branch name sends my local main repo to the specified github branch. Git push uploads local content repository to other location or remote repository [5].




```
meliv@JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git fetch
remote: Enumerating objects: 124, done.
remote: Counting objects: 100% (124/124), done.
remote: Compressing objects: 100% (96/96), done.
remote: Total 124 (delta 34), reused 100 (delta 17), pack-reused 0
Receiving objects: 100% (124/124), 4.25 MiB | 5.26 MiB/s, done.
Resolving deltas: 100% (34/34), done.
From https://github.com/Titussss19/BSIT-TSM-3B-IPT2CS-G4
* [new branch]      ellej      -> origin/ellej
* [new branch]      fabicon-portfolio -> origin/fabicon-portfolio
* [new branch]      jaymark     -> origin/jaymark
* [new branch]      jaymark1-branch -> origin/jaymark1-branch
* [new branch]      lacsina     -> origin/lacsina
* [new branch]      master      -> origin/master
* [new branch]      petchalín   -> origin/petchalín
```

Git fetch, fetches files from repository and saves it into the local machine [6].



Creating new Issue



While scanning to the submitted html files of the collaborators, there are unclosed tags that are observed. Notifying them through github using the Issue feature. GitHub issue is intended for discussion, pull request and manages the collaborators on how they will solve the problem [ 7].



## Addressing the Issue

```
helliv8JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git pull --all
From https://github.com/Titusss19/BSIT-TSM-3B-IPT2C5-G4
 * [new branch]      ellej          -> origin/ellej
 * [new branch]      fabicon-portfolio -> origin/fabicon-portfolio
 * [new branch]      jaymark        -> origin/jaymark
 * [new branch]      laesina        -> origin/laesina
 * [new branch]      petchalin      -> origin/petchalin
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:


    git branch --set-upstream-to=origin/<branch> master

helliv8JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git ls
git: 'ls' is not a git command. See 'git --help'.


The most similar command is
    lfs

helliv8JayMarkpc19 MINGW64 ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ ls
1.jpg
2.jpg
3.jpg
4.jpg
5.jpg
6.jpg
7.jpg
Cod.jpg
'IPT2-Case-Study-Midterm-2022_2023 GROUP 4.docx'
'IPT2-Case-Study-Midterm-2022_2023 GROUP 4.pdf'
JayMark.html
MJ.jpg
Mavirgie.js
STATICWEB.html
Virgie.jpg
WEB.css
assets.jpg
bad.jpg
bball.jpg
family.jpg
girlfriend.jpg
gta.jpg
hobby.png
index.html
indexKazon.html
jk3.jpg
jm.jpg
joy.jpg
lol.jpg
mjjs.js
ml.jpg
nba.jpg
petchalin.html
script.js
script_ellej.js
style_joy.css
styles.css
valo.jpg
virgie.css
'~IPT2-Case-Study-Midterm-2022_2023 GROUP 4.docx'
```

In order to address the issue, we expect that our cloned repository has been changed or collaborators added their own works to the clone repository, In order to update our local copy of repository we must use git pull. Git pull downloads the new contents from remote repository and updates the local repository [8] which we will work later on.



Adding CSS




```
tituss19@JayMarkpc19: ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git commit -m "css for profile"
[master ca8b6e9] css for profile
28 files changed, 1649 insertions(+)
create mode 100644 1.jpg
create mode 100644 2.jpg
create mode 100644 3.jpg
create mode 100644 4.jpg
create mode 100644 5.jpg
create mode 100644 6.jpg
create mode 100644 7.jpg
create mode 100644 Cod.jpg
create mode 100644 H2.jpg
create mode 100644 Virgile.jpg
create mode 100644 WEB.css
create mode 100644 assets.jpg
create mode 100644 bad.jpg
create mode 100644 bball1.jpg
create mode 100644 family.jpg
create mode 100644 girlfriend.jpg
create mode 100644 gta.jpg
create mode 100644 hobby.png
create mode 100644 k3.jpg
create mode 100644 jm.jpg
create mode 100644 joy.jpg
create mode 100644 lol.jpg
create mode 100644 ml.jpg
create mode 100644 nba.jpg
create mode 100644 styleJoy.css
create mode 100644 styles.css
create mode 100644 valo.jpg
create mode 100644 virgile.css


tituss19@JayMarkpc19: ~/OneDrive/Documents/IPT2-CaseStudy (master)
$ git push origin HEAD:jaymark-branch
Enumerating objects: 31, done.
Counting objects: 100% (31/31), done.
Delta compression using up to 16 threads
Compressing objects: 100% (30/30), done.
Writing objects: 100% (30/30), 3.69 MiB | 2.25 MiB/s, done.
Total 30 (delta 0), reused 28 (delta 0), pack-reused 0
remote:
remote: Create a pull request for 'jaymark-branch' on GitHub by visiting:
remote:   https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4/pull/new/jaymark-branch
remote:
To https://github.com/Titusss19/BSIT-TSM-3B-IPT2CS-G4.git
   [new branch] HEAD -> jaymark-branch
```

After ensuring that the HTML file is correct and working properly, it is time to design the webpage. Updating the initial html file and uploading the css which we add, commit and push it again to our branch in github.

## Adding JavaScript



## Merging Git Branches to Main



After the intensive checking by the collaborators, the last stage of application of the created branch is to merge with the github main branch. In this way, there are major changes to the main. In local repository we can merge our local branch to local main, the counterpart of merging in local is the github dedicated pull requests. Github pull request is a thread where the collaborators talks about the proposed changes to the main branch or the repository, where finished and approved works are located [9].

**Grade Matrix:**

Git Command	:	<b>20%</b>
GitHub Implement	:	<b>20%</b>
Documentation	:	<b>40%</b>
Webpage (Development)	:	<b>30%</b>
		<hr/>
		<b>100%</b>