

## API DOCUMENT

**Base URL:** <https://test.adventist.or.ke/api/>

### 1. Conferences/Fields (GET)

**Api Call:** BaseUrl/conference

Sample Json

```
[  
  {  
    "id": "1",  
    "union_id": "1",  
    "abbrev": "CKC",  
    "name": "Central Kenya Conference",  
    "telephone": "0724750450",  
    "address": "PO Box 41352 00100"  
  },  
  {  
    "id": "2",  
    "union_id": "1",  
    "abbrev": "EKUC",  
    "name": "East Kenya Union Conference",  
    "telephone": "",  
    "address": ""  
  }]  
]
```

## 2. Stations (GET)

Api Call: BaseUrl/station

### Sample Json

```
[  
  {  
    "id": "3",  
    "conf_id": "1",  
    "station_code": "STNAICE01",  
    "name": "Central Nairobi",  
    "isactive": "1"  
  },  
  {  
    "id": "4",  
    "conf_id": "1",  
    "station_code": "STHIKA01",  
    "name": "Thika",  
    "isactive": "1"  
  },  
  {  
    "id": "7",  
    "conf_id": "1",  
    "station_code": "STGEN001",  
    "name": "General Receipts",  
    "isactive": "1"  
  }]  
]
```

### 3. Districts (GET)

**Api Call:** BaseUrl/district

Sample Json

```
[  
  {  
    "id": "1",  
    "conf_id": "1",  
    "station_id": "4",  
    "district_code": "DTJUJA74",  
    "name": "JUJA",  
    "isactive": "1"  
  },  
  {  
    "id": "4",  
    "conf_id": "1",  
    "station_id": "5",  
    "district_code": "DTGAIKOI70",  
    "name": "GAKOIGO",  
    "isactive": "1"  
  }]  
]
```

#### 4. Churches (GET)

**Api Call:** BaseUrl/church

Sample Json

```
[  
  {  
    "id": "1",  
    "conf_id": "1",  
    "station_id": "6",  
    "district_id": "3",  
    "church_code": "TNAIRU6901",  
    "name": "NAIRUTIA",  
    "isactive": "1"  
  },  
  {  
    "id": "3",  
    "conf_id": "1",  
    "station_id": "4",  
    "district_id": "1",  
    "church_code": "TGACHO7401",  
    "name": "GACHORORO",  
    "isactive": "1"  
  }]  
]
```