One weekly report. Three handoffs.

Generation and QC on Wednesday. Publication on Thursday. Distribution on Friday.

The process refreshes reporting data, compares the new report with the last distributed baseline, verifies the workbook, and releases the same approved report through each stage.

WEDNESDAY

1:00 PM

Generate + check

Linux starts SAS and the QC pipeline. Once checks and rendering pass, the owner receives one combined QC attachment.

THURSDAY

1:00 PM

Transfer + publish

Windows selects the eligible Wednesday release, verifies it, and places the report in the local OneDrive folder.

FRIDAY

9:30 AM

Notify + archive

Windows rechecks the published report, submits the distribution link through Outlook, and promotes the notified release as the next baseline.

All times are Eastern (America/New_York), with daylight saving changes.

A clock starts each stage. Evidence permits the next action.

Wednesday QC email timing depends on completion. Thursday and Friday have separate scheduled triggers; receiving the QC email does not trigger either Windows task.


Two different emails

Owner QC email: private review information, with one workbook.
Friday distribution email: the existing report link for the configured distribution recipients.

Next scheduled checkpoints: Thursday October 15 at 1:00 PM and Friday October 16 at 9:30 AM. Next Wednesday generation: October 21 at 1:00 PM.

Wednesday: Linux starts the code

Follow the code from its scheduled trigger to the report and QC inputs.



The main report is not the QC email attachment. The later combined QC workbook is attached; the report itself is transferred on Thursday.

QC output becomes the owner email

The comparison uses the current report and the last distributed baseline.

Current report

`This week's generated run`

October 14 in the example.

Prior distributed baseline

`Archived notified release`

October 7 in the example.

Evaluate and record the QC decision

```
run_workbook_checks.py -> finalize_business_qc.py
Output: FINAL_QC.json
```

Compare historical/MTD values and combine all required control results into PASS, REVIEW or FAIL.

Create and verify one QC workbook

```
prepare_combined_qc.py
Render_Combined_QC.sas (generated for this run)
normalize_combined_qc.py -> validate_combined_qc.py
```

Prepare evidence, render in SAS, fit the exported workbook, and verify every displayed value and status.

Combined QC file

`ACO_Weekly_Enrollment_QC_YYYYMMDD.xlsx`

QC_Summary + QC_Matrix + QC_Detail + Technical_Detail

RELEASE GATE: every required control complete; matching run, report and QC evidence.

Complete QC: PASS or REVIEW

```
prepare_transfer_package.py -> send_qc_email.py
SMTP accepted -> LATEST_RELEASE.json
```

Send one QC attachment. Accepted submission makes the release available to Thursday.

FAIL / NOT_RUN

`send_failure_alert.py`

Release stops. Earlier failures may stop before the workbook is created.

Thursday transfers. Friday emails.

Both Windows stages have their own scheduled starts and recheck the evidence.

THURSDAY

Windows Task Scheduler - 1:00 PM

Run the transfer code

```
run_rebuilt_enrollment_thursday.bat
transfer_rebuilt_windows.py
```

Select an eligible Wednesday release started at or after Wednesday 1:00 PM.

Publish the verified report

```
ReportTestMonthly-YYYYMMDD_REGXSA.xlsx
```

Verify hashes/QC and copy to the local OneDrive folder. Back up approved same-date replacements. OneDrive performs cloud synchronization.

Save and validate the handoff

```
LATEST_TRANSFER_RECEIPT.json
Friday launcher: -ValidateOnly
```

Retain the approved source, publication and QC receipt. This validation does not send the Friday email or promote a baseline.

FRIDAY

Windows Task Scheduler - 9:30 AM

Run Friday verification

```
run_rebuilt_enrollment_friday.bat
Send_Rebuilt_Enrollment_Friday.ps1
verify_published_report.py
```

Recheck the source, report date, receipt and actual published contents.

Outlook submits the report link

```
$mail.Send()
ACO_Weekly_Email_Sent_YYYYMMDD.ok
```

Proceed only after verification and duplicate-send checks. Record the sent marker after submission.

Promote the next comparison baseline

```
promote_baseline_windows.py
promote_distributed_baseline.py
```

Archive the notified release. The next Wednesday compares against this distributed baseline.

The computer is part of the workflow.

Keep it on and logged in with required network access and OneDrive running. Outlook must be available on Friday. Local publication, cloud sync, and inbox delivery are separate outcomes.

QC_Summary: the first review screen

Actual combined QC workbook: October 14, 2026 versus October 7, 2026.

WORKBOOK EXCERPT - summary labels and values (columns A-B)

	A	B
3	**QC Summary Item**	**Value**
4	**Run Date**	2026-10-14
5	**Prior Comparison Date**	2026-10-07
6	**Overall QC Status**	REVIEW
7	**Comparison Status**	PASS
8	**Comparison Rows Checked**	748
9	**Comparison PASS**	748
10	**Comparison REVIEW**	0
11	**Comparison FAIL**	0
12	**Technical Review Lines**	7483
13	**Technical Failure Lines**	0

Read comparison counts separately from technical notes.

All 748 comparison rows PASS. There are zero comparison REVIEW or FAIL rows. The 7,483 technical review lines explain the overall REVIEW status; their reasons are on Technical_Detail.

The summary also lists the nine required controls. PASS is green, REVIEW yellow, and FAIL red. Thresholds and row-level reasons are retained in the next two comparison tabs.

See the comparison, then its reason

These excerpts show the same CASELOAD / All / TOTAL comparison rows.

QC_MATRIX - March through June 2023; prior/current, difference, change %, flag

	D	E	F	G	H
3	**Measure**	**2023-03**	**2023-04**	**2023-05**	**2023-06**
4	Prior Members	1,463,709.00	1,485,956.00	1,492,438.00	1,489,757.00
5	Current Members	1,463,700.23	1,485,946.43	1,492,427.03	1,489,746.33
6	Difference	-8.77	-9.57	-10.97	-10.67
7	% Change	0.00%	0.00%	0.00%	0.00%
8	QC Flag	PASS	PASS	PASS	PASS

The matrix is the familiar side-by-side monthly view. The numbers remain numeric; the flag shows the result of the comparison policy.

QC_DETAIL - March through June 2023, in the same top-to-bottom order

	D	E	F	G	H	I	J
3	**Month**	**Month Group**	**Prior Run**	**Prior Members**	**Current Run**	**Current Members**	**Difference**
4	2023-03	OLDER_MONTH	2026-10-07	1,463,709.00	2026-10-14	1,463,700.23	-8.77
5	2023-04	OLDER_MONTH	2026-10-07	1,485,956.00	2026-10-14	1,485,946.43	-9.57
6	2023-05	OLDER_MONTH	2026-10-07	1,492,438.00	2026-10-14	1,492,427.03	-10.97
7	2023-06	OLDER_MONTH	2026-10-07	1,489,757.00	2026-10-14	1,489,746.33	-10.67

QC_DETAIL - warning threshold, blocking threshold, status and reason for those rows

	L	M	N	O
3	**Warning threshold**	**Blocking threshold**	**Status**	**Reason**
4	50.00	500.00	PASS	Historical change within warning threshold.
5	50.00	500.00	PASS	Historical change within warning threshold.
6	50.00	500.00	PASS	Historical change within warning threshold.
7	50.00	500.00	PASS	Historical change within warning threshold.

Technical_Detail explains REVIEW

Actual diagnostic rows from the same combined workbook.

FIRST FOUR TECHNICAL ROWS - status, check and worksheet

	A	B	C
3	**Status**	**Check**	**Worksheet**
4	REVIEW	Baseline provenance	Archived baseline
5	REVIEW	Percentage rounding	Caseload
6	REVIEW	Percentage rounding	Caseload
7	REVIEW	Percentage rounding	Caseload

REASONS FOR THOSE SAME FOUR ROWS - in the same order

	M
3	**Reason**
4	Baseline is archived and hash-verified now; no original publication hash receipt.
5	Subtotal row 78; within calculated display-rounding tolerance.
6	Subtotal row 178; within calculated display-rounding tolerance.
7	Subtotal row 203; within calculated display-rounding tolerance.

Why the overall decision is REVIEW

6,200 percentage-rounding lines + 1,282 subtotal-rounding lines + one baseline-provenance note = 7,483 technical review lines. These are supporting diagnostics. The prior/current comparison itself has 748 PASS rows.

QC decides release eligibility

Every required check must run, agree with the run identity, and retain matching evidence.

PASS

Complete QC with no review or blocking result.

REVIEW

Complete QC; nonblocking findings remain visible.

FAIL

A failed or unrun required check blocks release.

Required control	What it checks
Report integrity	SAS completed successfully; the report belongs to the identified run.
Comparison identity	The prior/current comparison is bound to the recorded distributed baseline.
Workbook structure	Expected worksheet identities, order and report structure are present.
Upstream totals	Report totals reconcile with independent source-stage evidence.
Row preservation	Required source/report rows were retained.
Percentage denominators	Rates use the intended source counts and denominator relationships.
Detail reconciliation	Detail and subtotal values agree within the defined display-rounding policy.
Summary to detail	Related report sheets reconcile under the explicit numeric precision rules.
Distributed baseline	Historical and current-month changes satisfy the baseline business policy.

Installed policy: REVIEW is eligible when QC is complete.

REVIEW does not automatically pause the job for manual analyst sign-off. FAIL, NOT_RUN, missing/duplicate controls, inconsistent decisions, or changed evidence block release.

Keep each handoff verifiable

Server generation is automated. Windows publication and distribution still depend on the PC.

Before Thursday and Friday

Keep the PC on and logged in, with required network access and OneDrive running. Close the report before replacement. Outlook must be available for Friday distribution.

When something fails	What the process does / what to check
SAS or required QC fails	Stops release. The server failure-alert route is enabled; actual SMTP alert delivery has not been proven. Inspect run logs and control evidence.
Owner QC mail is uncertain	Retains an attempt/result record and stops the release-pointer handoff. Review the receipt before retrying; do not blindly resend.
Thursday release is not eligible	Waits up to 90 minutes for the eligible Wednesday package. Transfer failures are logged and fail the task; existing scheduler retry settings remain in effect.
A destination already exists	Verifies existing content. For approved same-date replacement, backs up changed content before replacing it. Do not delete the report to bypass a failed check.
Friday publication changed	Blocks notification if meaningful cells or workbook structure differ. Equivalent Excel saves may pass under the strict content-verification policy.
Friday send or promotion is uncertain	Inspect Outlook and the sent marker before retrying. A recorded submission prevents duplicate notification; a failed baseline promotion can be recovered separately.

Three milestones to distinguish

Local publication: verified report copied to the PC folder.
Cloud availability: OneDrive finished synchronizing it.
Recipient delivery: the email reached the recipient. SMTP/Outlook acceptance records submission, not inbox delivery.

Term key: a hash is a file fingerprint used to detect changes. A receipt records the run, files and outcome of a handoff. The baseline is the archived previously notified report used for comparison.

Comparison methods and evidence

Source snapshot: installed October 14, 2026. GitHub revision 8ef03f0.

What is compared

The current report is compared with the archived last distributed baseline. The expanded Summary comparison covers 17 categories across available months. Historical periods are evaluated separately from the current month-to-date (MTD).

Reporting period	Warning floor	Blocking floor
Older month - CASELOAD	50 members	500 members
Older month - other sections	50 members	100 members
Previous calendar month	5,000 members	15,000 members
Current MTD - CASELOAD	15,000 members	No blocking MTD movement threshold
Current MTD - other sections	25,000 members	No blocking MTD movement threshold

Absolute change at or above a historical threshold triggers REVIEW or FAIL. A missing historical prior value, or a historical zero-to-positive/positive-to-zero change, fails. Equivalent MTD cases require REVIEW. MTD movement warnings are nonblocking.

Adaptive thresholds

After eight archived comparison pairs in the same section/category/month group, thresholds use the greater of the business floor and mean absolute change plus 2 sample standard deviations (warning) or 3 (blocking). Before eight pairs, the floors apply.

What has been verified

35 offline tests passed; one private-cache rehearsal was skipped. The combined-QC server rehearsal verified 112,730 cells and all four tab layouts. The one-attachment change is installed. The first future Thursday transfer and full Friday cycle still need observation.

Source and operating references

Enrollment source snapshot and operating documentation

Key references: ARCHITECTURE, OPERATIONS, QC_METHODS, COMBINED_QC and VALIDATION. The process guide describes installed behavior; code and retained run receipts provide the exact implementation and evidence.