
admins	
id 🔑	int
username	varchar
password	varchar

customers	
id 🔑	int -
firstname	varchar(100)
lastname	varchar(100)
email	varchar
password	varchar
phone	varchar
street_address	varchar
postal_code	varchar
city	varchar
country	varchar
created_at	timestamp

products	
id Ø	int
name	varchar
description	text
price	int
regular_price	int
stock	int
category	varchar
image	varchar
created_at	timestamp

	order_items	
	id 🔑	int
-	order_id	int
<	product_id	int
	product_name	varchar
	quantity	int
	unit_price	int
	image_url	varchar
	created_at	timestamp






admins	
id Ø	int
username	varchar
password	varchar

customers	
id 🔑	int -
firstname	varchar(100)
lastname	varchar(100)
email	varchar
password	varchar
phone	varchar
street_address	varchar
postal_code	varchar
city	varchar
country	varchar
created_at	timestamp

products	
id 🔑	int
name	varchar
description	text
price	int
regular_price	int
stock	int
category	varchar
image	varchar
created_at	timestamp

	order_items	
	id Ø	int
	order_id	int
* <	product_id	int
	product_name	varchar
	quantity	int
	unit_price	int
	image_url	varchar
	created_at	timestamp





```
Enum payment_status {
    unpaid
    paid
}

Enum order_status {
    pending
    received
    packed
    shipped
}
```

