ClinVar Report

James Diao

January 8, 2017

Contents

Sourcing ClinVar input from: clinvar_2015-05-04.vcf
Sending output to: Report_2015-05-04.pdf

1 Collect and Merge ClinVar Data

1.1 Import ClinVar VCF

1.2 Merge ClinVar with 1000 Genomes and ExAC

Breakdown of ClinVar Variants

Subset_ClinVar	Number_of_Variants
Total ClinVar	103848
LP/P	23452
ACMG LP/P	4942
ACMG LP/P in gnomAD	1082
ACMG LP/P in ExAC	779
ACMG LP/P in 1000 Genomes	157

Breakdown of ACMG-gnomAD Variants

Subset_gnomAD	Number_of_Variants
ACMG in gnomAD	96742
ClinVar-ACMG in gnomAD	6974
LP/P-ACMG in gnomAD	1082

Breakdown of ACMG-ExAC Variants

Subset_gnomAD	Number_of_Variants
ACMG in ExAC	59883
ClinVar-ACMG in ExAC	5796
LP/P-ACMG in ExAC	779

Breakdown of ACMG-1000G Variants

Subset_gnomAD	Number_of_Variants
ACMG in 1000G	141466
ClinVar-ACMG in 1000G	2769
LP/P-ACMG in 1000G	157

2 Summary Statistics

2.1 Fraction of Individuals with Pathogenic Non-Reference Sites

ACMG−59 Pathogenic: Fraction in 1000 Genomes

ACMG−59 Pathogenic: Fraction in gnomAD

3   Penetrance Estimates

3.1   Max/Min Penetrance as a Function of P(D) and P(V|D)

The left end of the boxplot indicates P(V|D) = 0.01,
the bold line in the middle indicates P(V|D) = point value,
the right end of the boxplot indicates P(V|D) = 1.

gnomAD: Barplot of Min/Point/Max Penetrance

Note: Some diseases have mean theoretical penetrance = 1 because the assumed allelic heterogeneity is greater than is possible, given the observed prevalence and allele frequencies.

**Radar Plot: Max Penetrance by Ancestry (gnomAD)**

[1] These are the top 10 diseases by summed allele frequencies. NULL values are not plotted.
[1] Each radius is proportional to the penetrance of the disease in the given population.

Barplot: Penetrance by Ancestry (gnomAD)

Heatmap: Max Penetrance by Ancestry (gnomAD)

Dark gray boxes are NA: no associated variants discovered in that ancestral population.