# ClinVar Report

# James Diao

# January 8, 2017

# ${\bf Contents}$

1	Collect and Merge ClinVar Data         1.1 Import ClinVar VCF          1.2 Merge ClinVar with 1000 Genomes and ExAC	
2	Summary Statistics 2.1 Fraction of Individuals with Pathogenic Non-Reference Sites	<b>3</b>
3	$ \begin{array}{llllllllllllllllllllllllllllllllllll$	
	ourcing ClinVar input from: clinvar_2016-10-03.vcf ending output to: Report_2016-10-03.pdf	

# 1 Collect and Merge ClinVar Data

# 1.1 Import ClinVar VCF

### 1.2 Merge ClinVar with 1000 Genomes and ExAC

#### ## Breakdown of ClinVar Variants

Subset_ClinVar	Number_of_Variants
Total ClinVar	117355
LP/P	33615
ACMG LP/P	7390
ACMG LP/P in gnomAD	1425
ACMG LP/P in ExAC	1012
ACMG LP/P in 1000 Genomes	159

#### ## Breakdown of ACMG-gnomAD Variants

Subset_gnomAD	Number_of_Variants
ACMG in gnomAD	96742
ClinVar-ACMG in gnomAD	11836
LP/P-ACMG in gnomAD	1425

#### ## Breakdown of ACMG-ExAC Variants

Subset_gnomAD	Number_of_Variants
ACMG in ExAC	59883
ClinVar-ACMG in ExAC	9506
LP/P-ACMG in ExAC	1012


#### ## Breakdown of ACMG-1000G Variants

Subset_gnomAD	Number_of_Variants
ACMG in 1000G	141466
ClinVar-ACMG in 1000G	4416
LP/P-ACMG in 1000G	159


### 2 Summary Statistics

## 2.1 Fraction of Individuals with Pathogenic Non-Reference Sites

ACMG-59 Pathogenic: Fraction in 1000 Genomes



ACMG-59 Pathogenic: Fraction in gnomAD




#### 3 Penetrance Estimates

### 3.1 Max/Min Penetrance as a Function of P(D) and P(V|D)

The left end of the boxplot indicates P(V|D) = 0.01, the bold line in the middle indicates P(V|D) = point value, the right end of the boxplot indicates P(V|D) = 1.






Note: Some diseases have mean theoretical penetrance = 1 because the assumed allelic heterogeneity is greater than is possible, given the observed prevalence and allele frequencies.


### 3.2 Penetrance Estimates by Ancestry

# Radar Plot: Max Penetrance by Ancestry (gnomAD)




- ## [1] These are the top 10 diseases by summed allele frequencies. NULL values are not plotted.
- ## [1] Each radius is proportional to the penetrance of the disease in the given population.

### Barplot: Penetrance by Ancestry (gnomAD)



### Heatmap: Max Penetrance by Ancestry (gnomAD)



 $\hbox{\it \#\# Dark gray boxes are NA: no associated variants discovered in that ancestral population.}$