ClinVar Report

James Diao

November 4, 2016

Contents

1	Collect and Merge ClinVar Data 1.1 Import ClinVar VCF		
2	Summary Statistics		3
	2.1 Fraction of Individuals with Pathogenic Non-Reference Sites	 	3
3	Penetrance Estimates		4
	3.1 Max/Min Penetrance as a Function of $P(D)$ and $P(V D)$	 	4
	3.2 Penetrance Estimates by Ancestry		
	3.3 Empirical CDFs for All Penetrance Plots	 	7
	3.4 Comparing Mean Penetrance between ExAC and 1000 Genomes	 	7
	ourcing ClinVar input from: clinvar_2014-04-01.vcf ending output to: Report_2014-04-01.pdf		

1 Collect and Merge ClinVar Data

1.1 Import ClinVar VCF

Processed ClinVar data frame 69779 x 14 (selected rows/columns):

1.2 Merge ClinVar with 1000 Genomes and ExAC

Breakdown of ClinVar Variants

Subset_ClinVar	Number_of_Variants
Total ClinVar	69779
LP/P-ClinVar	16381
LP/P-ClinVar & ACMG	1986
LP/P-ClinVar & ACMG & ExAC	312
LP/P-ClinVar & ACMG & 1000	75
Genomes	

Breakdown of ACMG-1000 Genomes Variants


Subset_1000_Genomes	Number_of_Variants
Total 1000_Genomes & ACMG	139335
1000_Genomes & ACMG & ClinVar	1625
1000_Genomes & ACMG &	75
LP/P-ClinVar	

Breakdown of ACMG-ExAC Variants

Subset_ExAC	Number_of_Variants
Total ExAC & ACMG	58873
ExAC & ACMG & ClinVar	3368
ExAC & ACMG & LP/P-ClinVar	312

2 Summary Statistics


2.1 Fraction of Individuals with Pathogenic Non-Reference Sites



3 Penetrance Estimates

3.1 Max/Min Penetrance as a Function of P(D) and P(V|D)


The left end of the boxplot indicates P(D) AND P(V|D) = lower value, the bold line in the middle indicates P(D) AND P(V|D) = geometric_mean(values), the right end of the boxplot indicates P(D) AND P(V|D) = upper value.




Note: Prevalence ranges of 5x were assumed for all point estimates of prevalence. For example: a point estimate of 0.022 would be given the range 0.01-0.05.

3.2 Penetrance Estimates by Ancestry







Penetrance by Ancestry (ExAC)



3.3 Empirical CDFs for All Penetrance Plots



3.4 Comparing Mean Penetrance between ExAC and 1000 Genomes



The Pearson correlation is 0.98. Max penetrance values computed using 1000 Genomes are 1.5-fold larger than those computed using ExAC.