# ClinVar Report

# James Diao

# January 8, 2017

# ${\bf Contents}$

1	Collect and Merge ClinVar Data1.1 Import ClinVar VCF1.2 Merge ClinVar with 1000 Genomes and ExAC	
2	Summary Statistics 2.1 Fraction of Individuals with Pathogenic Non-Reference Sites	<b>3</b>
3	$ \begin{array}{llllllllllllllllllllllllllllllllllll$	
	ourcing ClinVar input from: clinvar_2014-02-11.vcf ending output to: Report_2014-02-11.pdf	

# 1 Collect and Merge ClinVar Data

# 1.1 Import ClinVar VCF

## 1.2 Merge ClinVar with 1000 Genomes and ExAC

#### ## Breakdown of ClinVar Variants

Subset_ClinVar	Number_of_Variants
Total ClinVar	45037
LP/P	17580
ACMG LP/P	2166
ACMG LP/P in gnomAD	499
ACMG LP/P in ExAC	348
ACMG LP/P in 1000 Genomes	90

#### ## Breakdown of ACMG-gnomAD Variants

Subset_gnomAD	Number_of_Variants
ACMG in gnomAD	96742
ClinVar-ACMG in gnomAD	3272
LP/P-ACMG in gnomAD	499

#### ## Breakdown of ACMG-ExAC Variants


Subset_gnomAD	Number_of_Variants
ACMG in ExAC	59883
ClinVar-ACMG in ExAC	2707
LP/P-ACMG in ExAC	348

#### ## Breakdown of ACMG-1000G Variants

Subset_gnomAD	Number_of_Variants
ACMG in 1000G	141466
ClinVar-ACMG in 1000G	1333
LP/P-ACMG in 1000G	90

## 2 Summary Statistics

# 2.1 Fraction of Individuals with Pathogenic Non-Reference Sites



ACMG-59 Pathogenic: Fraction in gnomAD

Superpopulation

AFR

AMR

EAS

Population

AFR

Superpopulation

Superpopulation

Superpopulation

AFR

AMR

EAS


Population

#### 3 Penetrance Estimates

### 3.1 Max/Min Penetrance as a Function of P(D) and P(V|D)

The left end of the boxplot indicates P(V|D) = 0.01, the bold line in the middle indicates P(V|D) = point value, the right end of the boxplot indicates P(V|D) = 1.

gnomAD: Barplot of Min/Point/Max Penetrance




Note: Some diseases have mean theoretical penetrance = 1 because the assumed allelic heterogeneity is greater than is possible, given the observed prevalence and allele frequencies.

### 3.2 Penetrance Estimates by Ancestry


Dilated CM

# Radar Plot: Max Penetrance by Ancestry (gnomAD)




- ## [1] These are the top 10 diseases by summed allele frequencies. NULL values are not plotted.
- ## [1] Each radius is proportional to the penetrance of the disease in the given population.

## Barplot: Penetrance by Ancestry (gnomAD)



## Heatmap: Max Penetrance by Ancestry (gnomAD)



## Dark gray boxes are NA: no associated variants discovered in that ancestral population.