ClinVar Report

James Diao

November 4, 2016

Contents

Sourcing ClinVar input from: clinvar_2015-02-03.vcf
Sending output to: Report_2015-02-03.pdf

1 Collect and Merge ClinVar Data

1.1 Import ClinVar VCF

```
## Processed ClinVar data frame 99460 x 14 (selected rows/columns):
```

1.2 Merge ClinVar with 1000 Genomes and ExAC

```
## Breakdown of ClinVar Variants
```

Subset_ClinVar	Number_of_Variants
Total ClinVar	99460
LP/P-ClinVar	22071
LP/P-ClinVar & ACMG	4073
LP/P-ClinVar & ACMG & ExAC	619
LP/P-ClinVar & ACMG & 1000 Genomes	120

```
## Breakdown of ACMG-1000 Genomes Variants
```

Subset_1000_Genomes	Number_of_Variants
Total 1000_Genomes & ACMG	139335
1000_Genomes & ACMG & ClinVar	2531
1000_Genomes & ACMG & LP/P-ClinVar	120

```
## Breakdown of ACMG-ExAC Variants
```

Subset_ExAC	Number_of_Variants
Total ExAC & ACMG	58873
ExAC & ACMG & ClinVar	5139
ExAC & ACMG & LP/P-ClinVar	619

2 Summary Statistics

2.1 Fraction of Individuals with Pathogenic Non-Reference Sites





3 Penetrance Estimates

3.1 Max/Min Penetrance as a Function of P(D) and P(V|D)

The left end of the boxplot indicates P(D) AND P(V|D) = lower value,
the bold line in the middle indicates P(D) AND P(V|D) = geometric_mean(values),
the right end of the boxplot indicates P(D) AND P(V|D) = upper value.



Note: Prevalence ranges of 5x were assumed for all point estimates of prevalence.
For example: a point estimate of 0.022 would be given the range 0.01-0.05.

3.2 Penetrance Estimates by Ancestry




Penetrance by Ancestry (ExAC)
AFR
AMR
EAS
EUR
SAS
Total
Disease
Paragangliomas...
Long QT syndrome...
Brugada syndrome...
Fabry's disease...
Catecholaminergic...
Tuberous sclerosi...
Multiple endocrin...
Loeys−Dietz syndr...
PTEN hamartoma...
MYH−associated...
Familial medullar...
Adenomatous polyp...
Arrhythmogenic...
Von Hippel−Lindau...
Familial hypertro...
Lynch syndrome...
Marfan's syndrome...
Pilomatrixoma...
Li−Fraumeni syndr...
Malignant hyperth...
Familial hypercho...
Left ventricular ...
Dilated cardiomyo...
Retinoblastoma...
Aortic aneurysm...
Ehlers−Danlos syn...
Breast−ovarian...
Wilms' tumor...
Peutz−Jeghers syn...
Neurofibromatosis...
0.00
0.25
0.50
0.75
1.00
Penetrance

3.3 Empirical CDFs for All Penetrance Plots



3.4 Comparing Mean Penetrance between ExAC and 1000 Genomes



The Pearson correlation is 0.8.
Max penetrance values computed using 1000 Genomes are 1.2-fold larger than those computed using ExAC.