# ClinVar Report

# James Diao

# November 4, 2016

# Contents

1	ollect and Merge ClinVar Data  1 Import ClinVar VCF	
2	ummary Statistics  1 Fraction of Individuals with Pathogenic Non-Reference Sites	<b>3</b>
3	enetrance Estimates  1 Max/Min Penetrance as a Function of P(D) and P(V D)	5 7
	cing ClinVar input from: clinvar_2012-11-05.vcf ling output to: Report_2012-11-05.pdf	

# 1 Collect and Merge ClinVar Data

# 1.1 Import ClinVar VCF

## Processed ClinVar data frame 56959 x 14 (selected rows/columns):

# 1.2 Merge ClinVar with 1000 Genomes and ExAC

#### ## Breakdown of ClinVar Variants

Subset_ClinVar	Number_of_Variants
Total ClinVar	56959
LP/P-ClinVar	12472
LP/P-ClinVar & ACMG	733
LP/P-ClinVar & ACMG & ExAC	173
LP/P-ClinVar & ACMG & 1000	58
Genomes	

#### ## Breakdown of ACMG-1000 Genomes Variants


Subset_1000_Genomes	Number_of_Variants
Total 1000_Genomes & ACMG	139335
1000_Genomes & ACMG & ClinVar	1107
1000_Genomes & ACMG &	58
LP/P-ClinVar	

#### ## Breakdown of ACMG-ExAC Variants

Subset_ExAC	Number_of_Variants
Total ExAC & ACMG	58873
ExAC & ACMG & ClinVar	2146
ExAC & ACMG & LP/P-ClinVar	173

# 2 Summary Statistics

# 2.1 Fraction of Individuals with Pathogenic Non-Reference Sites



ACMG-56 Pathogenic: Mean in ExAC

Superpopulation

AFR

AMR

EAS

EUR


SAS

Population

#### 3 Penetrance Estimates

### 3.1 Max/Min Penetrance as a Function of P(D) and P(V|D)


The left end of the boxplot indicates P(D) AND P(V|D) = lower value, the bold line in the middle indicates P(D) AND P(V|D) = geometric\_mean(values), the right end of the boxplot indicates P(D) AND P(V|D) = upper value.




Note: Prevalence ranges of 5x were assumed for all point estimates of prevalence. For example: a point estimate of 0.022 would be given the range 0.01-0.05.

#### 3.2 Penetrance Estimates by Ancestry







### Penetrance by Ancestry (ExAC)



#### 3.3 Empirical CDFs for All Penetrance Plots



#### 3.4 Comparing Mean Penetrance between ExAC and 1000 Genomes



The Pearson correlation is 0.85. Max penetrance values computed using 1000 Genomes are 0.52-fold larger than those computed using ExAC.