

UNIVERSITY NAME

DOCTORAL THESIS

Thesis Title

Author:
John SMITH

Supervisor:
Dr. James SMITH

*A thesis submitted in fulfillment of the requirements
for the degree of Doctor of Philosophy
in the*

Research Group Name
Department or School Name

May 2, 2018

Declaration of Authorship

I, John SMITH, declare that this thesis titled, "Thesis Title" and the work presented in it are my own. I confirm that:

- This work was done wholly or mainly while in candidature for a research degree at this University.
- Where any part of this thesis has previously been submitted for a degree or any other qualification at this University or any other institution, this has been clearly stated.
- Where I have consulted the published work of others, this is always clearly attributed.
- Where I have quoted from the work of others, the source is always given. With the exception of such quotations, this thesis is entirely my own work.
- I have acknowledged all main sources of help.
- Where the thesis is based on work done by myself jointly with others, I have made clear exactly what was done by others and what I have contributed myself.

Signed:

Date:

“Thanks to my solid academic training, today I can write hundreds of words on virtually any topic without possessing a shred of information, which is how I got a good job in journalism.”

Dave Barry

UNIVERSITY NAME

Abstract

Faculty Name
Department or School Name

Doctor of Philosophy

Thesis Title

by John SMITH

-ct scans / MRi
– rendering technique
– interaction
– occlusion management
– VR and mixed reality
– Use cases
V...

Acknowledgements

The acknowledgments and the people to thank go here, don't forget to include your project advisor...

Contents

Declaration of Authorship	iii
Abstract	vii
Acknowledgements	ix
1 Introduction	1
2 State of the art	3
2.1 Volume rendering algorithms	3
2.1.1 Direct Volume Rendering	4
Texture mapping	4
Raycasting	4
2.1.2 Surface-fitting	4
2.2 Occlusion management strategies	4
2.2.1 Transfer Function	4
2.2.2 Segmentation	4
2.2.3 Deformations	4
2.3 Volume rendering in Virtual Reality and Augmented Reality	4
2.3.1 Remote volume rendering	4
3 Chapter Title Here	7
3.1 Welcome and Thank You	7
3.2 Learning L ^A T _E X	7
3.2.1 A (not so short) Introduction to L ^A T _E X	7
3.2.2 A Short Math Guide for L ^A T _E X	8
3.2.3 Common L ^A T _E X Math Symbols	8
3.2.4 L ^A T _E X on a Mac	8
3.3 Getting Started with this Template	8
3.3.1 About this Template	8
3.4 What this Template Includes	9
3.4.1 Folders	9
3.4.2 Files	9
3.5 Filling in Your Information in the <code>main.tex</code> File	10
3.6 The <code>main.tex</code> File Explained	11
3.7 Thesis Features and Conventions	12
3.7.1 Printing Format	12
3.7.2 Using US Letter Paper	12
3.7.3 References	12
A Note on bibtex	13
3.7.4 Tables	13
3.7.5 Figures	14
3.7.6 Typesetting mathematics	15

3.8	Sectioning and Subsectioning	15
3.9	In Closing	16
A	Frequently Asked Questions	17
A.1	How do I change the colors of links?	17
	Bibliography	19

List of Figures

2.1	2D Slices	4
3.1	An Electron	14

List of Tables

3.1	The effects of treatments X and Y on the four groups studied.	14
-----	---	----

List of Abbreviations

LAH List Abbreviations **Here**
WSF What (it) Stands **For**

Physical Constants

Speed of Light $c_0 = 2.997\,924\,58 \times 10^8 \text{ m s}^{-1}$ (exact)

List of Symbols

a	distance	m
P	power	W (J s ⁻¹)
ω	angular frequency	rad

For/Dedicated to/To my...

Chapter 1

Introduction

Volumetric data sets are present in many fields such as medical imaging, physics, natural science, security, engineering etc. They are composed of voxels which represents the shape of these data. In fact, a volume is a scalar function of three spatial variables $(x, y, z) \in \mathbb{R}^3$. Voxel volumes can be produced by 3 main ways. The first one is to directly acquire from the real world thanks to some specific devices. As an example, X-ray scanners allow to collect data from baggage in airports. The second method is to generate the voxels through the volume by using mathematical models. For instance, a fluid flow in a basin can be represented in a volume of voxels thanks to the adequate mathematical model. The third way to produce volumetric data sets is to rasterize vector data model using algorithms. This can be carried out for many purposes such as retrieving new insights thanks to different visualization techniques.

To visualize these type of data sets, different rendering algorithms can be used. There are two major approaches to volume rendering. The first approach is to use ray casting based algorithms. They directly come from the rendering equation. They consists in shooting rays for each pixel of the final rasterized 2D image, sampling along the part of the ray located inside the volume, shading the sampling points, and compositing all the sampling points. The second approach to render volumetric data sets is to use plane compositing. It consists in accumulating information over the whole view plane for each plane of voxels in the data set. When each plane is processed, a pixel of the final rasterized 2D image is updated. This technique is texture-based and uses slices of the 3D Volume. Theses slices can be either aligned with the data set or with the viewing plane.

However, interacting with such data sets is not trivial. In fact, 3D volume visualization face many challenges such as the occlusion management and the computational time. In volume rendering, occlusion management is a challenge. As such, in 3d representations of volumes, some areas or objects (subsets) can be partially or fully hidden by others because of their locations. Transfer functions are used to match the volumetric data to colors in a meaningful way. Therefore, they are a good way to reduce occlusion and make visible interesting features. However, it is still difficult to create a good transfer function especially when the data are heterogeneous. In fact, designing a good transfer function depends heavily on the type of dataset and on the user's purpose. For instance, in the field of baggage inspection, the variation of densities prevents to create a unique transfer function for each baggage. In contrast, it is easier to design a good transfer function for a system dedicated to visualizing the same type of datasets (brain CT scans, bone tissues, etc.).

Chapter 2

State of the art

2.1 Volume rendering algorithms

The fundamental volume visualization algorithms described below fall into two main categories:

- Direct volume rendering (DVR) algorithms: they include approaches such as ray-casting, texture mapping, splatting, and V-buffer rendering. Splatting and V-buffer are also called projection methods. These these methods are characterized by mapping elements directly into screen space without using geometric primitives as an intermediate representation.
- Surface-fitting (SF) algorithms : they are also called isosurfacing or feature-extraction. These algorithms consist in fitting surface primitives such as polygons or patches to constant-value contour surfaces in volumetric datasets. The surface primitives used are most of the time planar.

DVR methods are especially appropriate for creating images from datasets containing amorphous features like clouds, fluids, and gases. One disadvantage of using DVR methods is that the entire dataset must be traversed each time an image is rendered. A low resolution pass or random sampling of the data is sometimes used to create low-quality images quickly for parameter checking. The process of successively increasing the resolution and quality of a DVR image over time is called progressive refinement.

The user begins by choosing a threshold value and then geometric primitives are automatically fit to the high-contrast contours in the volume that match the threshold. Cells whose corner-values are all above the chosen threshold (cell is inside) or all below the threshold (cell is outside) are discarded and have no effect on the final image. Showing just the cells falling on the threshold is sometimes useful, but can be a problem. Another consideration is the huge number of surface primitives generated for large volumetric datasets.

Many steps in the volume visualization process are common to volume visualization algorithms. Most of the fundamental volume visualization algorithms include only a subset of the steps listed here. The initial step in every procedure is data acquisition. The next common step is to put the data slices into a form that can be worked with and then to process each slice so that it covers a good distribution of values, is high in contrast, and is free of noise and out-of-range values. Of course, the same set of processes must be applied to every slice. Next, the dataset is reconstructed so that the ratio of the dimensions is proportional to the ratio of the dimensions of the measured substance or substance being simulated. This may involve interpolating between values in adjacent slices to construct new slices, replicating

existing slices, interpolating to estimate missing values, or scan-converting an irregular grid or nonorthogonal grid onto a Cartesian grid by interpolation. At this point three-dimensional enhancement may be applied, such as a slight blurring of the data values. Next, a data-classification or thresholding is performed. This step will be discussed in detail in the section on data classification. After data-classification, a mapping operation is applied to map the elements into geometric or display primitives. This is the stage that varies the most between algorithms, as will be shown in the section on volume visualization algorithms. At this point the primitives can be stored, manipulated, intermixed with externally defined primitives, shaded, transformed to screen space, and displayed. The shading and transformation steps can be reordered and shading can be done in one of eleven ways as explained in

2.1.1 Direct Volume Rendering

Texture mapping

2D Texture mapping 2D Texture mapping consists in representing the whole volume as a set of slices parallel to coordinate planes.




FIGURE 2.1: 2D slices of the volume.

Raycasting

2.1.2 Surface-fitting

2.2 Occlusion management strategies

2.2.1 Transfer Function

2.2.2 Segmentation

2.2.3 Deformations

2.3 Volume rendering in Virtual Reality and Augmented Reality

2.3.1 Remote volume rendering

Volumetric data exploration with direct volume rendering technique is of great help to visually extract relevant structures in many fields of science: medical imaging

ljung_full_2006, astrophysics and more recently in baggage inspection. To leverage this knowledge extraction, many techniques have been developed.

In this section, we detail existing ones with volume visualization, transfer function, direct voxel manipulation, and focus plus context interaction. Volume visualization can be done with geometric rendering system which transforms the data into a set of polygons representing an iso-surface. The contour tree algorithm **carr_computing_2000** and other alternatives such as branch decomposition **pascucci_multi-resolution_2004** are usually used to find these iso-surfaces. According to H. Guo **guo_local_2013**, contour trees algorithms are vulnerable to noises, which can be problematic in baggage inspections since dense materials (e.g. iron) cause noises by reflecting the X-rays. For this reason we used the volume rendering technique; Chen et al. provide a review of existing techniques **chen_3-d_2000**. In order to investigate volumetric dataset, one can use the Transfer Function (TF). In practice, it maps the voxel density with a specific color (including its transparency). Transfer function can be 1D, 2D or nD and are of great help to isolate structures of interest in volumetric data **kniss_multidimensional_2002**. Thanks to the color blending process, suitable transfer function can also reveal iso surface or hide density to improve the volumetric data visualization. The setup of this transfer function remains complex, but some automatic systems provide solution thanks to data analysis **correa_size-based_2008** **sereda_visualization_2006** **patel_moment_2009** or user interactions **guo_wysiwyg_2011**. Since our users have a limited knowledge on volume rendering, we developed new interaction techniques with sufficient abstraction level regarding technical constraints. These techniques will be detailed in this paper. As an example, we investigated predefined transfer functions with smooth transitions when changing their setup to reduce disruptive animation effects **tversky_animation: 2002**. Since graphic card power never stops to improve, new techniques allow the direct manipulation of the voxels which composes the volume to be displayed. Color tunneling introduced a set of interactions (lock, Brush, Dig) to explore 2D and 3D dataset composed of pixels of voxels **hurter_interactive_2014** with point based rendering techniques **sainz_point-based_2004**. Histomage also provides direct manipulation of pixels thanks to a histogram which can be used as a new selection and pixel modification tool **chevalier_histomages: 2012**. Other interactive systems investigated pixel exploration with a lens as a focus plus context technique **elmqvist_color_2011** **hurter_moleview: 2011**. Our work provides additional interaction techniques with pixel based techniques **hurter_interactive_2014** to address occlusion issues, focus and context awareness, reversibility of the actions, and continuity.

Chapter 3

Chapter Title Here

3.1 Welcome and Thank You

Welcome to this L^AT_EX Thesis Template, a beautiful and easy to use template for writing a thesis using the L^AT_EX typesetting system.

If you are writing a thesis (or will be in the future) and its subject is technical or mathematical (though it doesn't have to be), then creating it in L^AT_EX is highly recommended as a way to make sure you can just get down to the essential writing without having to worry over formatting or wasting time arguing with your word processor.

L^AT_EX is easily able to professionally typeset documents that run to hundreds or thousands of pages long. With simple mark-up commands, it automatically sets out the table of contents, margins, page headers and footers and keeps the formatting consistent and beautiful. One of its main strengths is the way it can easily typeset mathematics, even *heavy* mathematics. Even if those equations are the most horribly twisted and most difficult mathematical problems that can only be solved on a super-computer, you can at least count on L^AT_EX to make them look stunning.

3.2 Learning L^AT_EX

L^AT_EX is not a WYSIWYG (What You See is What You Get) program, unlike word processors such as Microsoft Word or Apple's Pages. Instead, a document written for L^AT_EX is actually a simple, plain text file that contains *no formatting*. You tell L^AT_EX how you want the formatting in the finished document by writing in simple commands amongst the text, for example, if I want to use *italic text for emphasis*, I write the `\emph{text}` command and put the text I want in italics in between the curly braces. This means that L^AT_EX is a "mark-up" language, very much like HTML.

3.2.1 A (not so short) Introduction to L^AT_EX

If you are new to L^AT_EX, there is a very good eBook – freely available online as a PDF file – called, "The Not So Short Introduction to L^AT_EX". The book's title is typically shortened to just *lshort*. You can download the latest version (as it is occasionally updated) from here: <http://www.ctan.org/tex-archive/info/lshort/english/lshort.pdf>

It is also available in several other languages. Find yours from the list on this page: <http://www.ctan.org/tex-archive/info/lshort/>

It is recommended to take a little time out to learn how to use L^AT_EX by creating several, small 'test' documents, or having a close look at several templates on:

<http://www.LaTeXTemplates.com>

Making the effort now means you're not stuck learning the system when what you *really* need to be doing is writing your thesis.

3.2.2 A Short Math Guide for L^AT_EX

If you are writing a technical or mathematical thesis, then you may want to read the document by the AMS (American Mathematical Society) called, "A Short Math Guide for L^AT_EX". It can be found online here: <http://www.ams.org/tex/amslatex.html> under the "Additional Documentation" section towards the bottom of the page.

3.2.3 Common L^AT_EX Math Symbols

There are a multitude of mathematical symbols available for L^AT_EX and it would take a great effort to learn the commands for them all. The most common ones you are likely to use are shown on this page: <http://www.sunilpatel.co.uk/latex-type/latex-math-symbols/>

You can use this page as a reference or crib sheet, the symbols are rendered as large, high quality images so you can quickly find the L^AT_EX command for the symbol you need.

3.2.4 L^AT_EX on a Mac

The L^AT_EX distribution is available for many systems including Windows, Linux and Mac OS X. The package for OS X is called MacTeX and it contains all the applications you need – bundled together and pre-customized – for a fully working L^AT_EX environment and work flow.

MacTeX includes a custom dedicated L^AT_EX editor called TeXShop for writing your '.tex' files and BibDesk: a program to manage your references and create your bibliography section just as easily as managing songs and creating playlists in iTunes.

3.3 Getting Started with this Template

If you are familiar with L^AT_EX, then you should explore the directory structure of the template and then proceed to place your own information into the *THESIS INFORMATION* block of the `main.tex` file. You can then modify the rest of this file to your unique specifications based on your degree/university. Section 3.5 on page 10 will help you do this. Make sure you also read section 3.7 about thesis conventions to get the most out of this template.

If you are new to L^AT_EX it is recommended that you carry on reading through the rest of the information in this document.

Before you begin using this template you should ensure that its style complies with the thesis style guidelines imposed by your institution. In most cases this template style and layout will be suitable. If it is not, it may only require a small change to bring the template in line with your institution's recommendations. These modifications will need to be done on the `MastersDoctoralThesis.cls` file.

3.3.1 About this Template

This L^AT_EX Thesis Template is originally based and created around a L^AT_EX style file created by Steve R. Gunn from the University of Southampton (UK), department

of Electronics and Computer Science. You can find his original thesis style file at his site, here: <http://www.ecs.soton.ac.uk/~srg/softwaretools/document/templates/>

Steve's `ecsthesis.cls` was then taken by Sunil Patel who modified it by creating a skeleton framework and folder structure to place the thesis files in. The resulting template can be found on Sunil's site here: <http://www.sunilpatel.co.uk/thesis-template>

Sunil's template was made available through <http://www.LaTeXTemplates.com> where it was modified many times based on user requests and questions. Version 2.0 and onwards of this template represents a major modification to Sunil's template and is, in fact, hardly recognisable. The work to make version 2.0 possible was carried out by Vel and Johannes Böttcher.

3.4 What this Template Includes

3.4.1 Folders

This template comes as a single zip file that expands out to several files and folders. The folder names are mostly self-explanatory:

Appendices – this is the folder where you put the appendices. Each appendix should go into its own separate `.tex` file. An example and template are included in the directory.

Chapters – this is the folder where you put the thesis chapters. A thesis usually has about six chapters, though there is no hard rule on this. Each chapter should go in its own separate `.tex` file and they can be split as:

- Chapter 1: Introduction to the thesis topic
- Chapter 2: Background information and theory
- Chapter 3: (Laboratory) experimental setup
- Chapter 4: Details of experiment 1
- Chapter 5: Details of experiment 2
- Chapter 6: Discussion of the experimental results
- Chapter 7: Conclusion and future directions

This chapter layout is specialised for the experimental sciences, your discipline may be different.

Figures – this folder contains all figures for the thesis. These are the final images that will go into the thesis document.

3.4.2 Files

Included are also several files, most of them are plain text and you can see their contents in a text editor. After initial compilation, you will see that more auxiliary files are created by \LaTeX or BibTeX and which you don't need to delete or worry about:

example.bib – this is an important file that contains all the bibliographic information and references that you will be citing in the thesis for use with BibTeX. You can write it manually, but there are reference manager programs available that will create and manage it for you. Bibliographies in \LaTeX are a large subject and you

may need to read about BibTeX before starting with this. Many modern reference managers will allow you to export your references in BibTeX format which greatly eases the amount of work you have to do.

MastersDoctoralThesis.cls – this is an important file. It is the class file that tells L^AT_EX how to format the thesis.

main.pdf – this is your beautifully typeset thesis (in the PDF file format) created by L^AT_EX. It is supplied in the PDF with the template and after you compile the template you should get an identical version.

main.tex – this is an important file. This is the file that you tell L^AT_EX to compile to produce your thesis as a PDF file. It contains the framework and constructs that tell L^AT_EX how to layout the thesis. It is heavily commented so you can read exactly what each line of code does and why it is there. After you put your own information into the *THESIS INFORMATION* block – you have now started your thesis!

Files that are *not* included, but are created by L^AT_EX as auxiliary files include:

main.aux – this is an auxiliary file generated by L^AT_EX, if it is deleted L^AT_EX simply regenerates it when you run the main .tex file.

main.bbl – this is an auxiliary file generated by BibTeX, if it is deleted, BibTeX simply regenerates it when you run the main.aux file. Whereas the .bib file contains all the references you have, this .bbl file contains the references you have actually cited in the thesis and is used to build the bibliography section of the thesis.

main.blg – this is an auxiliary file generated by BibTeX, if it is deleted BibTeX simply regenerates it when you run the main .aux file.

main.lof – this is an auxiliary file generated by L^AT_EX, if it is deleted L^AT_EX simply regenerates it when you run the main .tex file. It tells L^AT_EX how to build the *List of Figures* section.

main.log – this is an auxiliary file generated by L^AT_EX, if it is deleted L^AT_EX simply regenerates it when you run the main .tex file. It contains messages from L^AT_EX, if you receive errors and warnings from L^AT_EX, they will be in this .log file.

main.lot – this is an auxiliary file generated by L^AT_EX, if it is deleted L^AT_EX simply regenerates it when you run the main .tex file. It tells L^AT_EX how to build the *List of Tables* section.

main.out – this is an auxiliary file generated by L^AT_EX, if it is deleted L^AT_EX simply regenerates it when you run the main .tex file.

So from this long list, only the files with the .bib, .cls and .tex extensions are the most important ones. The other auxiliary files can be ignored or deleted as L^AT_EX and BibTeX will regenerate them.

3.5 Filling in Your Information in the main.tex File

You will need to personalise the thesis template and make it your own by filling in your own information. This is done by editing the main.tex file in a text editor or your favourite LaTeX environment.

Open the file and scroll down to the third large block titled *THESIS INFORMATION* where you can see the entries for *University Name*, *Department Name*, etc ...

Fill out the information about yourself, your group and institution. You can also insert web links, if you do, make sure you use the full URL, including the http:// for this. If you don't want these to be linked, simply remove the \href{url}{name} and only leave the name.

When you have done this, save the file and recompile `main.tex`. All the information you filled in should now be in the PDF, complete with web links. You can now begin your thesis proper!

3.6 The `main.tex` File Explained

The `main.tex` file contains the structure of the thesis. There are plenty of written comments that explain what pages, sections and formatting the \LaTeX code is creating. Each major document element is divided into commented blocks with titles in all capitals to make it obvious what the following bit of code is doing. Initially there seems to be a lot of \LaTeX code, but this is all formatting, and it has all been taken care of so you don't have to do it.

Begin by checking that your information on the title page is correct. For the thesis declaration, your institution may insist on something different than the text given. If this is the case, just replace what you see with what is required in the `DECLARATION PAGE` block.

Then comes a page which contains a funny quote. You can put your own, or quote your favourite scientist, author, person, and so on. Make sure to put the name of the person who you took the quote from.

Following this is the abstract page which summarises your work in a condensed way and can almost be used as a standalone document to describe what you have done. The text you write will cause the heading to move up so don't worry about running out of space.

Next come the acknowledgements. On this page, write about all the people who you wish to thank (not forgetting parents, partners and your advisor/supervisor).

The contents pages, list of figures and tables are all taken care of for you and do not need to be manually created or edited. The next set of pages are more likely to be optional and can be deleted since they are for a more technical thesis: insert a list of abbreviations you have used in the thesis, then a list of the physical constants and numbers you refer to and finally, a list of mathematical symbols used in any formulae. Making the effort to fill these tables means the reader has a one-stop place to refer to instead of searching the internet and references to try and find out what you meant by certain abbreviations or symbols.

The list of symbols is split into the Roman and Greek alphabets. Whereas the abbreviations and symbols ought to be listed in alphabetical order (and this is *not* done automatically for you) the list of physical constants should be grouped into similar themes.

The next page contains a one line dedication. Who will you dedicate your thesis to?

Finally, there is the block where the chapters are included. Uncomment the lines (delete the `%` character) as you write the chapters. Each chapter should be written in its own file and put into the *Chapters* folder and named `Chapter1`, `Chapter2`, etc... Similarly for the appendices, uncomment the lines as you need them. Each appendix should go into its own file and placed in the *Appendices* folder.

After the preamble, chapters and appendices finally comes the bibliography. The bibliography style (called *authoryear*) is used for the bibliography and is a fully featured style that will even include links to where the referenced paper can be found online. Do not underestimate how grateful your reader will be to find that a reference to a paper is just a click away. Of course, this relies on you putting the URL information into the BibTeX file in the first place.

3.7 Thesis Features and Conventions

To get the best out of this template, there are a few conventions that you may want to follow.

One of the most important (and most difficult) things to keep track of in such a long document as a thesis is consistency. Using certain conventions and ways of doing things (such as using a Todo list) makes the job easier. Of course, all of these are optional and you can adopt your own method.

3.7.1 Printing Format

This thesis template is designed for double sided printing (i.e. content on the front and back of pages) as most theses are printed and bound this way. Switching to one sided printing is as simple as uncommenting the *oneside* option of the `documentclass` command at the top of the `main.tex` file. You may then wish to adjust the margins to suit specifications from your institution.

The headers for the pages contain the page number on the outer side (so it is easy to flick through to the page you want) and the chapter name on the inner side.

The text is set to 11 point by default with single line spacing, again, you can tune the text size and spacing should you want or need to using the options at the very start of `main.tex`. The spacing can be changed similarly by replacing the *singlespacing* with *onehalfspacing* or *doublespacing*.

3.7.2 Using US Letter Paper

The paper size used in the template is A4, which is the standard size in Europe. If you are using this thesis template elsewhere and particularly in the United States, then you may have to change the A4 paper size to the US Letter size. This can be done in the margins settings section in `main.tex`.

Due to the differences in the paper size, the resulting margins may be different to what you like or require (as it is common for institutions to dictate certain margin sizes). If this is the case, then the margin sizes can be tweaked by modifying the values in the same block as where you set the paper size. Now your document should be set up for US Letter paper size with suitable margins.

3.7.3 References

The `biblatex` package is used to format the bibliography and inserts references such as this one (Hawthorn, Weber, and Scholten, 2001). The options used in the `main.tex` file mean that the in-text citations of references are formatted with the author(s) listed with the date of the publication. Multiple references are separated by semicolons (e.g. (Wieman and Hollberg, 1991; Hawthorn, Weber, and Scholten, 2001)) and references with more than three authors only show the first author with *et al.* indicating there are more authors (e.g. (Arnold et al., 1998)). This is done automatically for you. To see how you use references, have a look at the `Chapter1.tex` source file. Many reference managers allow you to simply drag the reference into the document as you type.

Scientific references should come *before* the punctuation mark if there is one (such as a comma or period). The same goes for footnotes¹. You can change this but the most important thing is to keep the convention consistent throughout the thesis.

¹Such as this footnote, here down at the bottom of the page.

Footnotes themselves should be full, descriptive sentences (beginning with a capital letter and ending with a full stop). The APA6 states: “Footnote numbers should be superscripted, [...], following any punctuation mark except a dash.” The Chicago manual of style states: “A note number should be placed at the end of a sentence or clause. The number follows any punctuation mark except the dash, which it precedes. It follows a closing parenthesis.”

The bibliography is typeset with references listed in alphabetical order by the first author’s last name. This is similar to the APA referencing style. To see how L^AT_EX typesets the bibliography, have a look at the very end of this document (or just click on the reference number links in in-text citations).

A Note on bibtex

The bibtex backend used in the template by default does not correctly handle unicode character encoding (i.e. "international" characters). You may see a warning about this in the compilation log and, if your references contain unicode characters, they may not show up correctly or at all. The solution to this is to use the biber backend instead of the outdated bibtex backend. This is done by finding this in `main.tex`: `backend=bibtex` and changing it to `backend=biber`. You will then need to delete all auxiliary BibTeX files and navigate to the template directory in your terminal (command prompt). Once there, simply type `biber main` and biber will compile your bibliography. You can then compile `main.tex` as normal and your bibliography will be updated. An alternative is to set up your LaTeX editor to compile with biber instead of bibtex, see [here](#) for how to do this for various editors.

3.7.4 Tables

Tables are an important way of displaying your results, below is an example table which was generated with this code:

```
\begin{table}
\caption{The effects of treatments X and Y on the four groups studied.}
\label{tab:treatments}
\centering
\begin{tabular}{l l l}
\toprule
\thead{Groups} & \thead{Treatment X} & \thead{Treatment Y} \\
\midrule
1 & 0.2 & 0.8 \\
2 & 0.17 & 0.7 \\
3 & 0.24 & 0.75 \\
4 & 0.68 & 0.3 \\
\bottomrule
\end{tabular}
\end{table}
```

You can reference tables with `\ref{<label>}` where the label is defined within the table environment. See `Chapter1.tex` for an example of the label and citation (e.g. Table [3.1](#)).

TABLE 3.1: The effects of treatments X and Y on the four groups studied.

Groups	Treatment X	Treatment Y
1	0.2	0.8
2	0.17	0.7
3	0.24	0.75
4	0.68	0.3

3.7.5 Figures

There will hopefully be many figures in your thesis (that should be placed in the *Figures* folder). The way to insert figures into your thesis is to use a code template like this:

```
\begin{figure}
\centering
\includegraphics{Figures/Electron}
\decoRule
\caption[An Electron]{An electron (artist's impression).}
\label{fig:Electron}
\end{figure}
```

Also look in the source file. Putting this code into the source file produces the picture of the electron that you can see in the figure below.



FIGURE 3.1: An electron (artist's impression).

Sometimes figures don't always appear where you write them in the source. The placement depends on how much space there is on the page for the figure. Sometimes there is not enough room to fit a figure directly where it should go (in relation to the text) and so \LaTeX puts it at the top of the next page. Positioning figures is the job of \LaTeX and so you should only worry about making them look good!

Figures usually should have captions just in case you need to refer to them (such as in Figure 3.1). The `\caption` command contains two parts, the first part, inside the square brackets is the title that will appear in the *List of Figures*, and so should be short. The second part in the curly brackets should contain the longer and more descriptive caption text.

The `\decorRule` command is optional and simply puts an aesthetic horizontal line below the image. If you do this for one image, do it for all of them.

\LaTeX is capable of using images in pdf, jpg and png format.

3.7.6 Typesetting mathematics

If your thesis is going to contain heavy mathematical content, be sure that \LaTeX will make it look beautiful, even though it won't be able to solve the equations for you.

The "Not So Short Introduction to \LaTeX " (available on CTAN) should tell you everything you need to know for most cases of typesetting mathematics. If you need more information, a much more thorough mathematical guide is available from the AMS called, "A Short Math Guide to \LaTeX " and can be downloaded from: <ftp://ftp.ams.org/pub/tex/doc/amsmath/short-math-guide.pdf>

There are many different \LaTeX symbols to remember, luckily you can find the most common symbols in [The Comprehensive \$\LaTeX\$ Symbol List](#).

You can write an equation, which is automatically given an equation number by \LaTeX like this:

```
\begin{equation}
E = mc^2
\label{eqn:Einstein}
\end{equation}
```

This will produce Einstein's famous energy-matter equivalence equation:

$$E = mc^2 \tag{3.1}$$

All equations you write (which are not in the middle of paragraph text) are automatically given equation numbers by \LaTeX . If you don't want a particular equation numbered, use the unnumbered form:

```
\[ a^2=4 \]
```

3.8 Sectioning and Subsectioning

You should break your thesis up into nice, bite-sized sections and subsections. \LaTeX automatically builds a table of Contents by looking at all the `\chapter{}`, `\section{}` and `\subsection{}` commands you write in the source.

The Table of Contents should only list the sections to three (3) levels. A `\chapter{}` is level zero (0). A `\section{}` is level one (1) and so a `\subsection{}` is level two (2). In your thesis it is likely that you will even use a `\subsubsection{}`, which is level three (3). The depth to which the Table of Contents is formatted is set within `MastersDoctoralThesis.cls`. If you need this changed, you can do it in `main.tex`.

3.9 In Closing

You have reached the end of this mini-guide. You can now rename or overwrite this pdf file and begin writing your own Chapter1.tex and the rest of your thesis. The easy work of setting up the structure and framework has been taken care of for you. It's now your job to fill it out!

Good luck and have lots of fun!

Guide written by —
Sunil Patel: www.sunilpatel.co.uk
Vel: LaTeXTemplates.com

Appendix A

Frequently Asked Questions

A.1 How do I change the colors of links?

The color of links can be changed to your liking using:

```
\hypersetup{urlcolor=red}, or  
\hypersetup{citecolor=green}, or  
\hypersetup{allcolor=blue}.
```

If you want to completely hide the links, you can use:

```
\hypersetup{allcolors=.}, or even better:  
\hypersetup{hidelinks}.
```

If you want to have obvious links in the PDF but not the printed text, use:

```
\hypersetup{colorlinks=false}.
```


Bibliography

- Arnold, A. S. et al. (Mar. 1998). "A Simple Extended-Cavity Diode Laser". In: *Review of Scientific Instruments* 69.3, pp. 1236–1239. URL: <http://link.aip.org/link/?RSI/69/1236/1>.
- Hawthorn, C. J., K. P. Weber, and R. E. Scholten (Dec. 2001). "Littrow Configuration Tunable External Cavity Diode Laser with Fixed Direction Output Beam". In: *Review of Scientific Instruments* 72.12, pp. 4477–4479. URL: <http://link.aip.org/link/?RSI/72/4477/1>.
- Wieman, Carl E. and Leo Hollberg (Jan. 1991). "Using Diode Lasers for Atomic Physics". In: *Review of Scientific Instruments* 62.1, pp. 1–20. URL: <http://link.aip.org/link/?RSI/62/1/1>.