Quiz03 - Query Language - 24A01

Total points 7/10

The respondent's email (**ttphuc2438@apcs.fitus.edu.vn**) was recorded on submission of this form.

0 of 0 points

StudentID *

24125076

Question 1 — 0 of 1 points

Which of the following commands does NOT belong to DML? * — 0/1

- (x) SELECT ✗
- ( ) CREATE
- ( ) INSERT
- ( ) DELETE

Question 2 — 1 of 1 points

Which of the following statements is TRUE? * — 1/1

- (x) (A) It can be useful to compose two selection operators ✓
- ( ) (B) It can be useful to compose two projection operators
- ( ) Both (A) & (B) are false
- ( ) Both (A) & (B) are true

Question 3 — 1 of 1 points

✓ Given the schema R(A, B, C, D). Which of the following expressions is NOT valid? *1/1

$$\pi_{A,\,B}\,(\pi_{A,\,B,\,C}\,(R))$$

Option 2

$$\pi_{C}\,(\,\pi_{A,\,B,\,C}\,(R))$$

Option 1

$$\pi_{C,\,D}\,(\pi_{A,\,B,\,D}\,(R))$$

Option 4 ✓

$$\pi_{C,\,B,\,A}\,(\pi_{A,\,B,\,C}\,(R))$$

Option 3

Question 4 — 1 of 1 points

✓ Student(ID, Name) has 100 students, where 5 students have the same name. The result of projection on Name will be ____. *1/1

- 100 students
- 99 students
- 96 students ✓
- 95 students

Question 5 — 1 of 1 points

✓ An attribute has the data type CHAR(20). How the string 'ABC ' (i.e. 'ABC ') are stored in memory? (1 byte per character) *1/1

- ◯ 'ABC ' occupies 4 bytes
- ◯ 'ABC ' occupies 6 bytes
- ◉ 'ABC ' occupies 20 bytes ✓
- ◯ 'ABC ' occupies 3 bytes

Question 6 — 0 of 1 points

✗ Given the schema R(A, B, C). Which of the following expressions is equivalent to pi_A(sigma_B=17(R)) ? *0/1

$$\pi_A(\sigma_{B=17}(R))$$

$\{a \mid \neg(\exists b\ (\langle a, b, c\rangle \in R \wedge b=17))\}$

◯ Option 2

$\{a \mid b\ (\langle a, b, c\rangle \in R \wedge b=17)\}$

◉ Option 4 ✗

$\{a \mid \exists! b\ (\langle a, b, c\rangle \in R \wedge b=17)\}$

◯ Option 1

$\{a \mid \exists b\ (\langle a, b, c\rangle \in R \wedge b=17)\}$

◯ Option 3

Question 7 — 0 of 1 points

Rating(reviewer, movie, stars, ratingdate). Find ratings with a NULL value at ratingdate. Choose the right expression. *0/1

$\sigma_{\text{ratingdate} = \text{null}}(\text{Rating})$

Option 2

$\sigma_{\text{ratingdate is 'null'}}(\text{Rating})$

Option 4

$\sigma_{\text{ratingdate is null}}(\text{Rating})$

Option 1

$\sigma_{\text{ratingdate} = \text{'null'}}(\text{Rating})$

Option 3

Question 8 1 of 1 points

✓ Rating(reviewer, movie, stars, ratingdate). Find ratings that received a star of 4 or 5. Choose the right expression. *1/1

$\sigma_{\text{stars=4, stars=5}}(\text{Rating})$

○ Option 1

$\sigma_{\text{stars=4 or stars=5}}(\text{Rating})$

○ Option 4

$\sigma_{\text{stars=4} \cup \text{stars=5}}(\text{Rating})$

○ Option 3

$\sigma_{\text{stars=4} \vee \text{stars=5}}(\text{Rating})$

◉ Option 2 ✓

Question 9 — 1 of 1 points

✓ Movie(id, title, year, director). Remove movies where movie's year is before 1970 or after 2000. Choose the right SQL. *1/1

○ delete from Movie where year>1970 or year<2000

○ delete Movie where year>1970 or year<2000

○ delete Movie where year<1970 or year>2000

◉ delete from Movie where year<1970 or year>2000 ✓

Question 10 — 1 of 1 points

Reviewer (id, name). Add the reviewer Roger Ebert to the database with an id of 209. Choose the right SQL. *1/1

- insert into Reviewer(name, id) values(Roger Ebert, 209)
- insert into Reviewer values(209, 'Roger Ebert')
- insert into Reviewer(id, name) values(209, Roger Ebert)
- insert into Reviewer values('Roger Ebert', 209)