

Quiz02 - Relational Model - 22A01

Total points **9/11** ?

The respondent's email (**ttphuc2438@apcs.fitus.edu.vn**) was recorded on submission of this form.

0 of 1 points

✗ Student ID *

.../1

24125076

✗

Question 1

1 of 1 points

✓ Which of the following is NOT a characteristic of a DBMS? *

1/1

- ☒ Data redundancy
- ☐ Data integrity
- ☐ Data security
- ☐ Data independence

✓

Feedback

Correct answer.

Question 2

1 of 1 points

✓ Which of the following applications can be implemented by using the relational data model? *1/1

- ☒ Hotel booking ✓
- ☐ Autonomous Vehicle Driving Control
- ☐ Word processing
- ☐ Web mapping

Feedback

Correct answer.

Question 3

1 of 1 points

✓ Which of the following statements is FALSE about "relation"? * 1/1

- ☐ A relation is a set of tuples
- ☐ Duplicate tuples are not allowed in a relation
- ☒ Tuples in a relation are ordered ✓
- ☐ A tuple in a relation of degree n is an ordered list of n values

Feedback

Correct answer.

Question 4

1 of 1 points

✓ Which of the following statements is TRUE about the concept of "tuple"? * 1/1

- ☐ (A) Tuples are all rows of the relation
- ☒ (B) Tuples show specific values of attributes in a relation ✓
- ☐ Both (A) and (B) are correct
- ☐ Neither (A) nor (B) is correct

Feedback

Correct answer.

Question 5

1 of 1 points

✓ Which of the following statements is TRUE about the concept of "superkey"? *1/1

- ☐ A relation has only one superkey
- ☐ Tuples are not necessarily different at superkeys
- ☒ If we remove an attribute of a key, that key is no longer a superkey ✓
- ☐ The value at superkeys can be null

Feedback

Correct answer.

Question 6

1 of 1 points

✓ Let $R(A, B, C)$ be a relation, where (A, B) is the primary key, C can be null. *1/1
A's, B's, and C's domain have 3, 5, and 4 different values respectively.
What is the maximum number of different tuples that can be in any instance of R ?

☐ 12

☐ 60

☐ 8

☒ 15




Feedback

Correct answer.

Question 7

1 of 1 points

✓ Given two relations Q & R in the figure below. Which of the following statements is **WRONG**? *1/1



☐ The value at F (if any) in Q must be available at P in R

☐ F in Q can link to P of R

☒ P is not necessary to be a key of R



☐ The value at F can be null

Feedback

Correct answer.

Question 8

1 of 1 points

✓ Which of the following conversion rules does NOT add the key of one relation into the attribute set of another relation? *1/1

- ☒ Many-Many relationship's rule ✓
- ☐ One-Many relationship's rule
- ☐ One-One relationship's rule
- ☐ Isa relationship's rule

Feedback

Correct answer.

Question 9

1 of 1 points

✓ Given a DB schema as the figure below. Which of the following foreign keys is FALSE? *1/1

STUDENT (SSN, Name, Major)
COURSE (CourseID, Name, Dept)
ENROLL (SSN, CourseID, Quarter, Grade)
BOOK_ADOPTION (CourseID, Quarter, ISBN)

- ☐ ENROLL(CourseID) → COURSE(CourseID)
- ☒ ENROLL(Quarter) → BOOK_ADOPTION(Quarter) ✓
- ☐ ENROLL(SSN) → STUDENT(SSN)
- ☐ BOOK_ADOPTION(CourseID) → Course(CourseID)

Feedback

Correct answer.

Question 10

0 of 1 points

✗ A relation has 5 attributes. Three of them participate in the primary key. *0/1
How many superkeys can this relation have?

☐ 3

☐ 4

☒ 5

✗

☐ 6

Feedback

Incorrect answers. Please try again.

This form was created inside of Khoa CNTT - KHTN. - [Contact form owner](#)

Does this form look suspicious? [Report](#)

Google Forms

