ADAMA SCIENCE & TECHNOLOGY UNIVERSITY

CHAPTER 3

MOBILE DEVICE HARDWARE

The Mobile Computing Paradigm

What is the Mobile Computing Paradigm?

- Design philosophy balancing **performance vs. power vs. size**
- Optimizes for **efficiency per watt**, not maximum speed
- Operates within strict **battery, thermal, and space constraints**

TECHNICAL COMPARISON: SMARTPHONE VS. DESKTOP

DESKTOP COMPUTER

POWER BUDGET

65-300W
(UNLIMITED WALL POWER)

THERMAL DESIGN

EXPANDABLE TOWER, NO SIZE CONSTRAINT

SMARTPHONE

POWER BUDGET

3-10W
(BATTERY LIMITED)



PASSIVE COOLING ONLY

DESKTOP COMPUTER

FORM FACTOR

EXPANDABLE TOWER, NO SIZE CONSTRAINT

UPGRADABILITY



REPLACE ANY COMPONENT

ALWAYS-ON

SLEEP MODE AVAILABLE

SMARTPHONE

FORM RACTOR

SEALED, 7-8MM THICK, 150-200G

UPGRADABILITY



SOLDERED, NO UPGRADES

ALWAYS CONNECTED, BACKGROUND LIMITS

The Mobile Computing Paradigm

The Efficiency Imperative

- Mobile CPUs: **10x better performance per watt** than desktop
- Achieved through:
  - ✓ ARM architecture,
  - ✓ heterogeneous cores,
  - ✓ specialized accelerators,
  - ✓ power gating

Key Insight: our phone isn't a weak computer; it's a specialized efficiency champion that does 90% of desktop tasks using 5% of the power.

System on Chip (SoC)

What is an SoC?

- **Single chip** integrating multiple processors
- Replaces separate chips (CPU, GPU, etc.) on a board
- **Benefits:** Smaller, faster, lower power (signals travel shorter distances)

COMPONENTS INSIDE A SYSTEM-ON-A-CHIP (SoC)

CPU (Central Processing Unit)

Function: General-purpose computation
Core processor that runs the operating system and most applications.

GPU (Graphics Processing Unit)

Function: Graphics rendering
Handles 3D graphics, user interface elements, and video decoding/encoding.

Modem (Modulator–Demodulator)

Function: Cellular connectivity.
Manages data connections with cellular networks, enabling wireless communication.

NPU (Neural Processing Unit)

Function: AI/ML acceleration.
Power-efficient processing of machine learning tasks like face recognition and image enhancement.

DSP (Digital Signal Processor)

Function: Audio/voice processing.
Handles compressed audio, voice recognition, and sound effects efficiently.

ISP (Image Signal Processor)

Function: Camera image processing.
Turns raw data from the camera sensor into high-quality photos and videos.

What is a Mobile Operating System?

Major SoC Vendors

Vendor	Series	Key Devices	Strength
Apple	A17 Pro, A18, M4	iPhone 15 Pro, iPad Pro	Best performance per watt
Qualcomm	Snapdragon 8 Gen 3	Samsung S24, OnePlus 12	AI performance, 5G modem
MediaTek	Dimensity 9300	Vivo X100, OPPO Find X7	Value flagship pricing
Samsung	Exynos 2400	Galaxy S24 (EU)	AMD GPU collaboration
Google	Tensor G4	Pixel 9	AI/ML optimization

CPU Architecture – Clock Speed

What is Clock Speed?

- **Clock Speed** – Measures the number of **CPU cycles completed per second**.
- Measured in **Hertz (Hz)**, commonly **Gigahertz (GHz)**.
- **1 GHz = 1 billion cycles per second**.
- Each clock cycle helps execute parts of the **instruction cycle** (fetch, decode, execute).
- **Higher clock speed = more operations per second**, but **not always faster** due to differences in CPU architecture, cores, cache, and efficiency.

CPU Architecture – Core Count

What are CPU Cores?

- **CPU Cores** – Independent processing units within a single processor chip.
- Allow **parallel execution** of multiple tasks simultaneously.
- More cores improve **multitasking and workload distribution**.
- Each core can run **its own instruction thread**.
- Modern mobile processors use **heterogeneous core designs** (performance cores + efficiency cores).

MODERN CPU HYBRID ARCHITECTURE

P-CORE
PERFORMANCE CORE

CHARACTERISTICS:

- Designed for **MAXIMUM PERFORMANCE**
- High **SPEED** & **CLOCK FREQUENCY**
- Handles **HEAVY TASKS**
- Uses **MORE POWER**
- Optimized for **COMPLEX CALCULATIONS**

E-CORE
EFFICIENCY CORE

CHARACTERISTICS:

- Designed for **LOW POWER CONSUMPTION**
- Lower **SPEED** than P-Cores
- Uses **MUCH LESS POWER**
- Good for **BACKGROUND** or **SIMPLE TASKS**
- Allows **EFFICIENT SMALL TASK RUNNING**



GAMING

VIDEO EDITING

COMPILING CODE

HEAVY APPLICATIONS

BACKGROUND APPS

EMAIL SYNCING

MUSIC PLAYBACK

SYSTEM PROCESSES

CPU Architecture – Cache Memory

What is CPU Cache?

- **CPU Cache** – Small, ultra-fast memory located on or near the CPU.
- Stores **frequently used data** to reduce access time to RAM.
- **Speeds up processing** by keeping data close to the CPU cores.
- Without cache, the CPU can be **idle most of the time (up to 98%)** waiting for data.
- Modern CPUs have **multiple cache levels**: L1 (fastest, smallest), L2 (larger, slower), L3 (shared, largest).

MEMORY HIERARCHY ORDER (FAST → SLOW)

SPEED DECREASING, LATENCY INCREASING, CAPACITY INCREASING

ULTRA-FAST LATENCY

SMALLEST CAPACITY

HIGHEST CAPACITY

L1 CACHE

CORE

Size: 64KB per core
Speed: 1-2 ns
Location: On-core

MEDIUM LATENCY

MEDIUM CAPACITY

L2 CACHE

Size: 4-8MB per cluster
Speed: 3-5 ns
Location: Near-core

L3 CACHE

Size: 8-16MB shared
Speed: 10-20 ns
Description: Shared by all cores

SLOW LATENCY

LARGE CAPACITY

RAM (SYSTEM MEMORY)

Size: 8-16GB
Speed: 50-100 ns
Location: Separate chip

HIGHEST LATENCY

HIGHEST CAPACITY

STORAGE (NVMe/SSD)

SSD

Size: 256GB-1TB
Speed: 10,000-100,000 ns
Description: Flash chips

CPU Architecture – Instruction Set Architecture (ISA)

What is ISA?

- **ISA (Instruction Set Architecture)** – Interface between **hardware and software**.
- Defines the **instructions a CPU can execute**.
- Impacts **CPU design, performance, and efficiency**.
- Two main types:
  - ✓ **CISC** – Complex instructions, fewer lines of code.
  - ✓ **RISC** – Simple instructions, fast and power-efficient.
- Modern CPUs may **combine both features**.

COMPARING PROCESSOR ARCHITECTURES: ARM vs. x86

x86 (CISC)		ARM (RISC)
MAXIMIZE WORK PER INSTRUCTION	DESIGN PHILOSOPHY	SIMPLIFY FOR SPEED AND EFFICIENCY
COMPLEX, MULTI-STEP	INSTRUCTION COMPLEXITY	SIMPLE, ATOMIC, SINGLE-STEP
65-300W	POWER CONSUMPTION	3-10W
ACTIVE (FANS) REQUIRED	COOLING	PASSIVE ONLY
DESKTOPS, SERVERS, LAPTOPS	PRIMARY MARKETS	MOBILE, EMBEDDED, IoT

WHY ARM DOMINATES MOBILE: SIMPLER INSTRUCTIONS = MORE EFFICIENT POWER USAGE, SMALLER CHIPS, EASIER THERMAL MANAGEMENT

GPU – Graphics Processing Unit

What is a GPU?

- **Specialized processor** for images, video, animations
- **Parallel architecture:** 1000+ simple cores vs. CPU's 6-8 complex cores
- Optimizes for **throughput** (total work), CPU optimizes for **latency** (single task speed)
- **CPU vs GPU**: CPU = single-task speed, GPU = many-task speed.

GPU – Graphics Processing Unit

Mobile GPU Landscape

GPU	Manufacturer	Key Features	Found In
Apple GPU	Apple	Tile-based rendering, Metal optimization	iPhone, iPad
Adreno 750	Qualcomm	Raw performance, ray tracing	Snapdragon 8 Gen 3
Immortalis-G720	ARM	Hardware ray tracing, VRS	Dimensity 9300
Xclipse 940	Samsung+AMD	RDNA3 architecture	Exynos 2400

GPU – Graphics Processing Unit

GPU Specifications

Spec	Entry	Mid-Range	Flagship
Clock speed	500 MHz	800 MHz	1.0-1.5 GHz
Execution units	2-4	6-8	10-16
Fill rate	2 GP/s	8 GP/s	20+ GP/s

- **Clock speed** – How fast each core runs.
- **Execution units** – Number of parallel cores.
- **Fill rate** – Pixels/texels processed per second, indicates rendering speed.

NPU – Neural Processing Unit

What is an NPU?

- **NPU (Neural Processing Unit)** – Specialized processor for **AI and machine learning tasks**.
- Designed to **accelerate neural network computations**.
- Can be **10–100× faster than CPUs** for AI workloads.
- Uses **much less power than cloud-based AI processing**.
- Enables **on-device AI and better privacy** (data stays on the device).

NPU – Neural Processing Unit

NPU Performance (TOPS)

Chip	NPU	TOPS	Capability
Apple A18 Pro	Neural Engine	38	On-device LLM, image generation
Snapdragon 8 Gen 3	Hexagon	45	10B parameter models on device
Dimensity 9300	APU 790	35	Real-time video AI effects
Tensor G4	TPU	25	Call screening, Magic Eraser

TOPS = Tera Operations Per Second (trillions of AI operations)

REVOLUTIONIZING AI: THE NPU ADVANTAGE IN REAL-WORLD TASKS

Task	Without NPU	With NPU	Benefit
1) Face Recognition	CPU 500ms	NPU 10ms	50x Faster & Low Latency
2) Photo Categorization	30s+	Local 1s	Enhanced Privacy & Offline Capability
3) Live Translation	A... B... C 2s Delay	Real-time	Zero Latency, Seamless Experience
4) Voice Wake Word	500mW	NPU 10mW	50x Exceptional Efficiency, Extended Battery

Memory Architecture – RAM

What is RAM?

- **RAM (Random Access Memory)** – High-speed **working memory** used by the CPU.
- **Volatile memory** – Data is **lost when power is turned off**.
- Very **fast access time** (~50–100 nanoseconds).
- Stores **currently running applications, active data, and operating system processes**.

Memory Architecture – RAM

Mobile RAM Technologies

Generation	Speed	Power Efficiency	Used In
LPDDR4X	4266 Mbps	Good	Budget to mid-range (2019-2022)
LPDDR5	6400 Mbps	Better	Flagship Android, iOS (2020-2023)
LPDDR5X	8533 Mbps	Best	Latest flagships (2023+)

LPDDR = Low Power Double Data Rate

OS MEMORY MANAGEMENT

Aspect	Android	iOS	HarmonyOS
Strategy	Keep many apps in RAM	Suspend to disk, resume fast	Predictive, adaptive
Overhead	+20-30% (Java/Kotlin) 20-30% 0 100	Minimal (native) -C Native 0 0 100	Optimized Optimized
Effective efficiency	12GB Android 8GB iOS 12GB Android ≈ 8GB iOS	Highly optimized Performance Performance	Can pool across devices RAM
Use Case/ Key Benefit	Fast app switching	Excellent single-app performance & battery	Consistent performance, unified system resource

OS MEMORY MANAGEMENT STRATEGY COMPARISON: ANDROID vs. iOS vs. HARMONYOS

Memory Architecture – RAM

Organization Systems:

System	Approach	Real-World
Android	Keep everything out, piles everywhere	12 apps "open", system manages
iOS	Put away what not using, clean surface	4 apps active, others suspended
HarmonyOS	Borrow space from colleague's desk	Use RAM from tablet/watch/TV

Key Insight: RAM is your active workspace—too small and you're constantly filing/retrieving (slow), too large and you're wasting office space (power). The organization system matters as much as desk size.

Memory Architecture – Storage

What is Flash Storage?

- **Non-volatile memory:** Retains data without power
- Stores **OS, apps, photos, videos, documents**
- Slower than RAM, much faster than hard drives
- No moving parts = durable, compact

Memory Architecture – Storage

Storage Technology Comparison

Technology	Read Speed	Write Speed	Used In	Feel
NVMe (PCIe)	3,000 MB/s	2,500 MB/s	iPhone, iPad Pro	Instant
UFS 4.0	4,200 MB/s	2,800 MB/s	Flagship Android 2023+	Instant
UFS 3.1	2,100 MB/s	1,200 MB/s	Mid-range	Fast
UFS 2.2	1,000 MB/s	500 MB/s	Budget	Noticeable lag
eMMC 5.1	400 MB/s	200 MB/s	Very old	Frustrating

Power Systems – Battery

What is a Lithium-Ion Battery?

- **Lithium-Ion Battery** – Rechargeable battery powering most **mobile devices**.
- **High energy density** – ~250–300 Wh/L, stores more energy per volume.
- **No memory effect** – Can be **charged at any level** without damage.
- **Long cycle life** – About **500–800 full charge cycles** to ~80% capacity.
- **Lightweight and efficient**, making it ideal for smartphones and laptops.

BATTERY SPECIFICATIONS:
KEY METRICS AND CHARACTERISTICS

Metric	Typical Range	Meaning	Visualization
Capacity (mAh)	3,000 - 6,500 mAh	Total charge storage (higher = longer life) Higher Is Better	30 hors hours; 1,30 hors laaptop; Low (3,000); High (6,500)
Voltage	3.7V nominal 4.2 - 4.5V full	Operating and peak voltage Operational Range	3.7V NOMINAL (Operating); 4.2-4.5V FULL (Peak)
Energy Density	250 - 300 Wh/L	Power per unit volume High Density	Low Density VS High Density (250-300 Wh/L)
Cycle Life	500 - 800 cycles	Full charge/discharge before degradation Degradation Alert	500; 800; HEALTHY; DEGRADATION

Power Systems – PMIC & Thermal Management

What is a PMIC?

Power Management Integrated Circuit:

- **PMIC (Power Management Integrated Circuit)** – Manages the **power system** of a device.
- Distributes and **regulates power** from the battery to components.
- **Converts battery voltage** to levels required by the CPU, GPU, memory, etc.
- **Controls battery charging** and power efficiency.
- **Monitors temperature and voltage** to ensure safety.

PMIC Functions

Voltage Regulation

Description	Converts input voltage to precise levels: 3.7V Input → 0.5V (CPU), 3.3V (RAM), etc. (Different components need specific 'fuel grades').
Criticality	Provides optimal power; incorrect voltage causes malfunction or damage.

Charging Control

Description	Manages charging speed dynamically based on cell temperature, input current, and voltage.
Criticality	Extends battery life and ensures safety; prevents thermal runaway and fires.

Power Distribution

Description	Selectively shuts off unused power lanes (e.g., specific cores, sensors); 'Saves every milliamp'.
Criticality	Maximizes device runtime and efficiency; increases overall system battery life.

Safety Monitoring

Description	Constantly monitors parameters and initiates emergency shutdown if limits (over-temp, over-current, over-volt) are exceeded.
Criticality	Prevents catastrophic failure, device damage, and potential user hazards (explosions).

Fuel Gauging

Description	Tracks and reports battery **state-of-charge** with high accuracy for precise percentage display.
Criticality	Builds user trust with reliable indicators; prevents sudden, unexpected shutdowns.

Thermal Management

State	Temperature		CPU Response	User Experience
Normal	<40°C	Full performance Criticality: unthrottled	Full performance Unthrottled CPU	Optimal High High rate
Warm	-45°C	Slight throttling Criticality: non-critical	Slight throttling Non-critical	Unnoticeable
Hot	45-50°C	Aggressive throttling Criticality: significand	Aggressive Protects hardware	Frame drops, lag Frame drops
Critical	>50°C	Emergency shutdown	Critical Critical	App crashes ERROR

Thermal throttling: Reduces clock speeds to prevent damage, but reduces performance.

Sensors – Motion & Position

What are MEMS Sensors?

Micro-Electro-Mechanical Systems:

- **MEMS Sensors (Micro-Electro-Mechanical Systems)** – Tiny **mechanical devices built on silicon chips**.
- Contain **microscopic moving structures** such as beams or masses.
- **Detect physical forces** like acceleration, rotation, and pressure.
- **Convert mechanical motion into electrical signals**.
- Widely used in **smartphones for motion sensing and orientation**.

Sensors – Motion & Position

Accelerometer: Linear Motion

- **Accelerometer** – Sensor that measures **linear acceleration**.
- Detects motion along **X, Y, and Z axes**.
- Measures **gravity to determine device orientation**.
- Detects **movement, shaking, steps, and vibration**.
- Orientation terms: **Yaw** – turn left/right, **Pitch** – tilt forward/back, **Roll** – tilt side to side.



Sensors – Motion & Position

Accelerometer: Linear Motion

Key Applications:

- **Screen Rotation:** Auto switch between portrait & landscape
- **Motion Detection:** Shake to undo/refresh
- **Fitness Tracking:** Steps, walking/running, distance
- **Gaming Control:** Tilt to steer or move characters
- **Fall Detection & Safety:** Detect sudden impacts
- **Camera Stabilization:** Reduce blur from hand movement
- **Gesture Control:** Raise to wake, flip to silence calls

Sensors – Motion & Position

Gyroscope: Rotation

- **Gyroscope** – Sensor that measures **angular velocity (rotation speed)**.
- Detects rotation around **pitch, roll, and yaw axes**.
- Tracks **device orientation and rotational movement**.
- **Not affected by gravity**, unlike an accelerometer.

Combined: IMU (Inertial Measurement Unit)

- Accelerometer + Gyroscope + Magnetometer = 9-axis
- Enables: AR, VR, image stabilization, navigation without GPS

Sensors – Motion & Position

Gyroscope: Rotation

Key Applications:

- **Precise Screen Orientation:** Smooth rotation beyond simple portrait/landscape
- **Gaming Control:** Detect tilting, turning, and precise movements
- **AR/VR Applications:** Tracks device rotation for immersive experiences
- **Camera Stabilization:** Reduces shake for sharper photos and steady video
- **Navigation:** Improves GPS accuracy by tracking direction changes
- **Gesture Recognition:** Supports advanced motion-based controls

Sensors – Motion & Position

GPS/GNSS: Global Positioning

- **Satellite triangulation:** Measures signal travel time from multiple satellites
- Systems: GPS (US), GLONASS (Russia), Galileo (EU), BeiDou (China)

Metric	Typical Value
Accuracy	3-5 meters outdoors
Time to first fix (cold)	30-60 seconds
A-GPS assisted	2-5 seconds
Power consumption	50-150 mW

Sensors – Environmental & Biometric

Environmental Sensors

Sensor	Measures	Range	Application
Ambient light	Brightness	1-100,000 lux	Auto-brightness, True Tone
Barometer	Air pressure	300-1100 hPa	Altitude, weather prediction
Temperature	Thermal state	Varies	Device protection, throttling
Proximity	Nearby objects	0-5 cm	Screen off during calls

Sensors – Environmental & Biometric

Biometric Sensors

Fingerprint sensor types:

Sensor Type	How It Works	Placement	Key Features
Capacitive	Detects ridges and valleys using **electrical signals**	Back or side of phone	Fast, accurate, widely used
Optical	Captures an **image of the fingerprint using light**	Under-display	In-display, image-based, good for screen integration
Ultrasonic	Uses **ultrasonic waves to map 3D fingerprint**	Under-display	Highly secure, works with wet/dirty fingers
Side-mounted	Typically **capacitive integrated into power button**	Side (power button)	Convenient thumb placement, fast unlocking

Sensors – Environmental & Biometric

Biometric Sensors

Face recognition generations:

Gen	Technology	Security	Fooled By
1st (2017)	2D camera	Low	Photo, video
2nd (2019)	IR + depth	Medium	High-res mask
3rd (2021)	30,000 dot projector	High	Elaborate 3D mask
4th (2024)	Multi-spectrum + liveness	Very high	Nothing practical

Key Insight: Biometric sensors are like security guards—each generation gets better at detecting fakes. Environmental sensors are like weather stations, giving your phone awareness of its surroundings.

Display & Touch Technologies

What is a Display Panel?

- A **display panel** is a **visual output device** that presents information using **controlled light to form images and text**.
- It converts **electronic signals into visible content** on the screen.

Design Considerations:

- **Image quality** (resolution, color accuracy, brightness)
- **Power consumption** (battery efficiency)
- **Durability** (resistance to damage and wear)
- **Thickness** (thin and lightweight device design)

Display & Touch Technologies

Display Technology Comparison

Technology	Mechanism	Strengths	Weaknesses
OLED	Self-emitting pixels	Perfect blacks, thin, flexible	Burn-in, expensive, PWM sensitivity
AMOLED	Active-matrix OLED	Same as OLED, more efficient	Same as OLED
LTPO OLED	Variable refresh transistors	1-120Hz adaptive	Complex, costly
Mini-LED	Thousands of LED zones	Near-OLED, no burn-in	Thicker, blooming
LCD	Backlight + liquid crystals	Cheap, bright, reliable	Gray blacks, thicker

Display & Touch Technologies

Key Display Specifications

Spec	Good	Better	Best
Resolution	FHD (1920 × 1080)	QHD (2560 × 1440)	4K (3840 × 2160)
Refresh rate	60Hz	90/120Hz	144Hz+
Brightness	500 nits	1000 nits	2000+ nits
HDR	HDR10	HDR10+	Dolby Vision

Display & Touch Technologies

Touchscreen Technology

Haptic Feedback

- **Haptics** refers to **technology that creates touch sensations through vibrations or movements**.
- It allows devices like smartphones to **communicate with users through the sense of touch**.
- The phone uses a **small vibration motor (ERM or LRA)**.
- When interacting with the screen, the motor **creates tiny vibrations** that you can feel.

Type	Mechanism	Feel	Used In
ERM	Eccentric rotating mass	Buzzy, imprecise	Budget phones
LRA	Linear resonant actuator	Sharp, precise	iPhone, flagships

Display & Touch Technologies

Refresh Rate: Flipbook Speed

Rate	Speed	Experience	Battery
60Hz	Standard	Acceptable	Baseline
90Hz	Smooth	Noticeably better	+10%
120Hz	Very smooth	Butter scrolling	+20%
Adaptive	Smart	Matches content	Optimized

Key Insight: Display is your window to the digital world—OLED is like a smart window adjusting transparency, touch is the handle responding instantly to your grip.

Camera System Architecture

What is a Computational Camera?

- Combines **optical hardware** *(lenses and image sensors)* with **software processing** *(ISP and NPU)*
- Uses **advanced algorithms and AI** to enhance image quality
- Enables features like **HDR, night mode, portrait mode, and image stabilization**
- **Key idea:** In modern mobile photography, **computational processing often plays a bigger role than optics alone** in producing high-quality images.

Connectivity Architecture

What is Cellular Communication?

- Wireless data/voice transmission via **network of base stations** (cell towers)
- Each generation (G) = major leap in speed, latency, capabilities

Connectivity Architecture

Cellular Evolution

Gen	Era	Speed	Latency	Key Capability
1G	1980s	-	-	Analog voice
2G	1990s	0.1 Mbps	600ms	SMS, basic data
3G	2000s	2 Mbps	100ms	Mobile web, video calls
4G LTE	2010s	100 Mbps	50ms	HD streaming, apps
5G Sub-6	2020s	1 Gbps	20ms	4K streaming, cloud gaming
5G mmWave	2024+	10 Gbps	1ms	VR/AR, instant response

Connectivity Architecture

Wi-Fi Evolution

Standard	Year	Speed	Key Advance
Wi-Fi 5 (ac)	2014	3.5 Gbps	5 GHz focus, beamforming
Wi-Fi 6 (ax)	2019	9.6 Gbps	OFDMA, crowded area efficiency
Wi-Fi 6E	2021	9.6 Gbps	6 GHz band, less interference
Wi-Fi 7 (be)	2024	46 Gbps	320 MHz channels, MLO

Connectivity Architecture

Other Connectivity

Tech	Range	Speed	Primary Use
Bluetooth 5.3	100m	2 Mbps	Audio, wearables
NFC	<10 cm	424 kbps	Payments, transit, tap-to-pair
UWB	10-200m	Low data	Precision location, AirTag, car keys
Thread	Mesh network	Low data	Smart home, self-healing networks

Key Insight: Connectivity is like transportation infrastructure—5G is the highway system (fast, long-distance), Wi-Fi is your driveway (private, local), NFC is a secret handshake (very close, very secure).

ADAMA SCIENCE & TECHNOLOGY UNIVERSITY

END *of* CHAPTER 3