

Open Source in Late August: A Forecasting Model, Torrent-Shipped Weights, and Video With Sound

Kabui, Charles

2026-09-08

 Read at [ToKnow.ai](#)



The banner features a dark blue background with a network diagram of three nodes in the top right. The main title is in large white and green font. Below it, a subtitle in smaller white font describes the releases. Three key metrics are highlighted in separate boxes with vertical bars: a red bar for '#1' ranking, a yellow bar for '36.5%' score, and a blue bar for '15 s' duration. The date 'September 8, 2026' and the 'ToKnow.ai' logo are at the bottom.

Open Source in Late August: Forecasting, Torrent-Shipped Weights, and Video With Sound

Time-series models, open vision, video with audio, and P2P model downloads

- #1**
TimesFM 3.0 ranks top on fev-bench, TIME, GIFT-Eval
- 36.5%**
ApexBench score for DeepSeek vision model, up from 26.2%
- 15 s**
of video with native stereo audio from MiniMax-H3 33B

September 8, 2026 ToKnow.ai

Open-source releases in late August moved past chat and code. Google's [TimesFM 3.0](#) is a time-series foundation model that forecasts several related series at once and handles extra inputs like price or weather, ranking first on the fev-bench, TIME, and GIFT-Eval suites; the

code is Apache-2.0 but the 3.0 weights are non-commercial. [DeepSeek-V4-Flash-Vision-Exp](#) is DeepSeek’s first V4 model with vision (MIT), lifting ApexBench to 36.5% from 26.2% while holding its text-agent scores. [MiniMax-H3](#) makes up to 15 seconds of video with native stereo audio from a 33B model. [modelregistry.io](#) serves open weights as HTTPS torrent files with live seed and peer counts, and [Chrome DevTools MCP](#) added PWA automation and queryable heap snapshots for coding agents.

A data team can test a foundation forecaster against its own numbers before training per-series models, with TimesFM 3.0 off limits commercially. A developer can run an agent that reads a screen, or generate a clip with synchronized sound, instead of renting a closed API. Distribution matters as much: once model files pass tens of gigabytes, whoever hosts them controls who downloads them, so torrent delivery spreads the burden across peers, echoing the point that [the hosting layer is the real control point](#).

The widening cuts two ways: what a model does (forecast, see, hear) and how it reaches users. Licensing is the new dividing line, and TimesFM’s open code with restricted weights shows that “open” now needs a qualifier.

Read More: [an earlier snapshot of the month’s trending open-source projects](#)

Sources:

- [TimesFM: Time Series Foundation Model \(Google Research\)](#)
- [TimesFM 3.0 PyTorch weights \(Hugging Face\)](#)
- [DeepSeek-V4-Flash-Vision-Exp \(Hugging Face\)](#)
- [MiniMax H3 \(Hugging Face\)](#)
- [Model Registry: decentralized model distribution](#)
- [Chrome DevTools MCP \(GitHub\)](#)

Disclaimer: For information only. Accuracy or completeness not guaranteed. Illegal use prohibited. Not professional advice or solicitation. **Read more:** [/terms-of-service](#)